

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
778	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355956	4869255	364
779	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355911	4869176	365
780	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355907	4869212	365
781	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355894	4869247	366
782	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355823	4869224	367
783	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355849	4869163	367
784	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356273	4869294	364
785	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356327	4869308	365
786	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356329	4869276	365
787	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356285	4869243	364
788	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	356217	4869348	364
789	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	356142	4869333	363
790	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356488	4869268	363
791	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356488	4869322	362
792	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356521	4869056	363
793	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	351866	4875985	362
794	Non-Part.	24	35	40	45	50	25	35	40	45	50	23	35	40	45	50	357345	4868269	362
795	Non-Part.	22	35	40	45	50	23	35	40	45	50	21	35	40	45	50	358127	4868180	359

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
796	Non-Part.	22	35	40	45	50	23	35	40	45	50	20	35	40	45	50	359000	4868732	355
797	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	358409	4871152	351
798	Part.	20	35	40	45	50	21	35	40	45	50	19	35	40	45	50	338161	4880092	389
799	Part.	24	35	40	45	50	24	35	40	45	50	22	35	40	45	50	340457	4879785	381
800	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	342979	4879428	377
801	Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	342860	4879804	371
802	Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344257	4879373	369
803	Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	346022	4880757	379
804	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	346353	4879521	372
805	Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	347374	4880046	375
806	Non-Part.	16	35	40	45	50	18	35	40	45	50	16	35	40	45	50	334869	4878152	419
807	Non-Part.	19	35	40	45	50	20	35	40	45	50	18	35	40	45	50	336665	4879160	405
808	Part.	25	35	40	45	50	26	36	40	45	50	24	35	40	45	50	339609	4878853	398
809	Part.	26	36	40	45	50	27	36	40	45	50	25	35	40	45	50	339876	4878698	398
810	Part.	27	36	40	45	50	28	36	40	45	50	25	35	40	45	50	340969	4879236	389
811	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	341771	4879253	378
812	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	342147	4878086	385
813	Part.	31	36	40	45	50	31	36	41	45	50	29	36	40	45	50	343459	4879213	375
814	Non-Part.	42	43	44	47	51	42	43	44	47	51	40	41	43	46	50	346568	4878623	369
815	Non-Part.	17	35	40	45	50	19	35	40	45	50	16	35	40	45	50	334807	4877612	422

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNT @ 117 m					Nordex N 163 LNT @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
816	Non-Part.	22	35	40	45	50	23	35	40	45	50	21	35	40	45	50	336624	4877581	415
817	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	342925	4877379	383
818	Non-Part.	38	40	42	46	50	38	40	42	46	50	37	39	42	46	50	348298	4877605	367
819	Non-Part.	38	40	42	46	50	38	40	42	46	50	36	39	42	46	50	349372	4876711	370
820	Non-Part.	36	38	41	45	50	36	38	41	45	50	34	38	41	45	50	349560	4877237	365
821	Non-Part.	40	41	43	46	50	40	41	43	46	50	38	40	42	46	50	350071	4876070	370
822	Non-Part.	22	35	40	45	50	23	35	40	45	50	21	35	40	45	50	334761	4875604	432
823	Part.	25	35	40	45	50	25	35	40	45	50	23	35	40	45	50	335312	4874792	434
824	Part.	26	35	40	45	50	26	36	40	45	50	24	35	40	45	50	336576	4875510	417
825	Non-Part.	25	35	40	45	50	25	35	40	45	50	23	35	40	45	50	336378	4875819	419
826	Part.	27	36	40	45	50	27	36	40	45	50	26	35	40	45	50	336384	4874934	418
827	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	336991	4874550	417
828	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	336774	4874696	418
829	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	338085	4874866	409
830	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	40	45	50	339459	4874939	407
831	Non-Part.	42	43	44	47	51	42	43	44	47	51	40	41	43	46	50	344595	4874794	386
832	Non-Part.	23	35	40	45	50	23	35	40	45	50	21	35	40	45	50	333832	4873272	432
833	Non-Part.	24	35	40	45	50	25	35	40	45	50	23	35	40	45	50	334862	4874592	435
834	Part.	26	35	40	45	50	26	36	40	45	50	24	35	40	45	50	334958	4874215	435

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNT @ 117 m					Nordex N 163 LNT @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
835	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	334586	4872932	425
836	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	336162	4873279	428
837	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	338786	4873051	407
838	Non-Part.	40	41	43	46	50	40	41	43	46	50	38	40	42	46	50	340983	4873020	405
839	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	340423	4872948	407
840	Non-Part.	43	43	45	47	51	43	43	45	47	51	41	42	43	46	50	343945	4872887	401
841	Non-Part.	39	41	43	46	50	39	41	43	46	50	37	39	42	46	50	345816	4872706	388
842	Non-Part.	39	41	43	46	50	39	41	43	46	50	38	40	42	46	50	345892	4872903	388
843	Non-Part.	38	40	42	46	50	38	40	42	46	50	36	39	42	46	50	338174	4872453	415
844	Non-Part.	40	42	43	46	50	40	42	43	46	50	39	40	42	46	50	338637	4871428	412
845	Non-Part.	38	40	42	46	50	38	40	42	46	50	37	39	42	46	50	339725	4871223	404
846	Non-Part.	42	43	44	47	51	42	43	44	47	51	40	42	43	46	50	339698	4872091	408
847	Non-Part.	38	40	42	46	50	38	40	42	46	50	37	39	42	46	50	341617	4872198	403
848	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	340697	4872553	406
849	Non-Part.	41	42	44	47	51	41	42	44	47	51	39	41	43	46	50	345132	4871418	397
850	Non-Part.	40	41	43	46	50	40	41	43	46	50	38	40	42	46	50	345666	4871176	397
851	Non-Part.	39	41	43	46	50	39	40	42	46	50	37	39	42	46	50	345635	4871615	392
853	Non-Part.	42	43	44	47	51	42	43	44	47	51	40	41	43	46	50	347220	4871377	390

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTe @ 117 m					Nordex N 163 LNTe @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
854	Non-Part.	44	44	45	47	51	44	44	45	47	51	42	43	44	47	51	349219	4872327	377
856	Non-Part.	26	35	40	45	50	25	35	40	45	50	24	35	40	45	50	334781	4871010	436
857	Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	335152	4870543	433
858	Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	335176	4870542	432
859	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	337070	4869855	432
860	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	337119	4869638	432
861	Non-Part.	40	42	43	46	50	40	42	43	46	50	39	40	42	46	50	338904	4871049	403
862	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	340446	4869737	409
863	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	341233	4869865	407
864	Non-Part.	37	39	42	46	50	38	39	42	46	50	36	38	41	45	50	342758	4870493	404
865	Non-Part.	36	39	41	46	50	36	39	41	46	50	34	38	41	45	50	342923	4869891	405
866	Non-Part.	41	42	44	47	51	41	42	44	47	51	40	41	43	46	50	349266	4870209	385
867	Non-Part.	23	35	40	45	50	23	35	40	45	50	22	35	40	45	50	334947	4869374	437
868	Non-Part.	31	36	41	45	50	31	37	41	45	50	29	36	40	45	50	337953	4868597	428
869	Non-Part.	37	39	42	46	50	37	39	42	46	50	36	38	41	45	50	338227	4869503	424
870	Non-Part.	31	36	41	45	50	31	36	41	45	50	29	36	40	45	50	338448	4868102	425
871	Non-Part.	31	37	41	45	50	31	37	41	45	50	30	36	40	45	50	338518	4868105	422
872	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	339725	4868307	411
873	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	336967	4868688	432

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
874	Non-Part.	37	39	42	46	50	37	39	42	46	50	36	38	41	45	50	338219	4869504	424
875	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	341232	4869013	412
876	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	341232	4869013	412
877	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344669	4868346	395
878	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344721	4868250	401
879	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344634	4868277	392
880	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	344647	4868236	396
881	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	344664	4868206	399
882	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	344679	4868180	400
883	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	344691	4868155	402
884	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344708	4868129	402
885	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344749	4868074	403
886	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	344752	4868013	402
887	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	344761	4867974	401
888	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	344773	4867945	401
889	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	344846	4868005	400
890	Non-Part.	34	38	41	45	50	34	37	41	45	50	32	37	41	45	50	344907	4867995	398
891	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344933	4868048	400

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
892	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344905	4868049	400
893	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344872	4868050	401
894	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344892	4868073	401
895	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	344795	4867894	400
896	Non-Part.	34	37	41	45	50	34	38	41	45	50	32	37	41	45	50	344803	4867873	400
897	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	344805	4867852	399
898	Non-Part.	34	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344812	4867827	398
899	Non-Part.	34	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344828	4867812	397
900	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	344949	4867811	396
901	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	344887	4867861	397
902	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	344887	4867891	397
903	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345021	4867901	396
904	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	344998	4867808	396
905	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345080	4867809	396
906	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345110	4867806	396
907	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345136	4867810	395
908	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345156	4867808	395
909	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345205	4867815	393

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
910	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345155	4867859	395
911	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345113	4867871	395
912	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345144	4867902	395
913	Non-Part.	35	38	41	45	50	35	38	41	45	50	34	37	41	45	50	345161	4867967	394
914	Non-Part.	35	38	41	45	50	35	38	41	45	50	34	37	41	45	50	345161	4867998	394
915	Non-Part.	35	38	41	45	50	35	38	41	45	50	34	37	41	45	50	345124	4867997	394
916	Non-Part.	36	38	41	45	50	36	38	41	45	50	34	37	41	45	50	345213	4868052	392
917	Non-Part.	36	39	41	46	50	36	39	41	46	50	34	38	41	45	50	345307	4868046	391
918	Non-Part.	36	39	42	46	50	36	39	42	46	50	35	38	41	45	50	345355	4868046	391
919	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345499	4868043	391
920	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345548	4868047	391
921	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345419	4868097	389
922	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345422	4868130	389
923	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345479	4868127	390
924	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345482	4868161	390
925	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345467	4868172	390
926	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345442	4868188	389
927	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345411	4868192	390

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
928	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345411	4868201	390
929	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345060	4868051	396
930	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345032	4868050	397
931	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345006	4868052	398
932	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344982	4868051	398
933	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344959	4868051	399
934	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	344979	4868001	397
935	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345003	4868001	396
936	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345082	4867861	395
937	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	345108	4868670	390
938	Non-Part.	39	40	42	46	50	38	40	42	46	50	37	39	42	46	50	345101	4869058	393
939	Non-Part.	39	40	42	46	50	38	40	42	46	50	37	39	42	46	50	345073	4869116	392
940	Non-Part.	38	40	42	46	50	38	40	42	46	50	37	39	42	46	50	345842	4868063	394
941	Non-Part.	40	41	43	46	50	40	41	43	46	50	38	40	42	46	50	349380	4868208	392
942	Non-Part.	38	39	42	46	50	38	39	42	46	50	36	38	41	45	50	339407	4866737	425
943	Non-Part.	39	40	43	46	50	39	41	43	46	50	37	39	42	46	50	339495	4867354	419
944	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	338320	4866355	432
945	Non-Part.	39	40	43	46	50	39	41	43	46	50	37	39	42	46	50	339495	4867354	419

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
946	Non-Part.	40	41	43	46	50	40	41	43	46	50	38	40	42	46	50	340056	4866386	422
947	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	340891	4866430	418
948	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	341412	4866409	413
949	Non-Part.	36	39	42	46	50	36	39	42	46	50	35	38	41	45	50	341126	4867426	409
950	Non-Part.	31	36	41	45	50	31	37	41	45	50	29	36	40	45	50	341891	4866747	411
951	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	342614	4866948	406
952	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	342664	4866947	407
953	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	343379	4866634	407
954	Non-Part.	38	40	42	46	50	38	40	42	46	50	37	39	42	46	50	346917	4867222	398
955	Non-Part.	38	40	42	46	50	38	40	42	46	50	37	39	42	46	50	346902	4867214	399
956	Non-Part.	38	40	42	46	50	38	40	42	46	50	36	39	41	46	50	346932	4867149	397
957	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	346601	4867154	399
958	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	346574	4867159	399
959	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	346504	4867107	399
960	Non-Part.	22	35	40	45	50	22	35	40	45	50	20	35	40	45	50	336434	4866082	427
961	Non-Part.	23	35	40	45	50	23	35	40	45	50	21	35	40	45	50	338235	4864957	427
962	Non-Part.	24	35	40	45	50	24	35	40	45	50	22	35	40	45	50	338247	4864948	426
963	Non-Part.	25	35	40	45	50	26	35	40	45	50	24	35	40	45	50	358904	4873683	347

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
964	Non-Part.	25	35	40	45	50	25	35	40	45	50	23	35	40	45	50	359310	4870903	352
965	Non-Part.	21	35	40	45	50	22	35	40	45	50	19	35	40	45	50	358522	4867711	356
966	Non-Part.	24	35	40	45	50	25	35	40	45	50	23	35	40	45	50	358572	4869564	355
967	Non-Part.	22	35	40	45	50	23	35	40	45	50	21	35	40	45	50	359166	4869439	353
968	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	358553	4872560	349
969	Non-Part.	41	42	44	47	51	41	42	44	47	51	40	41	43	46	50	352433	4874356	367
970	Non-Part.	40	41	43	46	50	40	41	43	46	50	38	40	42	46	50	352474	4869517	378
971	Non-Part.	42	42	44	47	51	42	42	44	47	51	40	41	43	46	50	344430	4869517	389

