

Lemon Hill Solar, LLC

Phase I Archaeological Survey Report for the Lemon Hill Solar Project, Addendum 1 Olmsted County, Minnesota

PREPARED BY

Merjent, Inc. 1 Main Street SE, Suite 300 Minneapolis, Minnesota 55414

Aaron Armstrong-Duarte, PhD Principal Investigator

SHPO Project Number 2024-1718

July 2025



EXECUTIVE SUMMARY

Lemon Hill Solar, LLC (Lemon Hill Solar) is proposing to build a solar farm in Olmsted County referred to as the Lemon Hill Solar Project (Project). The Project will require a Site Permit from the Minnesota Public Utilities Commission pursuant to the Minnesota Power Plant Siting Act (Minnesota Statutes Chapter 216E) and Minnesota Administrative Rules Chapter 7850.

Merjent, Inc. (Merjent) completed a survey of the initial Project footprint on November 2, 2024. A report titled *Phase I Archaeological Survey Report for the Lemon Hill Solar Project, Olmsted County, Minnesota* (Amstrong-Duarte and Mieras 2024) was submitted to the State Historic Preservation Office (SHPO) in January 2025 (SHPO Project Number 2024-1718). In a letter dated March 3, 2025, the SHPO concurred with Merjent's assessment that, "no significant archaeological sites will be affected by the Project and that there are no properties listed in the National or State Registers of Historic Places, or within the Historic Sites Network, that will be affected by the Project."

In April 2025, several Project areas were surveyed that were not surveyed during the initial survey effort (referred to as Areas 1 to 6 or April 2025 Survey Areas), see Figure 1 in Appendix A. The acreage of the April 2025 Survey Areas totals 128.22 acres; locations and acreages of these areas are provided in the table below.

INONPUBLIC DATA BEGINS.

April 2025 Survey Areas						
Location	Description	Township	Range	Section(s)	Acres	
Area 1	Parcel: Southwest corner of the intersection of 70th Avenue NE and 65th Street NE	107N	13W	11	76.24	
Area 2	Collector Line: Adjacent to and west of 70th Avenue NE	107N	13W	11, 14	1.80	
Area 3	Road Access: Southwest corner of the intersection of 70th Avenue NE and Viola Road NE (Co. Rd. 2 NE)	107N	13W	23	0.04	
Area 4	Road Access: Northeast corner of the intersection of County Road 24 NE and 48th Street NE	107N	12W	18	0.05	
Area 5	Collector Line: Adjacent to and west of County Road 102 NE	107N	12W	19	0.42	
Area 6	Parcel: Northwest of the corner of 100th Avenue NE and Silver Creek Road NE	107N	12W	29	49.67	
TOTAL					128.22	

...NONPUBLIC DATA ENDS]

In March and April 2025, Merjent updated the literature review of cultural resources within a 1.0-mile buffer of the April 2025 Survey Areas (Study Area). There were no additional State or National Register of Historic Places listed or eligible resources identified within the Study Area. On April 17, 2025, Merjent conducted a Phase I archaeological survey of the April 2025 Survey Areas. The survey followed the methods described in the Project's original Survey Plan and Methods which were approved by SHPO in July 2024. A total of 80.6 acres were surveyed during the current investigation.

Two precontact archaeological sites (210L0078 and 210L0079), each consisting of a precontact single chert tertiary flake, were identified during the survey. Merjent recommends that the sites are not eligible for listing in the National Register of Historic Places. Merjent recommends that no historic properties will be affected by the Project as proposed. No further archaeological work is recommended for the Project as planned.

TABLE OF CONTENTS

	EXEC		SUMMARY	
	1.0	PROJ	ECT DESCRIPTION	
		1.1	REGULATORY FRAMEWORK	2
	2.0	SOILS	S OF THE APRIL 2025 SURVEY AREAS	2
	3.0	LITER	ATURE REVIEW RESULTS	3
		3.1	PREVIOUS ARCHAEOLOGICAL INVESTIGATIONS	3
		3.2	PREVIOUSLY RECORDED ARCHAEOLOGICAL SITES	
		3.3	HISTORICAL CEMETERIES	
		3.4	PREVIOUSLY RECORDED ARCHITECTURAL RESOURCES	
		3.5	HISTORICAL MAP REVIEW	5
		3.6	IMPLICATIONS FOR SITE POTENTIAL	
	4.0	OBJE	CTIVES AND METHODS	
		4.1	NRHP SITE EVALUATION CRITERIA	7
			4.1.1 Precontact Archaeological Sites	
	5.0	SURV	EY RESULTS	
		5.1	AREA 1 - PARCEL: TOWNSHIP 107N, RANGE 13W, SECTION 11	
		5.2	AREA 2 – COLLECTOR LINE: TOWNSHIP 107N, RANGE 13W,	
		·-	SECTIONS 11 & 14	9
		5.3	AREA 3 – ROAD ACCESS: TOWNSHIP 107N, RANGE 13W, SECTION	
		0.0	23	11
		5.4	AREA 4 – ROAD ACCESS: TOWNSHIP 107N, RANGE 12W, SECTION	
			18	11
		5.5	AREA 5 – COLLECTOR LINE: TOWNSHIP 107N, RANGE 12W, SECTION	
INONPLIBLIC	: ΠΔΤΔ Ε			12
[NOW OBEIG		5.6	"AREA 6 – PARCEL: TOWNSHIP 107N, RANGE 12W, SECTION 29	13
			5.6.1 Archaeological Sites 210L0078 and 210L0079	
	6.0	EVAL	UATION OF SITES 210L0078 AND 210L0079	17
		6.1	NRHP RECOMMENDATIONS - SIGNIFICANCE AND ASSESSMENT OF	
			INTEGRITY	17
	7.0	SUMN	MARY AND CONCLUSIONS	18
	8.0		RENCES CITED	
			NONPUBLIC DATA EI	NDS
			NON OBEIO BATA EI	NDO.
			<u>LIST OF TABLES</u>	
	Table '	1.0-1	Sections Included in the Project Footprint	
	Table '	1.0-2	Areas Surveyed	1
	Table 2		Soil Types Present in Survey Areas 1–6	2
	Table 3		Previously Reported Cultural Resource Surveys Within the Study Area	4
	Table 3		Previously Recorded Archaeological Sites Within the Study Area	4
	Table 3		Previously Reported Historic Architectural Resources within the Study Area	
	Table 4		Area 1 Survey Acreages	
	Table 4	4.2-1	Area 2 Survey Acreages	10
	Table 4	4.3-1	Area 3 Survey Acreages	11
	Table 4	4.4-1	Area 4 Survey Acreages	12
	Table 4	4.5-1	Area 5 Survey Acreages	13
	Table 4	4.6-1	Area 6 Survey Acreages	14

LIST OF PHOTOS

Photo 4.1-1	Overview of agricultural field in Area 1, facing north	8
Photo 4.1-2	Overview of agricultural field in Area 1, facing south	8
Photo 4.1-3	Example of NWI-defined wetland in Area 1, facing west	9
Photo 4.1-4	Example of 80 percent GSV in Area 1, facing ground	9
Photo 4.2-1	Overview of Area 2, facing south	.10
Photo 4.2-2	Overview of Area 2, facing north	.10
Photo 4.2-3	Example of buried utility in Area 2, facing west	.10
Photo 4.3-1	Overview of Area 3, facing west	.11
Photo 4.4-1	Overview of Area 4, facing north	
Photo 4.5-1	Overview of Area 5, facing south	.13
Photo 4.5-2	Overview of Area 5, facing north	.13
Photo 4.6-1	Overview of agricultural field in Area 6, facing north	.14
Photo 4.6-2	Overview of agricultural field in Area 6, facing east	.14
Photo 4.6-3	Example of NWI-defined wetland in Area 6, facing north	.14
Photo 4.6-4	Example of 80 percent GSV in Area 6, facing ground	.14
Photo 4.6-5	Shovel test 2 excavated in Area 6, facing ground	.15
Photo 4.6.1-1	Overview of the 21OL0079 locale, facing south.	.16
	Overview of the 21OL0078 locale, facing north	
Photo 4.6.1-3	Shovel test 12 excavated in Area 6, facing ground	.16
Photo 4.6.1-4	Shovel test 14 excavated in Area 6, facing ground	.16
Photo 4.6.1-5	Shovel test 22 excavated in Area 6, facing ground	.17

LIST OF APPENDICES

Appendix A Project Figures Appendix B Site Forms

TERMS AND ABBREVIATIONS

BLM Bureau of Land Management CFR Code of Federal Regulations

cm centimeters

cmbs Centimeters below surface

GLO General Land Office Lemon Hill Solar Lemon Hill Solar, LLC

Merjent, Inc.

MnSHIP Minnesota's Statewide Historic Inventory Portal

NRCS Natural Resources Conservation Service
NRHP National Register of Historic Places
OSA Office of the State Archaeologist

Project Lemon Hill Solar Project

Areas 1–6 the six areas that were surveyed on April 17, 2025

SHPO Minnesota State Historic Preservation Office

Study Area 1.0-mile buffer around the six areas that were surveyed on April 17, 2025

NWI National Wetlands Inventory

1.0 PROJECT DESCRIPTION

Lemon Hill Solar, LLC (Lemon Hill Solar) is proposing to build a solar farm that will have a generating capacity of up to 180 megawatts referred to as the Lemon Hill Solar Project (Project). The Project is located in rural Olmsted County (see Figure 1 in Appendix A). Locational information is provided below in Table 1.0-1.

TABLE 1.0-1				
Sections Included in the Project Footprint				
County	Township	Range	Sections	
Olmsted	107N	12W	7, 17, 18, 19, 20, 29	
Olmsted	107N	13W	11, 12, 13, 14, 23, 24	

Merjent, Inc. (Merjent) completed a survey of the initial Project footprint totaling 1,906 acres on November 2, 2024. A report titled *Phase I Archaeological Survey Report for the Lemon Hill Solar Project, Olmsted County, Minnesota* (Amstrong-Duarte and Mieras 2024) was submitted to the State Historic Preservation Office (SHPO) on January 8, 2025 (SHPO Project Number 2024-1718). In a letter dated March 3, 2025, the SHPO concurred with Merjent's assessment that, "no significant archaeological sites will be affected by the Project and that there are no properties listed in the National or State Registers of Historic Places, or within the Historic Sites Network, that will be affected by the Project."

In April 2025, several Project areas were surveyed that were not surveyed during the initial survey effort (referred to as Areas 1 to 6 or April 2025 Survey Areas); see Figure 1 in Appendix A. The total acreage of the six areas is 128.22 acres, of which 80.6 acres were surveyed following the Project's previously approved Phase I Survey Plan and Methods; locations and acreages of these new areas are provided below in Table 1.0-2.

	TABLE 1.0-2				
	April 2025 Survey Areas	;			
Location	Description	Township	Range	Section(s)	Acres
Area 1	Parcel: Southwest corner of the intersection of 70th Avenue NE and 65th Street NE	107N	13W	11	76.24
Area 2	Collector Line: Adjacent to and west of 70th Avenue NE	107N	13W	11, 14	1.80
Area 3	Road Access: Southwest corner of the intersection of 70th Avenue NE and Viola Road NE (Co. Rd. 2 NE)	107N	13W	23	0.04
Area 4	Road Access: Northeast corner of the intersection of County Road 24 NE and 48th Street NE	107N	12W	18	0.05
Area 5	Collector Line: Adjacent to and west of County Road 102 NE	107N	12W	19	0.42
Area 6	Parcel: Northwest of the corner of 100th Avenue NE and Silver Creek Road NE	107N	12W	29	49.67
TOTAL					128.22

This report describes the literature search results, field objectives and methods, survey results, and recommendations concerning the April 2025 Survey Areas. For Project environmental and cultural background information, please see Amstrong-Duarte and Mieras (2024). The literature review results described in this report pertain only to the April 2025 Survey Areas and the identified resources not previously described in Amstrong-Duarte and Mieras (2024).

1.1 REGULATORY FRAMEWORK

The Project will require a Site Permit from the Minnesota Public Utilities Commission pursuant to the Minnesota Power Plant Siting Act (Minnesota Statutes Chapter 216I) and Minnesota Administrative Rules Chapter 7850. Minnesota Public Utilities Commission permitting requires consideration of impacts to cultural resources by following relevant state historic preservation laws, notably the Field Archaeology Act (MS 138.31-42), Minnesota Historic Sites Act (MS 138.661-138.669), and the Private Cemeteries Act (MS 307.08).

2.0 SOILS OF THE APRIL 2025 SURVEY AREAS

According to NRCS soils data, there are a total of 14 different soil units anticipated within the April 2025 Survey Areas (NCRS 2025a; see Table 2.0-1). Within the April 2025 Survey Areas are Alfisols, which are soils developed in forest ecosystems; Mollisols, which are soils developed under grassland ecosystems; and Entisols, which are soils of recent origin developed in unconsolidated parent material, usually no genetic horizons except an A horizon, and found on steep slopes and young geomorphic surfaces (NRCS 2025b). Soils in the April 2025 Survey Areas tend to exhibit depth and are well drained, which suggests potential for buried archaeological deposits (Fanning and Fanning 1989; Jenny 1941). Although there is potential to encounter archaeological deposits within the Project footprint, Holliday (2004) states that soil series mapped by the NRCS potentially provide clues but should be recognized as having considerable limitations in archaeological applications. Descriptions of the soil types expected to be encountered within the April 2025 Survey Areas are provided below.

	TABLE 2.0-1					
	Soil Types Present in Survey Areas 1–6					
Soil Type	Soil Order	Landform	Typical Soil Profile	Percentage of Footprint		
Area 1 Parcel: S	outhwest cor	ner of the intersection of 70th Aven	ue NE and 65th Street NE			
Racine silt loam	Alfisols	Interfluves and side slopes on dissected till plains on the Iowan Erosion Surface	A-E-Bt1-2Bt2-2Bt3-2Bt4-2BC1-2BC2	1.5		
Garwin silty clay loam	Mollisols	Drainageways, till plains, and stream terraces	Ap-A1-A2-Bg1-Bg2-Bg3-Bg4-BCg1- BCg2	15.2		
Joy silt loam	Mollisols	Ridges and terraces	Ap-A1-A2-Bt1-Bt2-Bt3-Btg-Cg	25.3		
Waubeek silt loam	Alfisols	Summits and side slopes	Ap-E-Bt1-Bt2-2Bt3-2Bt4-2BC1-2BC2	6.9		
Otter silt loam	Mollisols	Flood plains	A1-A2-A3-A4-Bg-BCg-Cg	1.0		
Downs silt loam	Alfisols	Hillslopes	Ap-E-BE-Bt1-Bt2-Bt3-BC1-BC2	50.1		
Area 2 Collecto	r Line: Adjace	ent to and west of 70th Avenue NE				
Joy silt loam	Mollisols	Ridges and terraces	Ap-A1-A2-Bt1-Bt2-Bt3-Btg-Cg	27.7		
Waubeek silt loam	Alfisols	Summits and side slopes	Ap-E-Bt1-Bt2-2Bt3-2Bt4-2BC1-2BC2	18.8		
Otter silt loam	Mollisols	Flood plains	A1-A2-A3-A4-Bg-BCg-Cg	2.8		
Elbaville silt loam	Alfisols	Upper back slopes, shoulders, and foot slopes in dissected uplands	Oe-A-E1-E2-BE-Bt1-2Bt2-3Bt2-3C	<0.1		
Downs silt loam	Alfisols	Hillslopes	Ap-E-BE-Bt1-Bt2-Bt3-BC1-BC2	50.7		
Area 3 Road Ac	Area 3 Road Access: Southwest corner of intersection of 70th Avenue NE and Viola Road NE					
Atkinson loam	Mollisols	Ridges of narrow interfluves, crests and side slopes on uplands, high structural benches, and strath terraces	Ap-A-BA-Bt1-Bt2-Bt3-2Bt4-3R	100		

[NONPUBLIC DATA BEGINS...

	TABLE 2.0-1				
		Soil Types Present in Surv	ey Areas 1–6		
Soil Type	Soil Order	Landform	Typical Soil Profile	Percentage of Footprint	
Area 4 Road Ad	ccess: Northea	ast corner of the intersection of Cou	nty Road 24 NE and 48th Street NE		
Joy silt loam	Mollisols	Ridges and terraces	Ap-A1-A2-Bt1-Bt2-Bt3-Btg-Cg	100	
Area 5 Collecto	or Line: Adjace	ent to and west of County Road 102	NE		
Chaseburg silt loam	Entisols	Flood plains, hills, and alluvial fans	A-C1-C2-C3-C4	14.2	
Frankville silt loam	Alfisols	Crests of interfluves, side slopes, and high structural benches	Ap-BE-Bt1-Bt2-2Bt3-2R	28.0	
Oronoco loam	Mollisols	Summits of rolling or hilly uplands	Ap-E-Bt1-Bt2-Bt3-Bt4-BC-2C	38.4	
Downs silt loam	Alfisols	Hillslopes	Ap-E-BE-Bt1-Bt2-Bt3-BC1-BC2	19.4	
Area 6 Parcel:	Northwest of t	he corner of 100th Avenue NE and S	Silver Creek Road NE		
Chaseburg silt loam	Entisols	Flood plains, hills, and alluvial fans	A-C1-C2-C3-C4	4.5	
Vasa silt loam	Alfisols	Interfluves on dissected till plains	Ap-Bt1-Bt2-Bt3-2Bt4	2.8	
Nasset silt loam	Alfisols	Interfluves, benches, and dissected uplands	Ap-BE-Bt1-Bt2-Bt3-2Bt4-3R	0.1	
Oronoco Ioam	Mollisols	Summits of rolling or hilly uplands	Ap-E-Bt1-Bt2-Bt3-Bt4-BC-2C	9.9	
Downs silt loam	Alfisols	Hillslopes	Ap-E-BE-Bt1-Bt2-Bt3-BC1-BC2	47.2	
Tama silt loam	Mollisols	Ridges	Ap-A1-A2-BA-Bt1-Bt2-BC	35.5	

...NONPUBLIC DATA ENDS]

3.0 LITERATURE REVIEW RESULTS

In February and March 2024, Merjent conducted a literature review of the original Project footprint (Armstrong-Duarte and Mieras 2024) that included archaeological survey reports, recorded archaeological sites, and historic architectural sites within a 1.0-mile buffer of the original Project footprint using data provided by the SHPO and the Minnesota Office of the State Archaeologist (OSA). The literature review included an analysis of protected datasets on file at the SHPO, the State Register of Historic Places, the Minnesota State Historic Site Network, information regarding National Register of Historic Places (NRHP) listed properties, Minnesota's Statewide Historic Inventory Portal (MnSHIP), and National Historic Landmarks from databases maintained by the National Parks Service. The OSA maintains a secure online dataset of known and suspected archaeological sites, which is regularly updated and referenced (OSA Portal). In March and April 2025, Merjent conducted an expanded literature review of the above-mentioned resources that included a 1.0-mile buffer of the April 2025 Survey Areas (Study Area). Merjent also reviewed nineteenth-century General Land Office (GLO) maps (Bureau of Land Management [BLM] 2025), historical atlases, and historical aerial photography from 1940 to present (NETRonline 2025; OSA 2025). The literature review results of the expanded Study Area are provided below.

3.1 PREVIOUS ARCHAEOLOGICAL INVESTIGATIONS

Since the initial Project literature review was conducted in 2024, one previous archaeological investigation that intersects the Study Area was identified (see Table 3.1-1 below and Figure 2 in Appendix A). This is the Armstrong-Duarte and Mieras (2024) Phase I archaeological survey conducted for the Project in 2024. The Armstrong-Duarte and Mieras (2024) survey identified one precontact archaeological site (210L0077); the site consists of a single chert tertiary flake found on the ground surface.

	Table 3.1-1						
	Previously Reported Cultural Resources Surveys Within the S	tudy Area					
SHPO Project Number	Title	Author	Year				
2024-1718	Phase I Archaeological Survey Report for the Lemon Hill Solar Project, Olmsted County, Minnesota.	Armstrong- Duarte & Mieras	2024				

[NONPUBLIC DATA BEGINS...

3.2 PREVIOUSLY RECORDED ARCHAEOLOGICAL SITES

Since the initial Project literature review was conducted in 2024, one archaeological site has been recorded within the Study Area (see Table 3.2-1 below and Figure 2 in Appendix A). Site 210L0077 consists of a single chert tertiary flake found on the ground surface and that was recorded by Armstrong-Duarte and Mieras (2024). Site 210L0077 is nearest to Area 4, located 0.43-mile to the northeast. Armstrong-Duarte and Mieras (2024) recommended the site as not eligible for listing in the NRHP and the SHPO concurred with this recommendation in their Project correspondence letter dated March 3, 2025.

...NONPUBLIC DATA ENDS]

Table 3.2-1					
	Previously Reported Cultural Resources Surveys Within the Study Area				
Site Number					
21OL0077	None	Precontact	Single surface find, lithic debitage	Not Eligible	

3.3 HISTORICAL CEMETERIES

Since the initial Project literature review was conducted in 2024, no additional historical cemeteries have been identified.

3.4 PREVIOUSLY RECORDED ARCHITECTURAL RESOURCES

Since the initial Project literature review was conducted in 2024, four additional architectural resources were identified within the Study Area (see Table 3.4-1 below and Figure 2 in Appendix A). None of the architectural resources intersect the April 2025 Survey Areas; architectural resource OL-VIO-00032 is nearest to the April 2025 Survey Areas, located 0.9 mile to the east. According to MnSHIP, two of the resources have been determined not eligible for listing, and two are unevaluated for listing in the NRHP.

TABLE 3.4-1					
Previously Reported Historic Architectural Resources within the Study Area					
Historic Inventory Number	Property Name	Property Type	SHPO NRHP Status		
OL-VIO-00002	Viola Community Church	Structure	Unevaluated		
OL-VIO-00003	Abandoned Railroad Boxcar	Rail/Transit	Unevaluated		
OL-VIO-00032	Culvert 93914	Structure	Determined not eligible		
OL-VIO-00040	Bridge 55J16	Rail/Transit	Determined not eligible		

3.5 HISTORICAL MAP REVIEW

Merjent reviewed nineteenth-century GLO maps and notes on file with the BLM (2025), aerial photographs taken between 1940 to present (OSA 2025; NETRonline 2025; Google 2025), modern aerial imagery from Google Earth, and historical plat maps from 1874 to 1916 (Andreas 1874, Warner and Foote 1878, Geo A. Ogle 1896, Webb Publishing Company 1914, Anderson Publishing Company 1928, W.W. Hixson & Company 1916). The 1853 GLO maps depict no historic features within the Study Area (see Figure 3 in Appendix A). No improvements or cultural features are mentioned in the associated survey notes (BLM 2025).

Review of aerial photographs from 1940 to present show the Study Area as primarily dedicated to agriculture (OSA 2025; NETRonline 2025, Google 2025). Other than a slight increase in structures—presumably farmsteads—over time, the Study Area is agricultural and rural and has remained relatively unchanged between 1940 and present. One notable change is the road improvement overtime. By about 1980, the roads within the Study Area had mostly been paved and the right-of-way spaces expanded. However, many roads within the Study Area remain unpaved to this day. There were no structures or improvements identified within the April 2025 Survey Areas.

Review of historical atlases from 1874 through 1916 (Andreas 1874, Warner and Foote 1878, Geo A. Ogle 1896, Webb Publishing Company 1914, Anderson Publishing Company 1928, W.W. Hixson & Company 1916) shows the area as entirely parceled out with several roads and structures, presumably farmsteads, within the Study Area. There were no structures or improvements identified within the April 2025 Survey Areas.

3.6 IMPLICATIONS FOR SITE POTENTIAL

The environmental setting and modern land use patterns suggest that archaeological resources may be present in the April 2025 Survey Areas. However, the lack of documented archaeological sites and the paucity of large water bodies and rivers suggests that the April 2025 Survey Areas may have only modest potential to contain precontact archaeological sites. Further, the likelihood of encountering intact cultural resources within the April 2025 Survey Areas is somewhat diminished due to modern disturbance by road and utilities construction and from mechanical alteration of the soils related to agricultural plowing. Regarding the prevalence of Alfisols in the Project footprint, Alfisols typically have a thin A horizon rich in organic matter and nutrients, a clay-enriched subsoil, and are fertile as they are usually only moderately leached (Soil Survey Staff 1999). Archaeological deposits within Alfisols are often near the ground surface and not deeply buried given their temporal and geospatial formation histories (Holliday 2004); sustained agricultural plowing would both incorporate exposed artifacts within the A horizon and disrupt the geospatial integrity of archaeological deposits. Historic-period artifact scatters are possible in the April 2025 Survey Areas due to the presence of the farmsteads within the Study Area since the end of the nineteenth century. Conversely, remnants of historical occupation have likely been affected by the same ground-disturbing activities discussed previously, likely hindering the integrity of potential sites.

4.0 OBJECTIVES AND METHODS

The objective of the Phase I archaeological survey was to identify conventional archaeological sites within the April 2025 Survey Areas that are at least 45 years of age. Archaeological resource types considered for this investigation included precontact, contact, and postcontact archaeological sites and earthworks that could provide information about past human occupation.

Such sites could be evident in artifacts or features on or below the current ground surface. The focus of this field survey was to identify potentially affected cultural resources within the April 2025 Survey Areas.

Throughout all stages of this investigation Merjent applied industry best practices and adhered to the Secretary of the Interior's Standards and Guidelines for Archaeology and Historic Preservation (48 Federal Register 44716), the SHPO Manual for Archaeological Projects in Minnesota (Anfinson 2005), and the State Archaeologist's Manual for Archaeological Projects in Minnesota (Anfinson 2011). The April 2025 Survey Areas were based on files provided by Lemon Hill Solar in April 2025.

On May 28, 2024, Merjent, on behalf of Lemon Hill Solar, submitted the Project's Phase I Survey Plan and Methods to the SHPO for review. In a letter dated July 19, 2024, SHPO concurred that the Phase I Survey Plan and Methods were appropriate for the undertaking. The Phase I Survey Plan and Methods defined portions of the Project as areas of high, medium, or low probability of containing archaeological resources and proposed to survey 100 percent of the high and medium probability areas, and 5 percent of the low probability areas. The same Phase I Survey Plan and Methods that received the SHPO's approval was used for the April 2025 Survey Areas.

The pedestrian survey visually inspected for surface features, foundations, densities of surface artifacts, and other surface indications of archaeological sites while considering the safety of the field team. Pedestrian survey was conducted to the exclusion of systematic shovel testing in plowed areas where ground surface visibility (GSV) was greater than 25 percent. Pedestrian survey transects were spaced between 5 and 15 meters based on GSV. An average survey rate of 40 acres per person, per day was expected. Shovel testing was conducted in areas that have not been plowed or that had potential to contain buried cultural material regardless of GSV. Areas determined unsafe to shovel test that is, in areas featuring buried utilities) were photographed and documented.

Shovel tests were excavated per SHPO and OSA guidelines; that is, each shovel test measured 30 to 40 centimeters (cm) in diameter and extended no less than 35 cm deep and at least 10 cm into sterile subsoil. Shovel tests were excavated in 10-cm levels. Soils from each stratum were screened separately through 0.25-inch wire mesh onto a tarp. Data from all shovel tests were recorded on standardized forms and located by GPS. Soil profiles were recorded using the Munsell color system and standard texture classifications as well as additional notes and comments (for example, "disturbed matrix," "heavily compacted," "inundated at 20 cm below the surface"). Once completed, each shovel test was immediately backfilled.

If an artifact or artifacts were found on the ground surface, a formal surface collection commenced. Surface collection included all historic, potentially historic, non-diagnostic, and precontact artifacts per SHPO and OSA guidelines. When an artifact or artifacts were encountered on the surface or in a shovel test, additional shovel testing was conducted in the four cardinal directions, spaced at 5-meter intervals, to delineate the site boundary.

The location of all shovel tests, surface artifacts, and features were mapped and recorded with a Trimble R1 Integrated Global Navigation Satellite System receiver and Esri Field Maps at submeter accuracy. Digital photography was used to record surface conditions of all Project areas, select excavation profiles, cultural features, and identified archaeological sites. Overview photographs were taken of the areas surveyed and landforms. Additional photographs were taken to document specific disturbances, archaeological sites, artifacts, land use patterns, landforms, and anything else that would contribute to describing the survey and Project footprint.

4.1 NRHP SITE EVALUATION CRITERIA

Merjent evaluates sites and their significance, as defined by criteria set forth in Title 36 Code of Federal Regulations (CFR) 60.4 (National Park Service 1997), which state:

The quality of significance in American history, architecture, archaeology, engineering, and culture is present in districts, sites, buildings, structures, and objects that possess integrity of location, design, setting, materials, workmanship, feeling, and association, and:

- A. that are associated with events that have made a significant contribution to the broad patterns of our history;
- B. that are associated with the lives of persons significant in our past;
- C. that embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- D. that have yielded, or may be likely to yield, information important in prehistory or history.

Sites that are not eligible are unlikely to contribute further data significant to our knowledge of prehistory or history and/or may no longer possess integrity.

4.1.1 Precontact Archaeological Sites

Precontact lithic scatters/open camps (sites without any structures or association with known significant events or persons) usually do not merit discussion of Criteria A, B, and C. Rather, for NRHP recommendation purposes, these property types are discussed for their potential to yield information significant to the precontact period or the archaeological record under NRHP Criterion D. Special cases generally relate to Criterion A, where a precontact site type (such as a stone circle site) may not be recommended eligible for the NRHP from an archaeological perspective but may be considered important to cultures of Native American Tribes (Parker and King 1998).

Evaluation of the significance of archaeological sites under Criterion D involves considering general characteristics such as the nature, size, and diversity of the site assemblage; the potential presence or absence of intact subsurface cultural deposits; the depth that the deposits are buried; the nature of any features within the site (construction techniques, building materials, structural integrity); and the age range reflected by the site assemblage. Sites considered to be significant usually contain an assemblage of cultural artifacts and/or features that indicate sufficient diversity to permit identification of activities and allow confirmation of the period of site use. The integrity of archaeological sites is addressed using the guidelines presented in National Register Bulletin 15 (National Park Service 1997), which defines the seven elements of integrity as location, design, setting, materials, workmanship, feeling, and association and occasionally evaluated using the guidelines presented in Little et al. (2000). Sites with the most potential to address research questions about human lifeways contain associated features, structures, and/or relatively intact and dateable artifacts.

5.0 SURVEY RESULTS

The Phase I archaeological survey of the April 2025 Survey Areas totaling 80.6 acres (this acreage is composed of 100 percent of the high and medium probability areas and at least 5 percent of the low probability areas) was conducted on April 17 by Merjent archaeologists Aaron Armstrong-Duarte (principal investigator) and Fred Sutherland. Drs. Armstrong-Duarte and Sutherland meet the Secretary of the Interior's Professional Qualification Standards for Archaeology as published in 36 CFR 61.

The Project is set in a rural area of Olmsted County (see Figure 1 in Appendix A). The April 2025 Survey Areas are composed largely of plowed agricultural fields; roads; road borrows; utilities rights-of-way; and National Wetland Inventory (NWI)-defined wetlands (see Figure 4 in Appendix A). Of the 128.22-acre total in the April 2025 Survey Areas, there were 29.65 acres of high, 37.52 acres of medium, and 61.05 acres of land defined as having low probability of containing archaeological sites based on the Project's Phase I Survey Plan and Methods. As the April 2025 Survey Areas are sprawled across a wide landscape, the survey results are organized and summarized below by individual areas.

The 26 shovel tests excavated on April 17, 2025, as well as the 498 excavated in 2024, and the soil profiles of the April 2025 Survey Areas as indicated by the NRCS (2025), indicate that the A horizons in the April 2025 Survey Areas were relatively shallow and did not extend deeper than 30 cm below the ground surface (cmbs). All shovel tests were excavated to at least 10 centimeters into subsoil; the average shovel test depth was 46.5 cmbs; and multiple shovel tests were excavated to at least 50 cmbs. There was no evidence of deep or buried A-horizon soils. Therefore, within the plowed agricultural fields, the A horizon has been habitually turned, and pedestrian survey is an effective method of sampling the landscape for archaeological deposits.

5.1 AREA 1 – PARCEL: TOWNSHIP 107N, RANGE 13W, SECTION 11

Area 1 is composed of a harvested and plowed agricultural field (see Photos 4.1-1 and 4.1-2 below and Figure 4 in Appendix A) and an NWI-defined wetland (see Photo 4.1-3 below and Figure 4 in Appendix A). GSV in the agricultural field varied between 70 and 90 percent (see Photo 4.1-4 below).



Photo 4.1-1. Overview of agricultural field in Area 1, facing north.



Photo 4.1-2. Overview of agricultural field in Area 1, facing south.








Photo 4.1-4. Example of 80 percent GSV in Area 1, facing ground.

The high, medium, and a portion of the low probability areas were walked in survey transects spaced between 10 and 15 meters (see Table 4.1-1 below for acres surveyed). Throughout the agricultural field, there were chunks of B- and C-horizon clay loams and clays incorporated in the A-horizon till, indicating that the A horizon was deflated and was thoroughly turned over by habitual plowing. Therefore, no shovel tests were excavated, and pedestrian walkover survey was an effective way to sample Area 1 for cultural resources. No cultural materials or features were identified during the survey of Area 1.

	TABLE 4.1-1		
	Area 1 Survey Coverage		
Probability Model	Acres in Area	Acres Surveyed	
High	8.26	8.26	
Medium	17.68	17.68	
Low	50.30	10.29	
TOTAL ACREAGE 76.24 36.23			

5.2 AREA 2 – COLLECTOR LINE: TOWNSHIP 107N, RANGE 13W, SECTIONS 11 & 14

Area 2 is a north-south oriented, 5.25-meter-wide corridor that runs adjacent to 70th Avenue NE. The area is composed of the road, road borrow, and utilities right-of-way (see Photos 4.2-1 to 4.2-3 below and Figure 4 in Appendix A).



Photo 4.2-1. Overview of Area 2, facing south.



Photo 4.2-2. Overview of Area 2, facing north.



Photo 4.2-3. Example of buried utility in Area 2, facing west.

The high, medium, and a portion of the low probability areas were walked in one north-south oriented survey transect (see Table 4.1-1 below for acres surveyed). The area is a constructed landscape, having been heavily transformed by road and borrow construction, and featured buried utilities. Therefore, no shovel tests were excavated. No cultural materials or features were identified during the survey of Area 2.

	TABLE 4.2-1	
	Area 2 Survey Coverage	
Probability Model	Acres in Area	Acres Surveyed
High	0.66	0.66
Medium	0.49	0.49
Low	0.65	0.04
TOTAL ACREAGE	1.80	1.19

5.3 AREA 3 – ROAD ACCESS: TOWNSHIP 107N, RANGE 13W, SECTION 23

Area 3 is a field entry point that articulates with Viola Road NE (County Road 2 NE). The area is composed of an existing field entry point, road borrow, and utilities right-of-way (see Photos 4.3-1 below and Figure 4 in Appendix A).



Photo 4.3-1. Overview of Area 3, facing west.

Area 3 is composed entirely of low probability space (see Table 4.3-1 below for acres surveyed); a single east-west oriented survey transect was walked down the center of the area. Area 3 is a constructed landscape, having been heavily transformed by road and borrow construction. Therefore, no shovel tests were excavated. No cultural materials or features were identified during the survey of Area 3.

TABLE 4.3-1 Area 3 Survey Coverage				
High	0.00	0.00		
Medium	0.00	0.00		
Low	0.04	0.04		
TOTAL ACREAGE	0.00	0.04		

5.4 AREA 4 – ROAD ACCESS: TOWNSHIP 107N, RANGE 12W, SECTION 18

Area 4 is a proposed field entry point that articulates with County Road 24 NE. The area is composed of a road borrow and utilities right-of-way (see Photos 4.4-1 below and Figure 4 in Appendix A).



Photo 4.4-1. Overview of Area 4, facing north.

Area 4 is composed entirely of low probability space (see Table 4.4-1 below for acres surveyed); a single north-south oriented survey transect was walked down the center of the area. Area 4 is a constructed landscape, having been heavily transformed by road and borrow construction. Therefore, no shovel tests were excavated. No cultural materials or features were identified during the survey of Area 4.

TABLE 4.4-1 Area 4 Survey Coverage				
High	0.00	0.00		
Medium	0.00	0.00		
Low	0.04	0.04		
TOTAL ACREAGE	0.00	0.04		

5.5 AREA 5 – COLLECTOR LINE: TOWNSHIP 107N, RANGE 12W, SECTION 19

Area 5 is a north-south oriented, 6.15-meter-wide corridor that runs adjacent to County Road 102 NE. The area is composed of the road, road borrow, and utilities right-of-way (see Photos 4.5-1 and 4.5-2 below and Figure 4 in Appendix A).





Photo 4.5-1. Overview of Area 5, facing south.

Photo 4.5-2. Overview of Area 5, facing north.

Area 5 is composed of high probability area; a single pedestrian transect was walked in a north-south oriented survey transect (see Table 4.5-1 below for acres surveyed). The area is a constructed landscape, having been heavily transformed by road and borrow construction and featured buried utilities. Therefore, no shovel tests were excavated. No cultural materials or features were identified during the survey of Area 5.

TABLE 4.5-1 Area 5 Survey Coverage				
High	0.42	0.42		
Medium	0.00	0.00		
Low	0.00	0.00		
TOTAL ACREAGE	0.42	0.42		

[NONPUBLIC DATA BEGINS...

5.6 AREA 6 – PARCEL: TOWNSHIP 107N, RANGE 12W, SECTION 29

...NONPUBLIC DATA ENDS]

Area 6 is composed of a harvested and plowed agricultural field (see Photos 4.6-1 and 4.6-2 below and Figure 4 in Appendix A) and an NWI-defined wetland flanked by marsh (see Photo 4.6-3 below and Figure 4 in Appendix A). GSV in the agricultural field varied between 70 and 90 percent (see Photo 4.6-4 below).



Photo 4.6-1. Overview of agricultural field in Area 6, facing north.



Photo 4.6-2. Overview of agricultural field in Area 6, facing east.



Photo 4.6-3. Example of NWI-defined wetland in Area 6, facing north.



Photo 4.6-4. Example of 80 percent GSV in Area 6, facing ground.

The high, medium, and a portion of the low probability areas were walked in survey transects spaced between 10 and 15 meters (see Table 4.6-1 below for acres surveyed). Seven shovel tests were excavated along the north and south sides of the NWI-delineated wetland and marsh area (see Photo 4.6-5 below for example of shovel test profile and Figure 4 in Appendix A). The eastern and western portions of the NWI-delineated wetland and marsh area were sloped from the northeast to the southwest (there were no field photos taken which capture the landscape feature). The soil profiles of the seven shovel tests were similar and exhibited an A horizon of loam or sandy loam (10YR 2/2 to 10YR 3/1) extending to depths of 0–21.5±6.5 cmbs; followed by an AB horizon of sandy loam and clay loam (10YR 3/1 mixed with 10YR 5/1) extending to depths of 21.5±6.5–26±4 cmbs; followed by a B horizon of clay loam extending to depths of 26±4–46.5±5.5 cmbs. There were no cultural resources or features discovered in the shovel tests.

TABLE 4.6-1			
	Area 6 Survey Coverage		
Probability Model	Acres in Area	Acres Surveyed	
High	20.31	20.31	
Medium	19.35	19.35	

TABLE 4.6-1		
	Area 6 Survey Coverage	
Probability Model	Acres in Area	Acres Surveyed
Low	10.02	3.01
TOTAL ACREAGE	49.67	42.67



Photo 4.6-5. Shovel test 2 excavated in Area 6, facing ground.

5.6.1 Archaeological Sites 210L0078 and 210L0079

Two precontact surface artifacts were discovered in the western portion of the agricultural field during the pedestrian walkover survey (see Figure 4.8 in Appendix A). The two finds were documented as sites 210L0078 and 210L0079.

Site 210L0078 (field number MJNT-02) consists of a single blade-like Swan River chert tertiary flake that was discovered on the ground surface (see Photo 4.6.1-2 below for overview of the find locale and Appendix B for the OSA site form). Eight shovel tests were excavated in 5- and 10-meter intervals in the cardinal directions centered on the find locale (see Photo 4.6.1-4 for example of shovel test profile and Figure 4 in Appendix A). The soil profiles of the eight shovel tests were similar and exhibited an A horizon of loam (10YR 3/1) extending to depths of 0–19.5^{±2.5} cmbs; followed by an AB horizon of loam and clay loam (10YR 3/1 mixed with 10YR 4/4) extending to depths of 19.5^{±2.5}–25^{±2} cmbs; followed by a B horizon of clay loam extending to depths of 25^{±2}–45.5^{±8.5} cmbs. There were no cultural resources or features discovered in the shovel tests.

Site 210L0079 (field number MJNT-01) consists of a single Prairie du Chien tertiary flake that was discovered on the ground surface (see Photo 4.6.1-1 below for overview of the find locale and Appendix B for the OSA site form). Eight shovel tests were excavated in 5- and 10-meter intervals in the cardinal directions centered on the find locale (see Photo 4.6.1-3 below for example of shovel test profile and Figure 4 in Appendix A). The soil profiles of the eight shovel tests were similar and exhibited an A horizon of loam (10YR 3/1) extending to depths of 0–17.5^{±3.5} cmbs; followed by an AB horizon of loam and clay loam (10YR 3/1 mixed with 10YR 4/4) extending to depths of 17.5^{±3.5}–24.5^{±2.5} cmbs; followed by a B horizon of clay loam extending to depths of 24.5^{±6.5} cmbs. There were no cultural resources or features discovered in the shovel tests.

Three additional shovel tests were excavated between the 21OL0078 and 21OL0079 locales (see Photo 4.6.1-3 to 4.6.1-5 below for examples of shovel test profile and Figure 4 in Appendix A). The soil profiles of the three shovel tests were similar and exhibited an A horizon of loam (10YR 3/1) extending to depths of $0-25^{\pm 2}$ cmbs; followed by an AB horizon of loam and clay loam (10YR 3/1 mixed with 10YR 4/4) extending to depths of $25^{\pm 2}-28.5^{\pm 2.5}$ cmbs; followed by a B horizon of clay loam extending to depths of $28.5^{\pm 2.5}-43.5^{\pm 1.5}$ cmbs. There were no cultural resources or features discovered in the shovel tests.



Photo 4.6.1-1. Overview of the 21OL0079 locale, facing south.



Photo 4.6.1-2. Overview of the 21OL0078 locale, facing north.



Photo 4.6.1-3. Shovel test 12 excavated in Area 6, facing ground.



Photo 4.6.1-4. Shovel test 14 excavated in Area 6, facing ground.



Photo 4.6.1-5. Shovel test 22 excavated in Area 6, facing ground

[NONPUBLIC DATA BEGINS...

6.0 EVALUATION OF SITES 210L0078 AND 210L0079

Merjent-documented precontact single artifact site 210L0079 (field number MJNT-01) and precontact single artifact site 210L0078 (field number MJNT-02) were both found in an agricultural field in Section 29 of Township 107 North and Range 12 West. Site forms were submitted to OSA on May 4, 2025 (see site forms in Appendix B). The artifacts were found on the ground surface and consist of a Prairie du Chien tertiary flake (210L0079) and blade-like Swan River chert tertiary flake. The artifact discovery locales were surveyed in 5-meter-spaced transects, and eight shovel tests spaced at 5- and 10-meter intervals were excavated in the cardinal directions centered on each of the discovery locales. There were no additional artifacts discovered in the pedestrian survey or shovel tests. The new discovery locales were assessed for physical integrity, associative value, and archaeological merit using the NRHP Evaluation Criteria described in section 3.1 and 3.1.1.

...NONPUBLIC DATA ENDS]

6.1 NRHP RECOMMENDATIONS – SIGNIFICANCE AND ASSESSMENT OF INTEGRITY

The integrity of sites 210L0078 and 210L0079 are somewhat diminished by decades of mechanical alteration of the soil related to agricultural activity. The eight shovel tests excavated in the vicinity of the new artifact locales as well as the shovel tests excavated between the locales demonstrate that the upper 30 cm of soil display evidence of agricultural disturbance; the deepest shovel test was excavated to 54 cmbs. In addition, there is little integrity of design or workmanship present in the tertiary flakes; the artifacts do not exhibit exceptional artistry nor are they clearly indicative of a temporal phase or sequence. Each site consists of only one surface-recovered artifact, the integrity of which has been reduced by plowing, which undoubtably affected the in situ spatial integrity of the artifacts. Further, the artifact material types, Prairie du Chien and Swan River cherts, are commonplace for precontact archaeological sites in Minnesota. In terms of setting, the sites are situated in a gradual upland within a landscape of gently rolling hills and are not near a lake or river or another documented precontact archaeological site. In addition, the Historic Lakes and Rivers (MM4) and Prehistoric Hydrography (MM4) models on the OSA Portal show no historic lakes, shores, or rivers near to the sites; the Prehistoric Hydrography (MM4) model shows a prehistoric floodplain north of and adjacent to the sites, and additional prehistoric floodplains and wetlands between 0.3 and 0.5 mile to the north, east, south, and west of the sites.

Sites 210L0078 and 210L0079 do not meet criteria established in Title 36 CFR 60.4 (National Park Service 1997).

Due to the factors described above, sites 210L0078 and 210L0079 do not retain sufficient integrity or importance to be recommended eligible for the NRHP. Merjent recommends that sites 210L0078 and 210L0079 are not eligible for inclusion on the NRHP. If the SHPO concurs with this recommendation, then no Project avoidance of sites 210L0078 and 210L0079 is necessary.

7.0 SUMMARY AND CONCLUSIONS

On April 17, Merjent returned to the Lemon Hill Solar Project to conduct a Phase I archaeological survey of six areas that were not surveyed in the 2024 survey effort (Armstrong-Duarte and Mieras 2024). Survey of the April 2025 Survey Areas followed the Project's SHPO-approved Phase I Survey Plan and Methods and covered 80.6 acres. There are no determined eligible or NRHP-listed cultural resources within the April 2025 Survey Areas. There were two precontact, single artifact sites discovered during the archaeological field survey, 210L0078 and 210L0079. Merjent recommends that 210L0078 and 210L0079 are not eligible for listing in the NRHP. Merjent recommends that no historic properties will be affected by the proposed Project. No further archaeological work is recommended for the Project as planned.

8.0 REFERENCES CITED

- Anderson Publishing Company. 1928. *Atlas of Olmsted County, Minnesota*. Available online at: https://collection.mndigital.org/catalog/olms:1876#?c=&m=&s=&cv=2&xywh=-1560%2C0%2C6913%2C5243. Accesses April 2025.
- Andreas, A.T. 1874. *Map of Olmsted County, Minn*. Available online at: https://www.davidrumsey.com/maps750049-22152.html. Accessed April 2025.
- Anfinson, Scott. 2011. State Archaeologist's Manual for Archaeological Projects in Minnesota. Available online at https://mn.gov/admin/assets/OSAmanual_tcm36-186982.pdf. Accessed April 2024.
- Anfinson, Scott. 2005. SHPO Manual for Archaeological Projects in Minnesota. Minnesota Historical Society. St. Paul, Minnesota.
- Armstrong-Duarte, Aaron and Kevin Mieras. 2024. Phase I Archaeological Survey Report for the Lemon Hill Solar Project, Olmsted County, Minnesota. SHPO Project Number 2024-1718.
- Bureau of Land Management (BLM). 2025. General Land Office Records. Available online at: https://glorecords.blm.gov/. Accessed April 2025.
- Fanning, D.S., and M.C.B. Fanning. 1989. *Soil: Morphology, Genesis, and Classification*. John Wiley and Sons, New York.
- Geo. A. Ogle & Co. 1896. *Olmsted County*. Available online at: https://www.historicmapworks.com/Atlas/US/7904/Olmsted+County+1896/. Accessed April 2025.
- Google Earth. 2025. Google Earth Pro [Computer Software]. Google LLC. Available online at https://www.google.com/earth/about/versions/. Accessed April 2025.
- Holliday, Vance T. 2004. Soils in Archaeological Research. Oxford University Press, Oxford.
- Jenny, H. 1941. *Factors of Soil Formation: A System of Quantitative Pedology*. Dover Publications, New York.
- Little, Barbara, Erika M. Seibert, Jan Townsend, John H. Sprinkle, Jr., and John Knoerl. 2000. Guidelines for Evaluating and Registering Archeological Properties. National Register Bulletin 15. U.S. Department of the Interior, Washington, DC.
- Minnesota State Historic Preservation Office (SHPO). 2024. Minnesota's Statewide Historic Inventory Portal (MNSHIP). Available online at https://mnship.gisdata.mn.gov/. Accessed March 2025.
- Natural Resources Conservation Service (NRCS). 2025a. Web Soil Survey. Available online at https://websoilsurvey.nrcs.usda.gov/app/. Accessed April 2025.


- NRCS. 2025b. The Twelve Orders of Soil Taxonomy. Available online at https://www.nrcs.usda.gov/resources/education-and-teaching-materials/the-twelve-orders-of-soil-taxonomy. Accesses April 2025.
- National Park Service. 1997. How to Apply the National Register Criteria for Evaluation. National Register Bulletin 15. U.S. Department of the Interior, Washington, DC.
- National Wetlands Inventory (NWI). 2024. National Wetlands Inventory, Surface Waters and Wetlands. Available online at: https://fwsprimary.wim.usgs.gov/wetlands/apps/wetlands-mapper/. Accessed March 2025.
- NETRonline. 2025. Historic Aerials. Available online at: https://www.historicaerials.com/viewer.
 Accessed April 2025.
- Office of the State Archaeologist (OSA). 2025. Office of the State Archaeologist Portal. Available online at https://osaportal.gisdata.mn.gov/. Accessed March 2025.
- Parker, Patricia L., and Thomas F. King. 1998. Guidelines for Evaluating and Documenting Traditional Cultural Properties. National Register Bulletin 38. U.S. Department of the Interior, Washington, DC.
- Soil Survey Staff. 1999. Soil Taxonomy, A Basic System of Soil Classification for Making and Interpreting Soil Surveys. Second edition. Agricultural Handbook Number 436. U.S. Department of Agriculture, Natural Resources Conservation Service, Soil Survey Division. Washington, DC.
- Warner, Geo. E, and C.M. Foote. 1878. *Plat Book of Olmsted County, Minnesota*. Available online at: https://collection.mndigital.org/catalog/olms:913#?c=&m=&s=&cv=6&xywh=-1785%2C0%2C10118%2C7674. Accessed April 2025.
- Webb Publishing Co. 1914. Atlas and Farmers Directory of Olmsted County, Minnesota.


 Available online at:


 https://www.historicmapworks.com/Atlas/US/16531/Olmsted+County+1914/. Accessed April 2025.
- W.W. Hixson & Company. 1916. Plat Book of the State of Minnesota. Available online at: http://geo.lib.umn.edu/collections/digitizedplatbooks/stateofmn1916.html. Accessed April 2025.


APPENDIX A

Project Figures









...NONPUBLIC DATA ENDS]

















APPENDIX B

Site Forms

CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE ATTACHMENT A MINNESOTA ARCHAEOLOGICAL SITE FORM Rev.: 7/1/09

OFFICE OF THE STATE ARCHAEOLOGISTFort Snelling History Center, St. Paul, MN 55111 (612) 725-2729

SITE #: 21-OL-007 (OSA assigns if New S		None	Agency	7/Field #: MJNT-01
X New Site S	ite Update	OSA License #:	SH	IPO RC #: 2024-1718
	_X Reconnaissance/Pha Evaluation/Phase II Excavation/Phase III	se I Da	ate(s) of This Fieldwor	k: April 17, 2025
NRHP Status: Liste	ed _ Determined Eligibl	e _CEF(106) _	_CNEF(106) <u>X</u>	Undetermined
LOCATIONAL INFO	<u>ORMATION</u>			
County: Olmsted	City/Tw	p. Name: Viola		IPO Sub-Region: 3W e map in instructions)
USGS 7.5' Quadrangle	e Map (name and year):	[NONPUBLIC	C DATA BEGINS	
Township: 107 North Township: Township:		st Section ion: 1/4 ion: 1/4	: 29 ¼ Secti Sections (at least 2): Sections (at least 2):	ons (at least 2): SE-NW
Zone: 15T	ng 557108.54 ng ng		Method: USGS 67.45	draw points on USGS) Map _X_ GPS Other ONPUBLIC DATA ENDS
SITE CHARACTER				
Acreage:	Site Dimensions: N-S 5 m	eters E-W 5 meters	Maximum Cultur	ral Depth (if known) surface find
X single artifactburial mound	that apply, but only one ch lithic scatter (number of mounds) pictograph s (list below)	artifact s non-mound le	catter one grave non-	-mound cemetery
Surface Features (\sqrt{al}	that apply): earthwork	k pit/depression	_ foundation/ruin	other:
	$(\sqrt{all} that apply)$: _ hab			strial _ transportation unknown
X cultivated	approximate % for all tha fallow comm grassland was	ercial recrea	ional industri ther:	al residential
	approximate % for all that 50–75% good	t apply): fair	po	oor/none
	(list approximate % for all X moderate heavy			_ unassessed
	e: ($\sqrt{all\ that\ apply\ or\ \sqrt{not}}$ evelopment \underline{X} agricultura			_ none known

CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE ATTACHMENT A page $2\,$

SITE #: 21- Site Name: none Agency/Field #: MJNT-01


(list <u>all</u> that apply b	y level of c	certainty: 1 = confirme	ed; 2 = probable or	√"not determin	ed"):	
Period: $\underline{\underline{X}}$	d: not determined \underline{X} Precontact (9500 BC - 1650 AD)		D) .	_ Contact (1650-1837) _ Post-Contact (1837-1945)		
		that apply by level of a not determined Clovis			c context, $\sqrt{here} \ \underline{X}$) Lanceolate Point/Plano other:	
Archaic Traditi	ion	_ not determined _ Shield	_ Prairie _ Lake-Forest		Riverine other:	
Woodland Trad	lition	not determined SE Mn Early Brainerd Havana-Related other:	Blackduck-KatSE Mn Late	hio	Psinomani/Sandy Lake	
Plains Village	Tradition	_ not determined _ other:			_ Big Stone	
Mississippian T	<i>Fradition</i>	_ not determined	_ Silvernale	_ othe	r:	
Oneota Traditio	on	_ not determined	_ Blue Earth	_ Orr _ othe	r:	
		at apply by level of cer X not determined			context, \sqrt{here}) other:	
Euro-American	ı	not determined French	British Initial US	_	other:	
Indian Com: Early Agricu Northern M Tourism & l Approximate P Context Assignment artifact type historic acco historic map	munities & Rulture & R N Lumber Recreation ost-Contact for the contact for the	Reservations (1837- iver Settlement (1840- ing (1870-1930s) (1870-1945) ct Occupation/Site For Methods (\sqrt{all} that a	1934) St. Cro-1870) Railro Iron C Urban mation Date(s): pply): radiometric rel	oix Triangle Lur ads & Agricultu ore Industry (188 Centers (1870-	1940) y geomorphology	
(For radiometric da	ites, attach	photocopies of labor	atory sheets if availa	able.)		
MATERIALS PRI	ESENT (v	$\frac{1}{all}$ that apply):				
Basic Artifact Cate <u>Ceramics</u> _ Aboriginal _ Euro-American	<u>Lit.</u>	hics projectile points other chipped stone to debitage ground/pecked stone FCR aboriginal copper	_ anima ols _ humar	n ntified bone nuts	Historic Materials glass metal brick other:	

CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE ATTACHMENT A

Rev.: 7/1/09 MINNESOTA ARCHAEOLOGICAL SITE FORM page 3

SITE #: 21-	Site Name: none	Agency	//Field #: MJNT-01
Major Exotic Materials (\sqrt{all}	that apply):		
		Hixton orthoquartzite	
catliniteKnife River Flint	native copper		1
_ Kniie River Fiint	obsidian	X other: Prairie du Chien c	nert
Diagnostic Artifacts:			
Historic			
Classi			
Matal.			
Othoru			
ENVIRONMENTAL DATA			
<u>Away from Water</u>	<u>Riverine</u>	<u>Lacustrine</u>	_
\underline{X} general upland	fan	_ inlet/outl	
terrace edge	terrace/bluff t		a
hilltop	_ stream-stream		
_ glacial beach ridge		isthmus	
_ rock outcrop	_ cave/rockshel		
other:			gh/lake bottom
		other:	
Land Owner (name and address CURRENT INVESTIGATIO Methods/Techniques Employed informant report X shovel testing geomorphological surv geophysical survey (specification)	State Local (publics if known): DN INFORMATION d (\sqrt{all} that apply): small diameter soil coring formal test units ey (specify):	ic) Tribal \underline{X} Private \underline{X} Private \underline{X} (\approx 1" diameter) \underline{X} surface so mechanical testing max. test de	
Informant Name and Address (if known):		
Known Collectors/Collections:			
Artifact Repository (name and	accession numbers or reposito	ry agreement number):	
Most Recent Survey Report - 7	Γitle, Author, Date:		
Major Previous Bibliographic l	Reference(s) to Site:		
Principal Investigator (name an	nd affiliation): Aaron Armstron	g-Duarte	
Form Completed By (name an	nd date): Aaron Armstrong-F	Ouarte May 4, 2025	

MAPS: Attach/include original scale copy of 7.5' USGS map with site location clearly outlined or designated. Attach a sketch map if surface features present, if sub-surface testing done, or if complicated boundaries/setting. Sketch map must have re-locatable datum, scale, north arrow, and legend if symbols are used.



CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE **ATTACHMENT A** MINNESOTA ARCHAEOLOGICAL SITE FORM - CONTINUATION SHEET

SITE #: 21-Site Name: none Agency/Field #: MJNT-01

ADDITIONAL INFORMATION (Reason for Update or Survey, Location, Site Characteristics, Materials Present, Setting, Archaeological Methods, etc.; attach extra sheets as needed.)

[NONPUBLIC DATA BEGINS...

On April 17, 2025, Merjent conducted a Phase I survey of an agricultural field located 0.35-mile northwest of the intersection of 100th Avenue NE and Silver Creek Road NE in Viola Township, Olmsted County. The Phase I survey was conducted in association with the Lemon Hill Solar Project. A single Prairie du Chien tertiary flake (artifact number SF-01) was discovered on the ground surface during pedestrian survey. Additional 5-meter spaced pedestrian survey transects were walked around the find locale. No additional artifacts were discovered. Eight shovel tests were excavated at 5-meter and 10meter intervals in the cardinal directions centered on the find locale. All shovel tests were negative. The locale's setting is general upland set above marshy drainages located to the north, east, and southeast of the find locale. The find locale is within a plowed agricultural field that afforded ground surface visibility of 50-75 percent and that is set within a wider landscape of gently rolling hills.

...NONPUBLIC DATA ENDS

Artifact: Teritary flake, Prairie du Chien chert

Maximum length: 10 mm Maximum width: 13 mm Maximum thickness: 2 mm



View of the ventral side



Overview of MJNT-01 find locale, view to the north



View of the dorsal side



Overview of MJNT-01 find locale, view to the northeast

CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE ATTACHMENT A Rev.: 7/1/09 MINNESOTA ARCHAEOLOGICAL SITE FORM

OFFICE OF THE STATE ARCHAEOLOGIST

Fort Snelling History Center, St. Paul, MN 55111 (612) 725-2729

SITE #: 21-OL-0078 (OSA assigns if New Site)	Site Name:	None	Agen	cy/Field #: MJNT-02	
X New Site _ Site Upd	ate	OSA License #:	S	HPO RC #: 2024-1718	
	Reconnaissance/Phase aluation/Phase II cavation/Phase III	EI Da	ate(s) of This Fieldwo	ork: April 17, 2025	
NRHP Status: Listed	Determined Eligible	_ CEF(106) _	_CNEF(106) <u>X</u>	Undetermined	
LOCATIONAL INFORMA	TION				
County: Olmsted	City/Twp.	. Name: Viola		HPO Sub-Region: 3W see map in instructions)	
USGS 7.5' Quadrangle Map (name and year):	[NONPUBLIC	DATA BEGINS		
Township: 107 North Township: Range: Township: Range:	Range: 12 West Section Section	on: 1/4	: 29 ¼ Sec Sections (at least 2): Sections (at least 2):	ctions (at least 2): SE-NW	
UTM Coordinates: (less than Zone: 15T Da Point 1: Easting Point 2: Easting Point 3: Easting Point 4: Easting Point 5: Easting	tum: 1927		Method: USG	e; draw points on USGS) S Map _X GPS Other NONPUBLIC DATA EN	DS]
SITE CHARACTERISTICS	<u>s</u>				
Acreage: Site Dir	mensions: N-S 5 met	ters E-W 5 meters	Maximum Cult	ural Depth (if known) surface find	
Site Description (\sqrt{all} that ap \underline{X} single artifact burial mound (numbe petroglyph surface features (list b other:	lithic scatter er of mounds) pictograph	artifact s	catter one grave no	n-mound cemetery	
Surface Features (\sqrt{all} that ap	oply): _ earthwork	pit/depression	foundation/rui	n other:	
Inferred Site Function ($\sqrt{all} t$).				ustrial transportation _ unknown	
Current Land Use (list approx X cultivated fa woodland g	allow comme	rcial recreat	ional indust	rial residential	
Surface Visibility (<i>list approx</i> excellent50		apply): fair		poor/none	
Degree of Disturbance (<i>list ap</i> minimal X mo				unassessed	
Current Threats to Site: (\sqrt{all} _ erosion \underline{X} develope				_ none known	

CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE ATTACHMENT A page $2\,$

SITE #: 21- Site Name: none Agency/Field #: MJNT-02


CULTURAL/TE (list <u>all</u> that apply			ed; $2 = probable \ or \ \sqrt[]{"}no$	t determined"):	
Period:	not determined \underline{X} Precontact (9500 BC - 1650 AD)		_ Co _ Pos	Contact (1650-1837) Post-Contact (1837-1945)	
				ern specific context, √here X) _ Lanceolate Point/Plano _ other:	
Archaic Trad	lition	_ not determined _ Shield	_ Prairie _ Lake-Forest	_ Riverine _ other:	
Woodland Tr	radition	not determined SE Mn Early Brainerd Havana-Related other:	_ Fox Lake _ C Mn Transitional _ Blackduck-Kathio _ SE Mn Late	LaurelLake BentonPsinomani/Sandy LakeRainy River Late	
Plains Villag	e Tradition		_ Cambria _ Gre	eat Oasis Big Stone	
Mississippiai	n Tradition	_ not determined	Silvernale	other:	
Oneota Trad	ition	_ not determined	_ Blue Earth _ Or	r other:	
Contact Context American Ind	: (list <u>all</u> the dian	at apply by level of cer \underline{X} not determined	tainty; if unable to discerr Dakota Ojibwe	n specific context, √here) other:	
Euro-Americ	an	_ not determined _ French	British Initial US	other:	
Indian Co Early Agr Northern Tourism &	mmunities & Riculture & R MN Lumber & Recreation	& Reservations (1837- Liver Settlement (1840- ling (1870-1930s) (1870-1945)	1934) St. Croix Tr -1870) Railroads & Iron Ore Inc Urban Cente	discern specific context, √here) riangle Lumbering (1830s-1900s) to Agricultural Development (1870-1940) dustry (1880s-1945) ers (1870-1940)	
Approximate	Post-Conta	ct Occupation/Site For	rmation Date(s):		
artifact ty historic ac historic m	pe/style ecounts (list) aps (list)				
(For radiometric	dates, attacl	n photocopies of labor	atory sheets if available.)		
MATERIALS P	RESENT (1	$\frac{1}{all}$ that apply):			
Basic Artifact Ca <u>Ceramics</u> Aboriginal Euro-America	n <u>Lit</u>	hics projectile points other chipped stone to debitage ground/pecked stone FCR aboriginal copper	Biological Rem animal ools human unidentified seeds/nuts charcoal wood	glass _ metal	


CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE ATTACHMENT A

Rev.: 7/1/09 MINNESOTA ARCHAEOLOGICAL SITE FORM page 3

SITE #: 21-	Site Name: none	Agen	cy/Field #: MJNT-02			
Major Exotic Materials (√ <u>all</u> that catlinite Knife River Flint	at apply): native copper obsidian	Hixton orthoquartzite X other: Swan River che	rt			
Historic Prehistoric Lithics:none Glass:						
Other: ENVIRONMENTAL DATA Consider Away from Water X general upland terrace edge hilltop glacial beach ridge	nrrent Topographic Setting Riverine fan terrace/bluff to stream-stream	g (\sqrt{all} that apply): Lacustrin inlet/o p penins junction island	utlet ula			
rock outcrop other:	bluff-base cave/rockshelte floodplain other:	bog/slo	l shoreline ough/lake bottom			
Topographic Feature Name from USGS Map:						
CURRENT INVESTIGATION I Methods/Techniques Employed (v informant report X shovel testing geomorphological survey (_ geophysical survey (specification) other:	\(\frac{\all \text{that apply}}{\text{small diameter soil coring of formal test units} \) \(\text{specify} \): \($(\approx 1" \text{ diameter})$ \underline{X} surface mechanical testing max. test	e survey depth			
Informant Name and Address (if k	nown):					
Known Collections:						
Artifact Repository (name and accession numbers or repository agreement number):						
Most Recent Survey Report – Title, Author, Date:						
Major Previous Bibliographic Reference(s) to Site:						
Principal Investigator (name and affiliation): Aaron Armstrong-Duarte						
Form Completed By (name and date): Aaron Armstrong-Duarte May 4, 2025						

MAPS: Attach/include original scale copy of 7.5' USGS map with site location clearly outlined or designated. Attach a sketch map if surface features present, if sub-surface testing done, or if complicated boundaries/setting. Sketch map must have re-locatable datum, scale, north arrow, and legend if symbols are used.





CONFIDENTIAL DOCUMENT - NOT FOR PUBLIC DISCLOSURE ATTACHMENT A MINNESOTA ARCHAEOLOGICAL SITE FORM - CONTINUATION SHEET page

SITE #: 21- Site Name: none Agency/Field #: MJNT-02

ADDITIONAL INFORMATION (Reason for Update or Survey, Location, Site Characteristics, Materials Present, Setting, Archaeological Methods, etc.; attach extra sheets as needed.)

[NONPUBLIC DATA BEGINS...

On April 17, 2025, Merjent conducted a Phase I survey of an agricultural field located 0.35-mile northwest of the intersection of 100th Avenue NE and Silver Creek Road NE in Viola Township, Olmsted County. The Phase I survey was conducted in association with the Lemon Hill Solar Project. A single blade-like Swan River chert tertiary flake (artifact number SF-02) was discovered on the ground surface during pedestrian survey. Additional 5-meter spaced pedestrian survey transects were walked around the find locale. No additional artifacts were discovered. Eight shovel tests were excavated at 5-meter and 10-meter intervals in the cardinal directions centered on the find locale. All shovel tests were negative. The locale's setting is general upland set above marshy drainages located to the north, east, and southeast of the find locale. The find locale is within a plowed agricultural field that afforded ground surface visibility of 50–75 percent and that is set within a wider landscape of gently rolling hills.

Artifact: Blade-like Swan River chert, tertiary flake

Maximum length: 43 mm Maximum width: 19 mm Maximum thickness: 4.5 mm



View of the ventral side



Overview of MJNT-02 find locale, view to the north



...NONPUBLIC DATA ENDS

View of the dorsal side



Overview of MJNT-02 find locale, view to the northeast