Lemon Hill Solar Project Olmsted County, MN

Appendix H Cultural Resources

In accordance with Minnesota Rules, part 7829.0500, and Minnesota Statutes Chapter 13, Lemon Hill Solar has designated portions of Appendix H as **NONPUBLIC DATA–NOT FOR PUBLIC DISCLOSURE** because it contains sensitive cultural resource. The Minnesota State Historic Preservation Office Manual for Archaeological Projects in Minnesota provides for restricted access to sensitive cultural resource information. Given the need to include nonpublic information, Lemon Hill Solar has prepared and is electronically filing both **NONPUBLIC** and public versions of Appendix H.



STATE HISTORIC PRESERVATION OFFICE

March 3, 2025

Aaron Armstrong-Duarte
Principal Investigator
Merjent, Inc.
aaron.armstrong-duarte@merjent.com

RE: Lemon Hill Solar Project

Olmsted County

SHPO Number: 2024-1718

Dear Aaron Armstrong-Duarte:

Thank you for continuing consultation on the above referenced project. We understand that this project will require a Minnesota Public Utilities Commission site permit and will partially be located on public land. Therefore, the submitted information has been reviewed pursuant to the responsibilities given the State Historic Preservation Office by the Minnesota Historic Sites Act (M.S. 138.665-666) and the Minnesota Field Archaeology Act (M.S. 138.40)

According to your correspondence, Lemon Hill Solar, LLC is proposing to build a new 180-megawatt utility-scale solar facility on approximately 1900 acres of land in rural Olmsted County, east of the City of Rochester. We have reviewed the submitted report, *Phase I Archaeological Survey Report for the Lemon Hill Solar Project, Olmsted County, Minnesota* (January 2025) as prepared by Merjent, Inc. One archaeological site was identified as a result of the survey, site **210L0077**. We agree that this site is **not eligible** for listing in the National Register of Historic Places.

Therefore, based on information that is available to us at this time, we have determined that no significant archaeological sites will be affected by this project and that there are **no properties** listed in the National or State Registers of Historic Places, or within the Historic Sites Network, that will be affected by this project.

If you have any questions regarding our review of this project, please contact Kelly Gragg-Johnson, Environmental Review Specialist, 651-201-3285 or kelly.graggjohnson@state.mn.us.

Sincerely,

Amy Spong

Deputy State Historic Preservation Officer



July 19, 2024

Aaron Armstrong-Duarte, Principal Investigator Merjent, Inc.

Aaron.armstrong-duarte@merjent.com

RE: Lemon Hill Solar Project

Olmsted County

SHPO Number: 2024-1547

Dear Aaron Armstrong-Duarte:

Thank you for the opportunity to comment on the above referenced project. We understand that this project will require a Minnesota Public Utilities Commission site permit and will partially be located on public land. Therefore, the submitted information has been reviewed pursuant to the responsibilities given the State Historic Preservation Office by the Minnesota Historic Sites Act (M.S. 138.665-666) and the Minnesota Field Archaeology Act (M.S. 138.40)

According to your submittal, Lemon Hill Solar, LLC is proposing to build a solar farm that will have a generating capacity of up to 180 megawatts and will comprise 1900 acres in rural Olmsted County, east of the City of Rochester. We have reviewed the following documentation that was included with your submittal:

- Merjent Cover Letter (dated May 28, 2024)
- Lemon Hill Solar Project Cultural Resource Survey Plan (May 23, 2024, Merjent)
- Phase Ia Literature Review for the Lemon Hill Solar Project, Olmsted County, Minnesota (May 2024, Merjent)

Based on our review of this documentation, we agree that the proposed survey strategy appears to be appropriate for the proposed project.

We look forward to further consultation on this project. If you have any questions regarding our review of this project, please contact me at 651-201-3285 or kelly.graggjohnson@state.mn.us.


Sincerely,

Kelly Gragg-Johnson

Kelly Gragg-Johnson Environmental Review Program Specialist

Lemon Hill Solar Project Olmsted County, MN

Appendix H-1
Cultural Resources Literature Review



Lemon Hill Solar, LLC

Phase Ia Literature Review for the Lemon Hill Solar Project
Olmsted County, Minnesota

PREPARED BY

Merjent, Inc. 1 Main Street SE, Suite 300 Minneapolis, Minnesota 55414

Kevin Mieras

Aaron Armstrong-Duarte, PhD Principal Investigator

May 2024



Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

EXECUTIVE SUMMARY

Lemon Hill Solar, LLC (Lemon Hill Solar) is proposing to build a solar farm that will have a generating capacity of up to 180 megawatts and will comprise 1,900 acres (see Figure 1). The Lemon Hill Solar Project (Project) is located in rural Olmsted County.

The Project is in the pre-permitting and field reconnaissance phase and will require a Site Permit and Certificate of Need from the Minnesota Public Utilities Commission pursuant to the Minnesota Power Plant Siting Act (Minnesota Statutes Chapter 216E) and Minnesota Administrative Rules Chapter 7850. Lemon Hill Solar intends to conduct Phase I archaeological survey of the Project footprint in the summer of 2024. In February and March 2024, Merjent conducted the literature review of all archaeological survey reports, recorded archaeological sites, and historic architectural sites within a 1-mile buffer of the 1,906-acre Project Area (Study Area) using data provided by the Minnesota State Historic Preservation Office and Office of the State Archaeologist, as well as reviewing nineteenth-century General Land Office maps, historical atlases, and historical aerial photography.

The Phase la literature review identified three previously conducted archaeological investigations and 14 historic architectural resources within the Study Area. No archaeological sites have been recorded within the Study Area. Based on the lack of previous survey within the Project Area and the presence of upland soils that may exhibit depth, there is potential to encounter unrecorded, intact archaeological sites. Phase I archaeological survey should comply with the *State Archaeologist's Manual for Archaeological Projects in Minnesota* (Anfinson 2011), the Historic and Architectural Survey Manual (Minnesota State Historic Preservation Office 2017), and the Secretary of the Interior's *Standards and Guidelines for Archaeology and Historic Preservation* (National Park Service 1983).

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

TABLE OF CONTENTS

EXEC	_	SUMMARY	
1.0	ECT DESCRIPTION		
	1.1	METHODOLOGY ERROR! BOOKMARK NOT DEFIN	ED.
2.0	ENVIR	ONMENTAL AND CULTURAL BACKGROUND	1
	2.1	TOPOGRAPHY	2
	2.2	HYDROLOGY	2
	2.3	GEOLOGY	2
	2.4	SOILS	2
	2.5	FLORA AND FAUNA	
	2.6	CULTURAL AND HISTORICAL OVERVIEW	4
		2.6.1 Precontact Period (10,900 BCE-1,650 CE)	4
		2.6.2 Contact Period (1650–1837 CE)	
3.0	LITER	ATURE REVIEW RESULTS	
	3.1	PREVIOUS ARCHAEOLOGICAL INVESTIGATIONS	
	3.2	PREVIOUSLY RECORDED ARCHAEOLOGICAL SITES	9
	3.3	PREVIOUSLY RECORDED ARCHITECTURAL RESOURCES	10
	3.4	HISTORICAL MAP REVIEW	
4.0	SUMM	IARY AND CONCLUSIONS	11
5.0	REFE	RENCES CITED	12
		<u>LIST OF TABLES</u>	
Table	1.0-1	Sections Included in the Project Area	1
Table	1.1-1	Sections Included in the Study Area	
Table	2.4-1	Soil Types Present in the Project Area	
Table	3.1-1	Previously Reported Cultural Resource Surveys within the Study Area	9
Table	3.3-1	Previously Reported Historic Architectural Resources within the Study Area	
		• •	

LIST OF APPENDICES

Appendix A Project Figures

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

ACRONYMS AND ABBREVIATIONS

BCE Before the Common Era
BLM Bureau of Land Management

CE Common Era

CenterPoint CenterPoint Energy GLO General Land Office

Merjent, Inc.

MNDNR Minnesota Department of Natural Resources
NRCS Natural Resources Conservation Service
NRHP National Register of Historic Places
OSA Office of the State Archaeologist

Project Lemon Hill Solar Project

SHPO Minnesota State Historic Preservation Office

Study Area 1-mile buffer around the Project Area

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

1.0 PROJECT DESCRIPTION

Lemon Hill Solar, LLC (Lemon Hill Solar) is proposing to build a solar farm that will have a generating capacity of up to 180 megawatts referred to as the Lemon Hill Solar Project (Project). The Project Area will comprise 1,900 acres, located in rural Olmsted County (see Figure 1). Locational information is provided in Table 1.0-1.

TABLE 1.0-1				
Sections Included in the Project Area				
County	Township	Range	Sections	
Olmsted	107N	12W	7, 17, 18, 19, 20, 29	
Olmsted	107N	13W	11, 12, 13, 14, 23, 24	

1.1 METHODS

The literature search included an analysis of protected datasets on file at the Minnesota State Historic Preservation Office site file information, the State Register of Historic Places, the Minnesota State Historic Site Network, information regarding National Register of Historic Places listed properties, Minnesota's Statewide Historic Inventory Portal (MNSHIP)(SHPO 2024), and National Historic Landmarks from databases maintained by the National Parks Service. Sections included in the Study Area are shown in Table 1.1-1. The Minnesota Office of the State Archaeologist (OSA) maintains a secure online dataset of known and suspected archaeological sites, which is regularly updated and referenced (OSA Portal). Mr. Kevin Mieras, Merjent archaeologist, reviewed the OSA Portal files and archived copies of site forms for all known sites within the Study Area.

TABLE 1.1-1				
Sections Included in the Study Area				
County	Township	Range	Sections	
Olmsted	107N	12W	6-9, 16-21, 28-33	
Olmsted	107N	13W	1-3, 10-12, 13-15, 22-27	

Merjent also reviewed nineteenth-century General Land Office (GLO) maps and notes on file with the Bureau of Land Management (BLM 2024), historical atlases, and aerial photographs from 1940 to present (NETRonline 2024; OSA 2024).

Since geographic information system shapefiles of archaeological survey locations and archaeological site boundaries are not available from SHPO or OSA, Merjent digitized previous site locations based on digital files provided by SHPO and available on the OSA Portal. Given this review is related to precontact burial sites, historic architectural structures are not included in this document. The results of the literature review are presented in Section 3.0. Finally, Mr. Mieras reviewed background materials on file at Merjent and publicly available data sources available online for information about Hennepin County and the ecological setting of the Study Area.

2.0 ENVIRONMENTAL AND CULTURAL BACKGROUND

According to the Minnesota Department of Natural Resources' (MNDNR) Ecological Classification System, the Project is in the Rochester Plateau Subsection of the Paleozoic Plateau Section of

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

the Eastern Broadleaf Forest Province (MNDNR 2024a). This is bound to the north by at the northern extent of loess deposits and to the east by a transition from dissected landscapes and level to rolling plateau. The subsection comprises a series of Des Moines lobe end moraines (MNDNR 2024a).

2.1 TOPOGRAPHY

Topography within the Rochester Plateau Subsection is level to gently rolling, which is controlled by the underlying glacial till in the east and bedrock controlled as loess deposits thin to the west. Karst topography and sinkholes are common in the southeast portion of the subsection (MNDNR 2024a). The Project is situated on a gently rolling upland landform that serves as the boundary between the Silver Creek and Whitewater River watersheds (see Figure 1 in Appendix A). The most dramatic topography within the Project Area is created by several unnamed intermittent drainages that lead to Silver Creek and the North Fork Whitewater River.

2.2 HYDROLOGY

According to the MNDNR Watershed Index, the Project is within the Mississippi River – Winona and Zumbro surface watersheds (MNDNR 2024b). These watersheds flow roughly east into the Mississippi River. The drainage system is well developed and there are very few lakes in this region (MNDNR 2024a). The Project Area specifically is drained to the west by Silver Creek and to the north by the North Fork Whitewater River.

2.3 GEOLOGY

Bedrock within the Rochester Plateau Subsection is Ordovician dolomite, limestone, and sandstone in steep ravines with Cambrian sandstone shale, and dolomite exposures in the Mississippi River Valley. Local exposures of Denovian dolomite and limestone are evident in the western edge of the subsection (MNDNR 2024a; Morey and Walton 1976). Bedrock depth varies from 100 to 200 feet in the west and 10 to 100 feet in the east (MNDNR 2024a; Olsen and Mossler 1982).

The parent material of the Project Area was deposited during the retreat of the last glacial maximum (Late Wisconsinan). This material can be characterized as sandy outwash sediments that formed in loamy alluvium and in the underlying sandy and gravelly outwash (Natural Resources Conservation Service [NRCS] 2024).

2.4 SOILS

According to NRCS soils data, there are 41 different soil units anticipated within the Project Area (NCRS 2024a; see Table 2.4-1). Water comprises less than 0.1 percent (0.7 acre) of the Project Area. Alfisols (1,166 acres), Mollisols (646.9 acres), and Inceptisols (19.6 acres) exhibit depth and are well drained, which suggests potential for buried, intact archaeological deposits (Fanning and Fanning 1989; Jenny 1941). The remaining 774.1 acres of the Project Area comprises Entisols (71.5 acres) and Histosols (2.6 acres). Entisols show little to no pedogenic development and Histosols are typically saturated (NRCS 2024b), suggesting low potential for archaeological deposits. Although there is potential to encounter archaeological deposits within the Project Area, Holliday (2004) states that soil series mapped by the NRCS potentially provide clues but should be recognized as having considerable limitations in archaeological applications. Descriptions of the soil types expected to be encountered within the Project Area are provided below.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

		TABLE 2.4-1		
		Soil Types Present in the Project Area		
Soil Type	Soil Order	Landform	Acres in Project Area	Percentage of Project Area
Mt. Carroll silt loam	Alfisols	Ridgetops, side slopes, and stream benches	551.8	28.90%
Waubeek silt loam	Alfisols	Summits and side slopes	241.1	12.6%
Port Byron Silt Loam	Mollisols	High terraces	110.0	5.8%
Otter silt loam	Mollisols	Flood plains	74.8	3.9%
Kasson Silt Loam	Alfisols	Interfluves and side slopes	72.4	3.8%
Oronoco Ioam	Mollisols	Summits of rolling or hilly uplands	71.3	3.7%
Vasa silt loam	Alfisols	Interfluves on dissected till plains	64.8	3.4%
Chaseburg Silt Loam	Entisols	Flood plains, hills, and alluvial fans	59.4	3.1%
Floyd silt loam	Mollisols	Foot slopes and upland drainageways	56.6	3.0%
Garwin Silty Clay Loam	Mollisols	Drainageways, till plains, and stream terraces	49.8	2.6%
Frankville silt loam	Alfisols	Crests of interfluves, side slopes, and high structural benches	48.9	2.6%
Joy Silt Loam	Mollisols	Ridges and terraces	47.4	2.5%
Clyde silty clay loam	Mollisols	Swales, interfluves, and till plains	42.9	2.2%
Elbaville silt loam	Alfisols	Upper back slopes, shoulders, and foot slopes in dissected uplands	41.9	2.0%
Dorerton loam	Alfisols	Shoulders and side slopes of dissected uplands	39.2	2.0%
Atkinson loam	Mollisols	Ridges of narrow interfluves, crests and side slopes on uplands, high structural benches, and strath terraces	29.4	1.6%
Skyberg silt loam	Alfisols	Dissected till plains	28.9	1.5%
Littleton silt loam	Mollisols	Alluvial fans, toe slopes of uplands, and stream terraces	28.6	1.5%
Racine Loam	Alfisols	Interfluves and side slopes on dissected till plains on the Iowan Erosion Surface	26.9	1.4%
Marlean silty clay loam	Mollisols	Ridges, interfluves, and side slopes on dissected uplands	24.1	1.3%
Racine Silt Loam	Alfisols	Interfluves and side slopes on dissected till plains on the Iowan Erosion Surface	20.6	1.1%
Timula silt loam	Inceptisols	Hill slopes	19.6	1.0%
Kenyon loam	Mollisols	Interfluves and dissected till plains	19.3	1.0%
Lindstrom silt loam	Mollisols	Toe and foot slopes of steel hills, ridges, or valley walls	18.6	0.9%
Waucoma loam	Alfisols	Summits and backslopes	17.8	0.9%
Kato silty clay loam, depressional	Mollisols	Outwash plains, valley trains, and flood plains	17.2	0.9%
Ostrander Silt Loam	Mollisols	Summits, side slopes, or shoulder slopes on dissected till plains	15.6	0.8%
Brodale channery loam	Mollisols	Valley sides and dissected uplands	13.1	0.7%
Arenzville Silt Loam	Entisols	Floodplains and upland drainageways	9.6	0.5%
Channahon loam	Mollisols	Level-bedded terraces	6.7	0.3%
Schullsburg Silt Loam	Mollisols	Upland slopes	5.9	0.3%
Nasset silt loam	Alfisols	Interfluves, benches, and dissected uplands	5.1	0.3%
Schapville Silty Clay Loam	Mollisols	Ridgetops, high structural benches, and saddles between hills on bedrock-controlled uplands	4.5	0.3%
Maxfield silt loam	Mollisols	Interfluves and head slopes of broad, shallow drainageways on dissected till plains	4.5	0.2%
Rockton loam	Mollisols	Uplands, high structural benches, strath terraces, and lake plains	3.7	0.2%

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

	TABLE 2.4-1					
	Soil Types Present in the Project Area					
Soil Type	Soil Order	Landform	Acres in Project Area	Percentage of Project Area		
Dorerton-Rock outcrop complex	Alfisols	Shoulders and side slopes of dissected uplands	2.9	0.1%		
Palms muck	Histosols	Closed depressions	2.6	0.1%		
Root silt loam	Entisols	Flood plains	2.5	0.1%		
Brodale-Sogn complex	Mollisols	Valley sides, hillslopes, and dissected uplands	2.4	0.1%		
Massbach Silt Loam	Alfisols	Shale ridges and side slopes on uplands	1.9	0.1%		
Dowagiac sandy loam	Alfisols	Outwash plains, terraces, and valley trains	1.3	0.1%		
Water	N/A	N/A	0.7	<0.1%		
Frontenac loam	Mollisols	Slopes in dissected terrain	0.5	<0.1%		
Lilah Sandy Loam	Alfisols	outwash areas on dissected till plains and treads and risers on stream terraces	0.3	<0.1%		

2.5 FLORA AND FAUNA

The most common types of pre-Euro-American settlement vegetation within the Rochester Plateau were tallgrass prairie and bur oak savanna. Few remnants of this vegetation remain with the majority of the subsection dedicated to farming (MNDNR 2024).

The pre-Euro-American settlement fauna were dominated by bison and occasional elk. White-tailed deer and small animals were abundant along river valleys. Wetlands and lakes within the outer coteau contain various species of waterfowl, aquatic mammals, and fish (MNDNR 2024; Gibbon et al. 2002).

2.6 CULTURAL AND HISTORICAL OVERVIEW

Culturally, the Project is within the Minnesota Archaeological subregion 3w (Southeast Riverine West). This subregion covers a portion of central Minnesota in all or part of Dakota, Dodge, Fillmore, Goodhue, Houston, Mower, Olmsted, Rice, Wabasha, Winona, Counties (Gibbon et al. 2002).

2.6.1 Precontact Period (10,900 BCE-1,650 CE)

The first inhabitants of Minnesota are known as Paleoindians (10,900 to 7,500 years Before the Common Era [BCE]). These people were highly nomadic hunter-gatherers, moving in small bands in search of food and other subsistence resources; however, in the Late Glacial and Early Holocene forests of Minnesota, Paleoindians likely relied more on gathering and the hunting of a variety of smaller animals. Paleoindian sites are small, relatively ephemeral, and commonly identified with the recovery of distinctive spear points that occur across much of North America (Gibbon et al. 2002).

The Paleoindian peoples were followed by Archaic Tradition hunter-gatherers. At the end of the Ice Age, around 10,000 years BCE, the climate became warmer and drier, which led to major changes in plant and animal communities. Spruce forests followed the retreating glacial ice northward and were replaced by a new landscape comprised of extensive lakes and rivers. Many large-game species became extinct. Archaic Tradition hunters-gatherers (7,500 to 500 BCE)

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

adapted to this new environment, shifting their focus to smaller game such as deer and elk, the abundant fish and shellfish in the numerous lakes and rivers, and wild plants such as nuts and berries (Gibbon et al. 2002).

The Archaic peoples appear to have been less nomadic than the Paleoindians and lived in smaller household groups. Archaic sites are identified by large notched and stemmed projectile points. Immense sedimentation during the early part of the Archaic, corresponding with the Early and Middle Holocene periods, resulted in many Archaic Tradition sites being deeply buried under river valley deposits; therefore, these sites are not usually evident in surficial contexts (Gibbon et al. 2002).

The Woodland Tradition followed the Archaic Tradition. In Minnesota, the Woodland culture is separated into two periods: the earlier Initial Woodland period (ca. 500 BCE to 500 years into the Common Era [CE]), and the later Terminal Woodland period (500 to 1650 CE) (Gibbon et al. 2002).

The frequent surficial expression of Woodland site locations, coupled with burial mounds that frequently mark their place, has resulted in more frequent documentation and excavation of Woodland sites. Due to this higher frequency of identification, many Woodland sites have also been grouped into specific regional archaeological cultures (Gibbon et al. 2002; Gibbon 2012).

The Initial Woodland period is primarily marked by the emergence of precontact ceramic traditions and burial mounds. Regional archaeological cultures of the Initial Woodland period include Howard Lake, Malmo, Elk Lake, and Laurel (Gibbon et al. 2002; Gibbon 2012).

The Terminal Woodland period has been defined throughout eastern and central Minnesota, the Red River Valley, and portions of the Dakotas (Gibbon 2012). During this period, populations began to increase, which in turn led to an increase in size and number of precontact sites. Burial mounds became more prevalent and the cultural material artifacts began shifting to smaller, unnotched triangular projectile points and thinner ceramic vessels that were more globular in shape. Agriculture and wild rice harvests also increased (Gibbon et al. 2002; Gibbon 2012).

In the northern portion of the state, ceramic types and burial practices indicate specific regional archaeological cultures, including Kathio, Blackduck, and Psinomani. In the southern portion of the state, primarily comprised of deciduous forests and prairie, some cultures adopted the cultivation of maize and the construction of effigy burial mounds (Gibbon et al. 2002; Gibbon 2012). By the end of the Initial Woodland, maize horticulture had spread to the northern portion of the state (Boyd and Surette 2010).

Around approximately 1000 CE, Mississippian populations from Cahokia, near St. Louis, Missouri, began to extend their influence northward into the Upper Mississippi River Valley and evidence suggests that there were attempts at colonization. Archaeologists tend to regard some southern Minnesota Terminal Woodland cultures as the northern expression of a "Mississippian" lifeway, distinguished by distinctive ceramic styles, larger and more diverse artifact assemblages, and evidence of maize production. In southern Minnesota, three Mississippian complexes have been identified: Silvernale, Oneota, and Plains Village (Gibbon et al. 2002). It was the Mississippian peoples in the south, and the Terminal Woodland peoples in the north, who had contact with the first Europeans to explore Minnesota in the mid-seventeenth century (Gibbon et al. 2002; Gibbon 2012).

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

2.6.2 Contact Period (1650–1837 CE)

The Contact Period includes American Indian and Euro-American contexts. The OSA subdivides the American Indian context into "Indeterminate" or "Eastern Dakota," and the Euro-American context into "Indeterminate," "French," "British," and "Initial US" (Gibbon 2012). This section focusses on developing a cultural context and temporal framework for sites relevant to the Project.

Because the Project occurs on traditional Dakota lands, a brief description of the Dakota is warranted. DeMallie (2001) states that Dakota and Lakota (also known as Sioux) tribes share common language, history, social organization, and culture. They were first mentioned in 1640 (Thwaites 1898:18:231) and at that time occupied the area between Mille Lacs and the Missouri River and south into central lowa. Three divisions were distinguished by the early nineteenth century, the Santee, Yankton and Yanktonai (Dakota), and Teton (Lakota), which mirrored geographical, linguistic, and cultural distinctions. Following government administrators, anthropologists grouped all three divisions under the designation "Dakota" (e.g., Dorsey 1897; Deloria 1944; Holder 1970). Researchers tend to minimize the use of the term "Sioux" for two reasons: 1) it had a foreign origin in an Ojibwa ethnonym, and 2) it was said to mean "snake" and therefore has pejorative connotations (DeMallie 2001).

Oral histories and various linguistic reconstructions are similar regarding the origins of the Tribe. Linguistic studies place the Proto-Dakota west of Lake Michigan in southern Wisconsin, southeastern Minnesota, northwestern Iowa, and northern Illinois (Munson 1975). Dakota traditions recorded by Nicollet in 1839 indicate an origin near the northern lakes east of the Mississippi prior to moving westward—initially by the Teton, then the Yankton and Yanktonai, and lastly the Santee (DeMallie 1976). A tradition of the Mdewakanton group of Santee states that their ancestors left the lakes around the headwaters of the upper Mississippi and moved to the region of the Minnesota River because bison were more plentiful (Commissioner of Indian Affairs 1849:1006). Oral traditions also state that the Assiniboine split off from a band of Yanktonai (Riggs 1893).

Conventional archaeological methods are unable to answer questions regarding Dakota origins at this time. Generally, sites identified with the precontact Dakota on the northeastern fringe of the plains are lumped into the Woodland Tradition in Minnesota as are early contact sites (Eggan 1952; Winchell 1911).

In the heavily forested regions within Dakota territory, deer were the principal game; however, the plains Dakota made their livelihood hunting bison (DeMallie 2001). In the mid-seventeenth century, the eastern Dakota groups hunted bison in the grassland-forest savannah east of the Mississippi River. War with other groups, notably the Illinois, Fox, and other Central Algonquian tribes, all of whom had access to guns and who hunted bison, likely caused the Dakota to hunt west of the Mississippi River. Also, by the mid-seventeenth century, the Ojibwe began to move west from Sault Sainte Marie to regions they inhabited at the time of Euro-American contact. Initially the Dakota and Ojibwe warred, but eventually came to peaceful terms (for the most part) and the Dakota allowed the Ojibwe to hunt in their territory and act as middlemen in trade with the French (DeMallie 2001).

By the early eighteenth century, traders had built several posts and forts within Dakota territory, including one at Duluth and Fort l'Huillier on the Blue Earth River, a tributary of the Minnesota River (DeMallie 2001). The fort on the Blue Earth River was seen as an unwelcome incursion into the territory of the Eastern Dakota and they retaliated by robbing two French traders and fired on the post. The western Dakota groups denied any responsibility, which demonstrates the

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

autonomy between villages. Fort l'Huillier was abandoned in 1702, and the Dakota lacked direct contact with the French for the next 20 years (DeMallie, 2001).

During this time, the Dakota depended on Fox and Ojibwe as intermediaries for trade. First in 1714 and again in 1721, the Fox made peace with the Dakota, not only for trade purposes, but also as an alliance against the Ojibwe who were expanding southwest from Lake Superior (Edmunds and Peyser 1993). The French negotiated a peace between the Ojibwe and Dakota with the result of undermining the alliance between the Dakota and Fox, although with the unintended result of also undermining the peace with the Ojibwe due to the opening of direct trade (Hickerson 1962).

In the 1730s, Pierra Gaultier de Varennes sieur de la Verendrye financed his search for the western sea by trading with the Native Americans and built posts west and north of Lake Superior. La Verendrye allied himself with the Ojibwe and Cree and, in 1734, his eldest son accompanied a Cree war party against the Dakota (DeMallie 2001). This action precipitated hostilities by the Dakota against the French. By 1736, several Frenchmen, including le Verendrye's youngest son, a Jesuit missionary, and 20 voyageurs were killed, scalped, and decapitated, with their heads placed on beaver skins (Thwaites 1906).

Also, by 1736, most of the Dakota lived west of the Mississippi River. That year the number of Dakota living east of the Mississippi was 300 compared with 2,000 Dakota on the prairies (Thwaites 1906). Although warfare with the Ojibwe had forced the Dakota to abandon their villages around Leech Lake and Mille Lacs, this did not result in an end in hostilities. While Ojibwe traditions recount many victories against the Dakota, most of the Dakota had already located to the Mississippi and Minnesota River valleys due to the availability of bison and the advantages of trade with the French (DeMallie 2001). A 1697 map, with additions in 1699 and 1702, depicts 22 Dakota villages in the upper Mississippi River region (DeMallie 2001).

The Dakota of the east lived in small, scattered villages, each of which was composed of five or six families (Radisson 1961). In addition to these small villages, there were larger ones that they returned to annually, which housed up to 7,000 people (Radisson 1961). Radisson (1961) describes some of the lodges as being covered with mats and some with skins and says lodges were rounded and constructed with long poles. Other accounts indicate that the Dakota of the west lived in tipis that they carried with them whenever they relocated (Neill 1890). There is no mention of Dakota utilization of dogs or horses during this period.

When the Dakota returned to their villages in the spring, they used cache pits to contain surplus wild rice. Radisson (1961) writes that they sowed corn, but that the harvest was small. The wild rice afforded them nourishment throughout the year. Conversely, the Jesuit Relations mention in 1642 that the Dakota harvested corn, but in 1670–1672 it was stated that they did not till land (Thwaites 1898:23:225, 1899:55:169). During the summer, the Dakota gathered for communal bison hunts, which were extremely important since these hunts provided surplus meat to be dried for winter use and hides (De Mallie 2001). Hennepin (1903) reported that sometimes 100 to 120 bison were killed in a single hunt. Because a single hunter or small group could frighten the bison herd away, hunts were strictly controlled by the chiefs for the communal good. Anyone who hunted before the bison were surrounded was liable for punishment by specially appointed police. Hennepin (1903) described these police as carrying clubs, overturning lodges of offenders, and confiscating their food.

Following the communal bison hunt, the Dakota of the east would return to their villages in the lake county for the wild rice harvest season, part of which, as noted above, was stored in

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

underground cache pits (Radisson 1961; Hennepin 1903). Corn and various other roots, fruits, and berries were gathered and eaten while fresh (Radisson 1961). Le Sueur provided additional detail in that the Dakota of the west hunted extensively, utilizing the prairies between the upper Mississippi and the Missouri Rivers where canoes were not needed. They practiced no horticulture, did not gather wild rice, and had no fixed villages. All their travel was by foot (Wedel 1974).

DeMallie (2001) writes that the Dakota placed their dead either on scaffolds or buried them in the ground. Oftentimes the bones from the scaffold burial were collected, re-buried in the ground, and surrounded by a ring of stones. DeMallie (2001) also reports that occasionally the bones of the dead were preserved, honored, and carried on war expeditions.

The first mention of the Dakota of the west was in 1679–1680. Hennepin (1903) was told by the Dakota of the east that 50 to 75 miles above present-day Minneapolis lived the Nations Tintonha (Inhabitants of the Meadows).

By the late seventeenth and eighteenth centuries, the image that develops from the literature regarding the Dakota is one of small village groups bonded by common language and customs (DeMallie 2001). Dakota villages were bands that traveled around independently of each other and the dispersion of the Dakota of the east into many small villages likely related to the need for each group to use the resources of the area most efficiently, particularly the wild rice.

Gates (1965) states that the Dakota had acquired numerous horses by 1774 and used them for both transportation and pack horses. The acquisition of the horse was an integral innovation that fit into the nomadic bison-hunting economy and intensified earlier subsistence patterns (Wissler 1914). Additionally, the Dakota developed cultural traits that ultimately became central to Plains culture, including the intertribal pipe adoption ceremony and the Sun Dance (Parks 1993).

Following the acquisition of the horse, the westward expansion of the Dakota continued in the early 1800s. The Teton, allied with the Cheyenne and Arapaho, pressed westward, driving the Kiowa and the Crow from the Black Hills area and claiming it as their own (DeMallie 1980). This was the period in which the classic western Dakota culture developed.

After the Louisiana Purchase in 1803 by the United States, the establishment of formal relations with the tribes became integral to the government's need to explore and exploit the new territory. During their trip up the Missouri River, Lewis and Clark met with the Yankton, Yanktonai, and Teton tribes and presented peace medals and U.S. flags to their chiefs, affirming their status and power (DeMallie 2001). In 1805, Lt. Zebulon M. Pike traveled up the Mississippi and signed the first treaty with the Dakota. Under the terms of the treaty, the Mdewakonton ceded to the United States two areas of land near the Mississippi River for the construction of military posts, one of which was at the confluence of the Minnesota and Mississippi Rivers where Fort Saint Anthony (later Fort Snelling) was built in 1819.

The Dakota were divided during the War of 1812 with the eastern Dakota siding with the British and the western Dakota siding with the United States. After the war concluded, in 1815, representatives of several tribes were invited to Portage des Sioux where they signed treaties of peace and friendship with the United States. These treaties were noteworthy in that they specified that the Native American signers acknowledged themselves and their tribes to be under the sole protection of the U.S. government—the first extension of federal authority over the Dakota (Kappler 1904–1941).

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

An 1825 military expedition led by General Henry Atkinson and Indian Agent Benjamin O'Fallon up the Missouri River signed four more treaties with the Yankton, Yanktonai, and Teton (Kappler 1904–1941). These treaties specified that the Dakota acknowledged living within the United States, recognized its supremacy, and claimed its protection. The treaties also gave the United States the right to regulate all trade and intercourse with the Dakota.

Other treaties had more focused purposes. The 1830 treaty jointly signed by the Santee, Yankton, Sauk, and Fox, Omaha, Iowa, Otoe, and Missouria tribes at Prairie du Chien (Kappler 1904–1941) ostensibly was to end intertribal warfare. In actuality, the Dakota, Sauk and Fox surrendered two 20-mile-wide strips of land separating their territories from each other. Also significant, this treaty was the first stating that the Dakota was to obtain annuities from the United States payable over a 10-year period in money or goods. Other similar treaties followed in 1836 and 1837, further eroding Santee and Yankton lands with the promise of annuities (Kappler 1904–1941). The non-deliverance of the annuities, resulting in the starvation of the Dakota confined to small reservations, led directly to the 1862 Dakota War.

3.0 LITERATURE REVIEW RESULTS

In February and March 2024, Merjent conducted a Phase Ia literature review for the Project Study Area. Merjent sought archaeological site forms and historical cemeteries from the OSA Portal, and historical architectural forms and cultural resource reports provided by SHPO. Additionally, nineteenth-century GLO maps and historical aerial photography were reviewed. The results of the Phase Ia Literature Review are provided below.

3.1 PREVIOUS ARCHAEOLOGICAL INVESTIGATIONS

Review of SHPO files identified three previous archaeological investigations that have taken place within the Study Area (See Table 3.1-1 and Figures 1 and 2 in Appendix A). These investigations were conducted in support of a countywide survey project, a transmission line rebuild, and a trunk sewer extension project (OL-04-01).

Table 3.1-1					
	Previously Reported Cultural Resources Surveys within the Study Are	ea			
SHPO Number	Title	Author	Year		
OL-04-01	Cultural Resources Assessment for the Rochester Water Reclamation Plant Expansion – Trunk Sewer Extension Project, Rochester, Olmsted County, Minnesota	Section 106 Group	2004		
2021-0352	Field Survey Results for a Portion of the Dairyland Power Cooperative Q-3 Transmission Line Rebuild in Olmsted County, Minnesota, SHPO# 2021-0352	Twinde-Javner	2021		
None	2010 Archaeological Reconnaissance Survey of Olmsted County, Minnesota	Arzigian and Kolb	2010		

3.2 PREVIOUSLY RECORDED ARCHAEOLOGICAL SITES

No archaeological sites have been recorded within the Project Area. According to the MnModel (Phase 4) Survey Implementation Model (Minnesota Department of Transportation 2020), the Study Area is within an area of unknown site potential. The overall density of previously documented sites in the Study Area is low, which is potentially due to the lack of previous survey. Based on the presence of upland soils that may exhibit depth, there is potential to encounter intact archaeological deposits within the Project Area.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

3.3 HISTORICAL CEMETERIES

According to the Historical Cemeteries layer provided on the OSA Portal, the potential location of the St. John's Lutheran Cemetery (OSA Cemetery 22686) is located in the NE 1/4, NE 1/4 of Section 12 in Township 107 North, Range 13 West (see Figure 1 in Appendix A). Review of modern aerial imagery shows the actual location of the cemetery in an approximately 0.6-acre plot in the northeast corner of the section mentioned above.

3.4 PREVIOUSLY RECORDED ARCHITECTURAL RESOURCES

Results of the SHPO data request and MNSHIP review identified 14 recorded historic architectural resources within the Study Area (see Table 3.4-1 and Figures 1 and 2 in Appendix A). These structures consist of bridges and culverts. All 13 structures are outside of the Project Area.

TABLE 3.4-1					
Previously Reported Historic Architectural Resources within the Study Area					
Historic Inventory Number	Property Name	Property Type	NRHP Status		
OL-HVH-00007	CR 119 over Silver Creek	Structure	Not Eligible		
OL-VIO-00017	Great River Ridge State Trail Bridge (MnDOT R0450)	Structure	Unevaluated		
OL-VIO-00018	Great River Ridge State Trail Bridge (MnDOT R0449)	Structure	Unevaluated		
OL-VIO-00019	Great River Ridge State Trail Bridge (MnDOT R0448)	Structure	Unevaluated		
OL-VIO-00022	Great River Ridge State Trail Bridge (MnDOT R0445)	Structure	Unevaluated		
OL-VIO-00023	Great River Ridge State Trail Bridge	Structure	Unevaluated		
OL-VIO-00024	Great River Ridge State Trail Bridge	Structure	Unevaluated		
OL-VIO-00025	Great River Ridge State Trail Bridge (MnDOT R0444)	Structure	Unevaluated		
OL-VIO-00026	Great River Ridge State Trail Bridge (MnDOT R0444)	Structure	Unevaluated		
OL-VIO-00034	Culvert 97463	Structure	Not Eligible		
OL-VIO-00035	Culvert R0213	Structure	Unevaluated		
OL-VIO-00036	Culvert R0253	Structure	Not Eligible		
OL-VIO-00039	Bridge 88737	Structure	Not Eligible		
OK-VIO-00040	Bridge 55J16	Structure	Unevaluated		

3.5 HISTORICAL MAP REVIEW

Merjent reviewed nineteenth-century GLO maps and notes on file with the BLM (2024), aerial photographs taken between 1940 to present (OSA 2024; NETRonline 2024; Google 2024), modern aerial imagery from Google Earth, and historical plat maps from 1874 to 1916 (Andreas 1874, Warner and Foote 1878, Geo A. Ogle 1896, Webb Publishing Company 1914, Anderson Publishing Company 1928, W.W. Hixson & Company 1916). The 1853 GLO maps depict no historic features within the Study Area (see Figure 3 in Appendix A). No improvements or cultural features are mentioned in the associated survey notes (BLM 2024).

Review of aerial photographs spanning from 1940 to present show the Study Area as primarily dedicated to agriculture (OSA 2024; NETRonline 2024, Google 2024). Other than a slight increase in structures over time, the Study Area has remained relatively unchanged between 1940 and present.

Review of historical atlases from 1874 through 1916 (Andreas 1874, Warner and Foote 1878, Geo A. Ogle 1896, Webb Publishing Company 1914, Anderson Publishing Company 1928, W.W.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

Hixson & Company 1916) shows the area as entirely parceled out with several roads and structures, presumably farmsteads, within the Study Area.

4.0 SUMMARY AND CONCLUSIONS

The Phase Ia literature review identified three previous cultural resource investigations, no archaeological sites, and fourteen historic architectural resources within the Study Area. Based on the lack of previous survey and the presence of upland soils that may exhibit depth, there is potential to encounter unrecorded, intact archaeological sites. Phase I archaeological survey should comply with the *State Archaeologist's Manual for Archaeological Projects in Minnesota* (Anfinson 2011), the Historic and Architectural Survey Manual (Minnesota State Historic Preservation Office 2017), and the Secretary of the Interior's *Standards and Guidelines for Archaeology and Historic Preservation* (National Park Service 1983).

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

5.0 REFERENCES CITED

Anderson Publishing Company

1928 Atlas of Olmsted County, Minnesota. Available online at:

https://collection.mndigital.org/catalog/olms:1876#?c=&m=&s=&cv=2&xywh=-1560%2C0%2C6913%2C5243. Accesses March 2024.

Andreas, A.T.

1874 Map of Olmsted County, Minn. Available online at: https://www.davidrumsey.com/maps750049-22152.html. Accessed March 2024

Anfinson, Scott

2011 State Archaeologist's Manual for Archaeological Projects in Minnesota. Available online at https://mn.gov/admin/assets/OSAmanual_tcm36-186982.pdf. Accessed April 2024.

Boyd, Matthew and Surette, Clarence

2010 Northernmost Precontact Maize in North America. American Antiquity 75(1):117–133.

Bureau of Land Management (BLM)

2024 General Land Office Records. Available online at: https://glorecords.blm.gov/. Accessed March 2024.

Commissioner of Indian Affairs

1849 Annual Report of the Commissioner of Indian Affairs, 1849. Available online at https://digitalcommons.law.ou.edu/indianserialset/5604/. Accessed March 2023.

Deloria, Ella C.

1944 Speaking of Indians. Friendship Press, New York.

DeMallie, Raymond J.

- 2001 Sioux Until 1850. In *Plains*, edited by Raymond DeMallie, pp. 718–760. Handbook of North American Indians, Vol. 13, Part 2 of 2, William C. Sturtevant, general editor. Smithsonian Institution, Washington, DC.
- 1980 Touching the Pen: Plains Indian Treaty Councils in Ethnohistorical Perspective. In *Ethnicity on the Great Plains*, edited by Frederick C. Luebcke, pp. 38–53. University of Nebraska Press, Lincoln.
- 1976 Nicollet's Notes on the Dakota. In *Joseph N. Nicollet on the Plains and Prairies: The Expeditions of 1838–39 With Journals, Letters, and Notes on the Dakota Indians*, edited and translated by Edmund C. Bray and Martha Coleman Bray, Appendix 3, pp. 250–281. Minnesota Historical Society Press, St. Paul.

Dorsey, James O.

1897 Siouan Sociology. A Posthumous Paper. 15th Annual Report of the Bureau of American Ethnology (for) 1893-'94, pp. 205–244 (pp. 351–366, Vol. Index). Smithsonian Institution, U.S. Government Printing Office, Washington, DC.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

Edmunds, R. David, and Joseph L. Peyser

1993 The Fox Wars: The Mesquakie Challenge to New France. University of Oklahoma Press, Norman.

Eggan, Fred

1952 The Ethnological Cultures and Their Archaeological Backgrounds. In *Archaeology of Eastern United States*, edited by James B. Griffin, pp. 35–45. University of Chicago Press, Chicago.

Fanning, D.S., and M.C.B. Fanning

1989 Soil: Morphology, Genesis, and Classification. John Wiley and Sons, New York.

Gates, Charles M. (editor)

1965 Five Fur Traders of the Northwest. Being a Narrative of Peter Pond and the Diaries of John Macdonell, Archibald N. McLeod, Hugh Fairies, and Thomas Connor. Minnesota Historic Society, St. Paul.

Geo. A. Ogle & Co.

1896 Olmsted County. Available online at: https://www.historicmapworks.com/Atlas/US/7904/Olmsted+County+1896/. Accessed March 2024

Gibbon, G.

2012 Archaeology of Minnesota: The Prehistory of the Upper Mississippi River Region. University of Minnesota Press, Minneapolis.

Gibbon, G.E., C.M. Johnson, and E. Hobbs

2002 Minnesota's Environment and Native American Culture History. Available online: https://www.dot.state.mn.us/mnmodel/P3FinalReport/chapter3.html#ch342. Accessed March 20024.

Google LLC

2024 Google Earth Pro. Available online at https://www.google.com/earth/about/versions/. Accessed March 2024.

Hennepin, Louis

1903. A New Discovery of a Vast Country in American (1698). Reprinted from the second London Issues of 1698, with Facsimiles of the Original Title Pages, Maps and Illustrations. Reuben G. Thwaites, ed. 2 vols. A.C. McClurg, Chicago.

Hickerson, H.E.

1962 *The Southwestern Chippewa: An Ethnohistorical Study.* Memoirs of the American Anthropological Association 92. Menasha.

Holder, Preston

1970 The Hoe and the Horse on the Plains: A Study of Cultural Development Among North American Indians. University of Nebraska Press, Lincoln.

Holliday, Vance T.

2004 Soils in Archaeological Research. Oxford University Press, Oxford.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

Jenny, H.

1941 Factors of Soil Formation: A System of Quantitative Pedology. Dover Publications, New York.

Kappler, Charles J. (editor)

1904–1941 *Indian Affairs: Laws and Treaties.* (Vols. I-V). U.S. Government Printing Office, Washington, DC.

Minnesota Department of Natural Resources (MNDNR)

2024a Rochester Plateau Subsection. Available online: https://www.dnr.state.mn.us/ecs/222Lf/index.html. Accessed March 2024

2024b Watersheds. Available online at https://www.dnr.state.mn.us/watersheds/index.html. Accessed March 2024.

Minnesota Department of Transportation

2020 MnModel, Minnesota Statewide Archaeological Predictive Model. Available online at: http://www.dot.state.mn.us/mnmodel/index.html. Accessed March 2024.

Minnesota State Historic Preservation Office (SHPO)

2024 Minnesota's Statewide Historic Inventory Portal (MNSHIP). Available online at https://mnship.gisdata.mn.gov/. Accessed March 2024.

Morey, G.B., and M. Walton

1976 M-024 Geologic map of Minnesota, bedrock geology and the geologic terranes of Minnesota (brief discussion). Available online at https://conservancy.umn.edu/handle/11299/59929. Accessed March 2024.

Munson, Patrick J.

1975 Map of Proto-Siouan Homeland, showing Proto-Dakota/Dhegiha/Chiwere Homeland. Copy in possession of Raymond J. DeMallie.

Natural Resources Conservation Service (NRCS)

2024a Web Soil Survey. Available online at https://websoilsurvey.nrcs.usda.gov/app/. Accessed March 2024.

2024b The Twelve Orders of Soil Taxonomy. Available online at https://www.nrcs.usda.gov/resources/education-and-teaching-materials/the-twelve-orders-of-soil-taxonomy. Accesses March 2024.

Neill, Edward. D.

1890 Memoir of the Sioux: A Manuscript in the French Archives, Now First Printed, with Introduction and Notes. Contributions of the Department of History, Literature and Political Science 1st ser., Vol. 1:223–240. Macalester College, St. Paul.

NETRonline

2024 Historic Aerials. Available online at: https://www.historicaerials.com/viewer. Accessed March 2024.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

Office of the State Archaeologist (OSA).

2024 Office of the State Archaeologist Portal. Available online at https://osaportal.gisdata.mn.gov/. Accessed March 2024.

Olsen, B.M. and J.H. Mossler

1982 Geologic Map of Minnesota: Depth to Bedrock, from MGS Map S-14, 1982.

Parks, Douglas R. (editor)

1993 A Fur Trader Among the Arikara Indians: Jean-Baptiste Truteau's Journal and Description of the Upper Missouri, 1794-1796. Mildred Mott Wedel, Transcription. University of Nebraska Press, Lincoln.

Radisson, Pierre Esprit

1961 The Explorations of Pierre Esprit Radisson, from the Original Manuscript in the Bodleian Library and the British Museum. Edited by Arthur T. Adams, modernized by Loren Kallsen. Ross and Haines, Minneapolis.

Riggs, Stephen R.

1893 Dakota Grammar. Texts and Ethnography. In *Contributions to North American Ethnology 9*, edited by James Owen Dorsey. U.S. Geographical and Geological Survey of the Rocky Mounty Region. U.S. Government Printing Office, Washington, DC.

Thwaites, Reuben G. (editor)

1896–1906 *The Jesuit Relations and Allied Documents 1610 to 1791*. The Burrows Brothers, Cleveland. http://moses.creighton.edu/kripke/jesuitrelations/. Accessed September 2022.

Warner, Geo. E and C.M. Foote

1878 Plat Book of Olmsted County, Minnesota. Available online at: https://collection.mndigital.org/catalog/olms:913#?c=&m=&s=&cv=6&xywh=-1785%2C0%2C10118%2C7674. Accessed March 2024.

Webb Publishing Co.

1914 Atlas and Farmers Directory of Olmsted County, Minnesota. Available online at: https://www.historicmapworks.com/Atlas/US/16531/Olmsted+County+1914/. Accessed March 2024.

Winchell, N.H.

1911 The Aborigines of Minnesota: A Report Based on the Collections of Jacob V. Brower, and the Field Surveys and Notes of Alfred J. Hill and Theodore H. Lewis, 1906–1911. Minnesota Historical Society, St. Paul.

Wedel, Mildred M.

1974 Le Sueur and the Dakota Sioux. In *Aspects of Upper Great Lakes Anthropology:* Papers in Honor of Lloyd A. Wilford, edited by Elden Johnson, pp. 157–171. Minnesota Prehistoric Archaeology Series 11. Minnesota Historical Society, St. Paul.

Wissler, Clark

1914 The Influence of the Horse in the Development of the Plains Culture. *American Anthropologist* 16(1):1-25.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota


W.W. Hixson & Company

1916 Plat Book of the State of Minnesota. Available online at: http://geo.lib.umn.edu/collections/digitizedplatbooks/stateofmn1916.html. Accessed March 2024.

Phase la Literature Review for the Lemon Hill Solar Project Olmsted County, Minnesota

APPENDIX A Project Figures

PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute STATE FOREST ND T108N, R13W T108N, R12W Minnesota Wabasha County WABASEA CO 7510 St NE 750b St-NE 1,000 2,000 Road 24 NE 1 inch = 2,000 feet County Road 24 NE Project Area Literature Review Study Area County Boundary Township Boundary Unrecorded Historic Cemetery St. John's Lutheren Cemetery 650th 80 NIE EIN 138 (1020) Previous Survey Historic Structure 22686 Historic Cemetery T107N, R12W Roger Landing Strip 5300 St CNE 550b St NE Figure 1: SSIM AVO NIE **Project Location** and Previously Recorded 51st St NE **Cultural Resources** Lemon Hill Solar, LLC Lemon Hill Solar 4300 St NE Olmsted County, Minnesota OL-04-01 merjent Viola Rd NE Townhall For Environmental Review Purposes Only



PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute T107N, R13W, Sec. 1 1 inch = 600 feet A CONTRACTOR Project Area Section Boundary Previous Survey 22686 Unrecorded Historic Cemetery T107N, R13W, Sec. 12 Figure 2: Literature Review Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota merjent. For Environmental Review Purposes Only

PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute T107N, R13W, Sec. 12 1 inch = 600 feet Project Area Section Boundary Previous Survey Unrecorded Historic Cemetery 51st St NE T107N, R13W, Sec. 13 Figure 2: Literature Review Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota merjent. For Environmental Review Purposes Only

PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute T107N, R13W, Sec. 12 1 inch = 600 feet Project Area Section Boundary Previous Survey Unrecorded Historic Cemetery Historic Structure Figure 2: Literature Review Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota T107N, R12W, Sec. 17 T107N, R12W, Sec. 18 merjent. 48th St NE For Environmental Review Purposes Only

PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute 48th St NE T107N, R12W, Sec. 17 T107N, R12W, Sec. 18 1 inch = 600 feet Project Area Section Boundary Previous Survey Unrecorded Historic Cemetery CORd2NE Figure 2: Literature Review Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota T107N, R12W, Sec. 20 T107N, R12W, Sec. 19 merjent. For Environmental Review Purposes Only


PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute OL-04-01 T107N, R13W, Sec. 14 Co Rd 2 NE Page 5 of 6 1 inch = 600 feet Project Area Section Boundary Previous Survey Unrecorded Historic Cemetery T107N, R13W, Sec. 24 T107N, R12W, Sec. 19 T107N, R13W, Sec. 23 Figure 2: Literature Review Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota merjent. and ordered to Section. T107N, R13W, Sec. 25 T107N, R13W, Sec. 26 For Environmental Review Purposes Only

PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute T107N, R12W, Sec. 19 T107N, R12W, Sec. 20 1 inch = 600 feet Project Area Section Boundary Previous Survey Unrecorded Historic Cemetery Figure 2: Literature Review Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota T107N, R12W, Sec. 30 merjent. For Environmental Review Purposes Only

PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED Contains Privileged Information Do Not Distribute Wabasha County ND Minnesota SD 1,500 3,000 Sec 10 Sec 2 1 inch = 3,000 feet Project Area County Boundary Township Boundary Six.II T107N, R13W T107N, R12W Figure 3: 1853 GLO Map Lemon Hill Solar, LLC Lemon Hill Solar Olmsted County, Minnesota 54 22 merjent. Sec. 3%. Sec. 31. Sec. 35. For Environmental Review Purposes Only

Lemon Hill Solar Project Olmsted County, MN

Appendix H-2
Phase 1 Archaeological Reconnaissance Survey Report



Lemon Hill Solar, LLC

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

PREPARED BY

Merjent, Inc. 1 Main Street SE, Suite 300 Minneapolis, Minnesota 55414

Aaron Armstrong-Duarte Kevin Mieras

Aaron Armstrong-Duarte, PhD Principal Investigator

SHPO Project Number 2024-1718 OSA Phase I Survey License Number 24-237

January 2025



Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

EXECUTIVE SUMMARY

Lemon Hill Solar, LLC (Lemon Hill Solar) is proposing to build a solar farm that will have a generating capacity of up to 180 megawatts and will comprise 1,906 acres. The Lemon Hill Solar Project (Project) is located in rural Olmsted County. The Project will require a Site Permit from the Minnesota Public Utilities Commission pursuant to the Minnesota Power Plant Siting Act (Minnesota Statutes Chapter 216E) and Minnesota Administrative Rules Chapter 7850. Project locational information can be found in the table below and Figure 1 in Appendix A.

Sections Included in the Project Footprint					
County Township Range Sections					
Olmsted	107N	12W	7, 17, 18, 19, 20, 29		
Olmsted	107N	13W	11, 12, 13, 14, 23, 24		

Lemon Hill Solar contracted with Merjent, Inc. (Merjent) to provide environmental services. In February and March 2024, Merjent conducted the literature review of cultural resources within a 1.0-mile buffer of the 1,906-acre Project footprint (Study Area). On May 28, 2024, Merjent, on behalf of Lemon Hill Solar, submitted a Phase Ia Cultural Resources Literature Review and Phase I Survey Plan and Methods to the Minnesota State Historic Preservation Office (SHPO) for review. In a letter dated July 19, 2024, SHPO concurred that the Phase Ia Literature Review and the methods described in the Phase I Survey Plan and Methods were appropriate for the undertaking. Between October 21 and November 2, 2024, a Phase I archaeological survey of 1,622 acres, which followed the methods described in the Survey Plan and Methods, was conducted.

One precontact archaeological site (210L0077) consisting of a single chert tertiary flake was identified during the survey. Merjent recommends that the site is not eligible for listing in the National Register of Historic Places. Merjent recommends that no historic properties will be affected by the Project as proposed. No further archaeological work is recommended for the Project as planned.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

TABLE OF CONTENTS

		SUMMARY	
1.0		ECT DESCRIPTION	
	1.1	REGULATORY FRAMWORK	
2.0		ONMENTAL AND CULTURAL BACKGROUND	
	2.1	TOPOGRAPHY	
	2.2	HYDROLOGY	
		2.2.1 Paleo-Hydrography	2
	2.3	GEOLOGY	2
	2.4	SOILS	2
	2.5	FLORA AND FAUNA	4
	2.6	CULTURAL AND HISTORICAL OVERVIEW	
		2.6.1 Precontact Period (10,900 BCE–1,650 CE)	
		2.6.2 Contact Period (1650–1837 CE)	
3.0	IITED	ATURE REVIEW RESULTS	٥
3.0	3.1	PREVIOUS ARCHAEOLOGICAL INVESTIGATIONS	.
	3.1	PREVIOUS ARCHAEOLOGICAL INVESTIGATIONSPREVIOUSLY RECORDED ARCHAEOLOGICAL SITES	
	-		
	3.3	HISTORICAL CEMETERIES	10
	3.4	PREVIOUSLY RECORDED ARCHITECTURAL RESOURCES	
	3.5	HISTORICAL MAP REVIEW	
	3.6	IMPLICATIONS FOR SITE POTENTIAL	
4.0		CTIVES AND METHODS	
	4.1	NRHP SITE EVALUATION CRITERIA	
		4.1.1 Precontact Archaeological Sites	
5.0		EY RESULTS	
	5.1	SECTION 7 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST	
	5.2	SECTION 17 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST	17
	5.3	SECTION 18 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST	19
	5.4	SECTION 19 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST	22
	5.5	SECTION 20 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST	24
	5.6	SECTION 29 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST	27
	5.7	SECTION 11 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST	
	5.8	SECTION 12 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST	
	5.9	SECTION 13 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST	
	5.10	SECTION 14 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST	
	5.11	SECTION 23 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST	
	5.12	SECTION 24 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST	-
6.0	-	JATION OF SITE 210L0077	
0.0			43
	6.1	NRHP RECOMMENDATIONS - SIGNIFICANCE, ASSESSMENT OF	40
7 0	OL INANA	INTEGRITY, AND RECOMMENDATIONS	
7.0		ARY AND CONCLUSIONS	
8.0	KEFE	RENCES CITED	45
		<u>LIST OF TABLES</u>	
Table '	1.0-1	Sections Included in the Project Footprint	
Table 2	2.4-1	Soil Types Present in the Project Footprint	
Table 3	3.1-1	Previously Reported Cultural Resource Surveys Within the Study Area	10

Table 3.4-1	Previously Reported Historic Architectural Resources within the Study Area.	10
Table 5.1-1	Survey Results Section 7, Township 107 North, Range 12 West	
Table 5.2-1	Survey Results Section 17, Township 107 North, Range 12 West	
Table 5.3-1	Survey Results Section 18, Township 107 North, Range 12 West	
Table 5.4-1	Survey Results Section 19, Township 107 North, Range 12 West	
Table 5.5-1	Survey Results Section 20, Township 107 North, Range 12 West	
Table 5.6-1	Survey Results Section 29, Township 107 North, Range 12 West	
Table 5.7-1	Survey Results Section 11, Township 107 North, Range 13 West	
Table 5.8-1	Survey Results Section 12, Township 107 North, Range 13 West	
Table 5.9-1	Survey Results Section 13, Township 107 North, Range 13 West	
Table 5.10-1	Survey Results Section 14, Township 107 North, Range 13 West	
Table 5.11-1	Survey Results Section 23, Township 107 North, Range 13 West	
Table 5.12-1	Survey Results Section 24, Township 107 North, Range 13 West	
	LIST OF PHOTOS	
Photo 5.1-1	Overview of harvested corn field sloped toward NWI-defined wetland,	4.0
D	facing southeast	
Photo 5.1-2	Overview of harvested soybean field, facing east	
Photo 5.1-3	Overview of harvested soybean field, facing east	
Photo 5.1-4	Example of steeply sloped ravine (in distance), facing southeast	
Photo 5.1-5	Example of wooded terrace slope, facing west	
Photo 5.1-6	Example of GSV in harvested soybean field, facing ground	
Photo 5.1-7	Example of shovel test profile, facing ground	
Photo 5.2-1	Overview of harvested soybean field (ravine in distance), facing north.	
Photo 5.2-2	Overview of harvested soybean field and 50 percent GSV, facing south	
Photo 5.2-3	Steeply sloped drainage, facing southeast	
Photo 5.2-4	Overview of portion of the ravine, facing northeast	
Photo 5.2-5	Example of road ROW and borrow, facing west	19
Photo 5.2-6	Overview example of 25 percent GSV in harvested soybean field, facing west.	19
Photo 5.2-7	Example of 75 percent GSV, facing ground	19
Photo 5.2-8	Example of shovel test profile, facing ground	19
Photo 5.3-1	Overview of harvested soybean field, facing west	20
Photo 5.3-2	Overview standing corn field, facing north	20
Photo 5.3-3	Overview of fallow field on hill side slope, facing north	21
Photo 5.3-4	Overview of drainage flanked by slope and marshes, facing north	21
Photo 5.3-5	Overview of NWI-defined wetland, facing northwest.	21
Photo 5.3-6	Road ROW and borrow, facing west	
Photo 5.3-7	Example of 25 percent GSV in corn field, facing ground	
Photo 5.3-8	Example of 50 percent GSV in soybean field, facing ground	
Photo 5.3-9	Example of shovel test profile, facing ground	
Photo 5.3-10	Example of shovel test profile, facing ground	
Photo 5.4-1	Overview of harvested corn field, facing south	
Photo 5.4-2	Drainage set within steeply sloped ravine, facing west	23
Photo 5.4-3	Forested space set on ravine slope, facing northwest	
Photo 5.4-4	Work and farm equipment storage space, facing west	
Photo 5.4-5	Overview of road and ROW, facing south.	
Photo 5.4-6	Example of 75 percent GSV, facing ground.	
Photo 5.4-7	Example of shovel test profile, facing ground	24

Photo 5.4-8	Example of shovel test profile, facing ground	24
Photo 5.5-1	Overview of harvested and plowed corn field, facing north	
Photo 5.5-2	Overview of harvested corn field, facing south	
Photo 5.5-3	Forested and steeply sided ravine slope, facing northwest	26
Photo 5.4-4	Overview of road ROW and borrow, facing south	26
Photo 5.5-5	Example of 25 percent GSV in harvested corn field, facing ground	26
Photo 5.5-6	xample of 75 percent GSV in harvested and plowed corn field, facing north	26
Photo 5.5-7	Example of shovel test profile, facing ground	26
Photo 5.5-8	Example of shovel test profile, facing ground	26
Photo 5.6-1	Overview of harvested and plowed corn field, facing north	28
Photo 5.6-2	Overview of harvested corn field, facing west	28
Photo 5.6-3	Overview of harvested soybean field, facing north	
Photo 5.6-4	Drainage and NWI-defined wetland set within a ravine, facing south	
Photo 5.6-5	Steeply sided ravine slope and drainage, facing southwest	
Photo 5.6-6	Example of 25 percent GSV in harvested corn field, facing ground	
Photo 5.6-7	Example of 50 percent GSV in harvested soybean field, facing ground	
Photo 5.6-8	Example of shovel test profile, facing ground	
Photo 5.7-1	Overview of harvested corn field, facing south.	
Photo 5.7-2	Overview of pasture, facing east	
Photo 5.7-3	Overview of drainage and NWI-defined wetland, facing east	
Photo 5.7-4	Overview of drainage and NWI-defined wetland, facing south	
Photo 5.7-5	Example of steep slope adjacent drainage, facing west	
Photo 5.7-6	Buried pipeline marker, facing northwest.	
Photo 5.7-7	Example of 25 percent GSV in harvested corn field, facing ground	
Photo 5.7-8	Example of shovel test profile, facing ground	
Photo 5.7-9	Example of shovel test profile, facing ground	
Photo 5.7-10	Example of shovel test profile, facing ground	
Photo 5.7-11	Example of shovel test profile, facing ground	
Photo 5.8-1	Overview of harvested corn field, facing south.	
Photo 5.8-2	Overview of harvested corn field, facing east	33
Photo 5.8-3	Overview of drainage and NWI-defined wetland set within a ravine, facing east	34
Photo 5.8-4	Overview of drainage and NWI-defined wetland set within a ravine, facing northwest	34
Photo 5.8-5	Overview of drainage and NWI-defined wetland, facing east	34
Photo 5.8-6	Forested and steep hill slope adjacent to drainage, facing northwest	
Photo 5.8-7	Steep-sided terrace within a harvested corn field, facing east	
Photo 5.8-8	Example of 25 percent GSV in harvested corn field, facing ground	34
Photo 5.8-9	Example of 50 percent GSV in harvested soybean field, facing ground	35
Photo 5.8-10	Example of shovel test profile, facing ground	35
Photo 5.8-11	Example of shovel test profile, facing ground	35
Photo 5.9-1	Overview of harvested and plowed corn field, facing north	36
Photo 5.9-2	Overview of harvested soybean field, facing east	36
Photo 5.9-3	Overview of drainage and NWI-defined wetland set within a ravine, facing north.	37
Photo 5.9-4	Overview of drainage and NWI-defined wetland set within a ravine, facing southwest	
Photo 5.9-5	Overview of drainage and ravine slope, facing northwest	
Photo 5.9-6	Forested and steep hill slope adjacent to drainage, facing west	
Photo 5.9-7	Overview of road ROW and borrow, facing west	
Photo 5.9-8	Example of 50 percent GSV in harvested soybean field, facing ground	
	i i	

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

Photo 5.9-9	Example of 75 percent GSV in harvested and plowed corn field, facing	
	ground.	38
Photo 5.9-10	Example of shovel test profile, facing ground	38
Photo 5.10-1	Overview of harvested corn field, facing north	39
Photo 5.10-2	Overview of harvested corn field, facing east	39
	Overview of road ROW and borrow, facing north	
Photo 5.10-4	Overview of 25 percent GSV, facing ground	39
Photo 5.10-5	Example of shovel test profile, facing ground	39
Photo 5.11-1	Overview of plowed and harvested corn field, facing north	40
Photo 5.11-2	Example of 50 percent GSV, facing ground	40
Photo 5.11-3	Example of a shovel test profile, facing ground	41
Photo 5.12-1	Overview of harvested and plowed corn field, facing east	42
Photo 5.12-2	Overview of fallow field for small access road, facing east	42
Photo 5.12-3	Overview of road ROW and borrow, facing east	42
Photo 5.12-4	Example of 50 percent GSV, facing north	42
Photo 5.12-5	Example of shovel test profile, facing ground	43
Photo 5.12-6	Example of shovel test profile, facing ground	43

LIST OF APPENDICES

Appendix A	Project Figures
Appendix B	Project Phase I Survey Plan and Methods
Appendix C	Site Form for Site 210L0077

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

TERMS AND ABBREVIATIONS

BCE Before the Common Era
BLM Bureau of Land Management

CE Common Era

CFR Code of Federal Regulations

cm centimeters

cmbs Centimeters below surface

GLO General Land Office Lemon Hill Solar Lemon Hill Solar, LLC

Merjent, Inc.

MnDNR Minnesota Department of Natural Resources
MnSHIP Minnesota's Statewide Historic Inventory Portal

NRCS Natural Resources Conservation Service

NRHP National Register of Historic Places
OSA Office of the State Archaeologist

Project Lemon Hill Solar Project

ROW right-of-way

SHPO Minnesota State Historic Preservation Office
Study Area 1.0-mile buffer around the Project Area

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

1.0 PROJECT DESCRIPTION

Lemon Hill Solar, LLC (Lemon Hill Solar) is proposing to build a solar farm that will have a generating capacity of up to 180 megawatts referred to as the Lemon Hill Solar Project (Project). The Project footprint will comprise 1,906 acres, located in rural Olmsted County (see Figure 1 in Appendix A). Locational information is provided below in Table 1.0-1.

TABLE 1.0-1				
	Sections Included in the Project Footprint			
County	Township	Range	Sections	
Olmsted	107N	12W	7, 17, 18, 19, 20, 29	
Olmsted	107N	13W	11, 12, 13, 14, 23, 24	

1.1 REGULATORY FRAMEWORK

The Project will require a Site Permit from the Minnesota Public Utilities Commission pursuant to the Minnesota Power Plant Siting Act (Minnesota Statutes Chapter 216E) and Minnesota Administrative Rules Chapter 7850. Minnesota Public Utilities Commission permitting requires consideration of impacts to cultural resources by following relevant state historic preservation laws, notably the Field Archaeology Act (MS 138.31-42), Minnesota Historic Sites Act (MS 138.661-138.669), and the Private Cemeteries Act (MS 307.08).

The Project footprint includes road rights-of-way (ROWs) that are administered by the Minnesota Department of Transportation, Olmsted County, and local municipalities. Therefore, a Minnesota Office of the State Archaeologist (OSA) Phase I Survey License was obtained prior to the archaeological survey (OSA license number 24-237).

2.0 ENVIRONMENTAL AND CULTURAL BACKGROUND

According to the Minnesota Department of Natural Resources' (MnDNR) Ecological Classification System, the Project is in the Rochester Plateau Subsection of the Paleozoic Plateau Section of the Eastern Broadleaf Forest Province (MnDNR 2024a). This is bound to the north by at the northern extent of loess deposits and to the east by a transition from dissected landscapes and level to rolling plateau. The subsection comprises a series of Des Moines lobe end moraines (MnDNR 2024a).

2.1 TOPOGRAPHY

Topography within the Rochester Plateau Subsection is level to gently rolling, which is controlled by the underlying glacial till in the east and bedrock controlled as loess deposits thin to the west. Karst topography and sinkholes are common in the southeast portion of the subsection (MnDNR 2024a). The Project is situated on a gently rolling upland landform that serves as the boundary between the Silver Creek and Whitewater River watersheds (see Figure 1 in Appendix A). The most dramatic topography within the Project footprint is created by several unnamed intermittent drainages that lead to Silver Creek and the North Fork Whitewater River. Within the Project footprint these drainages manifest as steeply sided ravines and streams flanked by marshes and drainage slopes.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

2.2 HYDROLOGY

According to the MnDNR Watershed Index, the Project is within the Mississippi River – Winona and Zumbro surface watersheds (MnDNR 2024b). These watersheds flow roughly east into the Mississippi River. The drainage system is well developed and there are very few lakes in this region (MnDNR 2024a). The Project footprint is drained to the west by Silver Creek and to the north by the North Fork Whitewater River. Multiple unnamed streams within steeply sided ravines or streams flanked by marshes and hill slopes are located within the Project footprint.

2.2.1 Paleo-Hydrography

A review of the Prehistoric Hydrography (MM4) model on the OSA Portal (2024) suggests that approximately one-fifth of the Project footprint was paleo-wetlands and floodplains; those paleo-wetlands and floodplains roughly match the locations of present-day National Wetlands Inventory (NWI)-defined wetlands (NWI 2024), marsh, drainages, and ravines observed during the survey. The model suggests that most of the Project footprint was uplands and has been incised by drainages and ravines. In addition, the Historic Lakes and Rivers (MM4) model on the OSA Portal (2024) indicates that the historic lakes and ponds are absent from the Project footprint, save for the North Fork Whitewater River that is located just west and south of the Town of Viola; this river is 0.5 mile east of the Project footprint. Based on review of the Prehistoric Hydrography and Historic Lakes and Rivers models, the Project footprint does not contain paleo-lake or historical shores.

2.3 GEOLOGY

Bedrock within the Rochester Plateau Subsection is Ordovician dolomite, limestone, and sandstone in steep ravines with Cambrian sandstone shale, and dolomite exposures in the Mississippi River Valley. Local exposures of Denovian dolomite and limestone are evident in the western edge of the subsection (MnDNR 2024a; Morey and Walton 1976). Bedrock depth varies from 100 to 200 feet in the west and 10 to 100 feet in the east (MnDNR 2024a; Olsen and Mossler 1982).

The parent material of the Project footprint was deposited during the retreat of the last glacial maximum (Late Wisconsinan). This material can be characterized as sandy outwash sediments that formed in loamy alluvium and in the underlying sandy and gravelly outwash (Natural Resources Conservation Service [NRCS] 2024a).

2.4 SOILS

According to NRCS soils data, there are 41 different soil units anticipated within the Project footprint (NCRS 2024a; see Table 2.4-1). Standing water comprises less than 0.1 percent (0.7 acre) of the Project footprint. Within the Project footprint are Alfisols (1,165 acres), which are soils developed in forest ecosystems; Mollisols (646.6 acres), which are soils developed under grassland ecosystems; and Inceptisols (19.6 acres), which are soils found on fairly steep slopes and young geomorphic surfaces. Soils in the Project footprint tend to exhibit depth and are well drained, which suggests potential for buried archaeological deposits (Fanning and Fanning 1989; Jenny 1941). The remaining 74.1 acres of the Project footprint are mapped by the NRCS as Entisols (71.5 acres) and Histosols (2.6 acres). Entisols show little to no pedogenic development and Histosols are typically saturated (NRCS 2024b), suggesting lower potential for archaeological deposits (Holliday 2004). Although there is potential to encounter archaeological deposits within the Project footprint, Holliday (2004) states that soil series mapped by the NRCS potentially

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

provide clues but should be recognized as having considerable limitations in archaeological applications. Descriptions of the soil types expected to be encountered within the Project footprint are provided below.

TABLE 2.4-1				
Soil Types Present in the Project Footprint				
Soil Type	Soil Order	Landform	Acres in Project Footprint	Percentage of Project Footprint
Mt. Carroll silt loam	Alfisols	Ridgetops, side slopes, and stream benches	551.5	28.90%
Waubeek silt loam	Alfisols	Summits and side slopes	240.6	12.6%
Port Byron Silt Loam	Mollisols	High terraces	110.0	5.8%
Otter silt loam	Mollisols	Flood plains	74.5	3.9%
Kasson Silt Loam	Alfisols	Interfluves and side slopes	72.4	3.8%
Oronoco loam	Mollisols	Summits of rolling or hilly uplands	71.3	3.7%
Vasa silt loam	Alfisols	Interfluves on dissected till plains	64.8	3.4%
Chaseburg Silt Loam	Entisols	Flood plains, hills, and alluvial fans	59.4	3.1%
Floyd silt loam	Mollisols	Foot slopes and upland drainageways	56.6	3.0%
Garwin Silty Clay Loam	Mollisols	Drainageways, till plains, and stream terraces	49.8	2.6%
Frankville silt loam	Alfisols	Crests of interfluves, side slopes, and high structural benches	48.9	2.6%
Joy Silt Loam	Mollisols	Ridges and terraces	47.4	2.5%
Clyde silty clay loam	Mollisols	Swales, interfluves, and till plains	42.9	2.2%
Elbaville silt loam	Alfisols	Upper back slopes, shoulders, and foot slopes in dissected uplands	41.9	2.0%
Dorerton loam	Alfisols	Shoulders and side slopes of dissected uplands	39.2	2.0%
Atkinson loam	Mollisols	Ridges of narrow interfluves, crests and side slopes on uplands, high structural benches, and strath terraces	29.4	1.6%
Skyberg silt loam	Alfisols	Dissected till plains	28.9	1.5%
Littleton silt loam	Mollisols	Alluvial fans, toe slopes of uplands, and stream terraces	28.6	1.5%
Racine Loam	Alfisols	Interfluves and side slopes on dissected till plains on the lowan Erosion Surface	26.9	1.4%
Marlean silty clay loam	Mollisols	Ridges, interfluves, and side slopes on dissected uplands	24.1	1.3%
Racine Silt Loam	Alfisols	Interfluves and side slopes on dissected till plains on the lowan Erosion Surface	20.6	1.1%
Timula silt loam	Inceptisols	Hill slopes	19.6	1.0%
Kenyon loam	Mollisols	Interfluves and dissected till plains	19.3	1.0%
Lindstrom silt loam	Mollisols	Toe and foot slopes of steel hills, ridges, or valley walls	18.6	0.9%
Waucoma loam	Alfisols	Summits and backslopes	17.8	0.9%
Kato silty clay loam, depressional	Mollisols	Outwash plains, valley trains, and flood plains	17.2	0.9%
Ostrander Silt Loam	Mollisols	Summits, side slopes, or shoulder slopes on dissected till plains	15.6	0.8%
Brodale channery loam	Mollisols	Valley sides and dissected uplands	13.1	0.7%
Arenzville Silt Loam	Entisols	Floodplains and upland drainageways	9.6	0.5%
Channahon loam	Mollisols	Level-bedded terraces	6.7	0.3%
Schullsburg Silt Loam	Mollisols	Upland slopes	5.9	0.3%
Nasset silt loam	Alfisols	Interfluves, benches, and dissected uplands	5.1	0.3%

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

TABLE 2.4-1				
Soil Types Present in the Project Footprint				
Soil Type	Soil Order	Landform	Acres in Project Footprint	Percentage of Project Footprint
Schapville Silty Clay Loam	Mollisols	Ridgetops, high structural benches, and saddles between hills on bedrock-controlled uplands	4.5	0.3%
Maxfield silt loam	Mollisols	Interfluves and head slopes of broad, shallow drainageways on dissected till plains	4.5	0.2%
Rockton loam	Mollisols	Uplands, high structural benches, strath terraces, and lake plains	3.7	0.2%
Dorerton-Rock outcrop complex	Alfisols	Shoulders and side slopes of dissected uplands	2.9	0.1%
Palms muck	Histosols	Closed depressions	2.6	0.1%
Root silt loam	Entisols	Flood plains	2.5	0.1%
Brodale-Sogn complex	Mollisols	Valley sides, hill slopes, and dissected uplands	2.4	0.1%
Massbach Silt Loam	Alfisols	Shale ridges and side slopes on uplands	1.9	0.1%
Dowagiac sandy loam	Alfisols	Outwash plains, terraces, and valley trains	1.3	0.1%
Water	N/A	N/A	0.7	<0.1%
Frontenac loam	Mollisols	Slopes in dissected terrain	0.5	<0.1%
Lilah Sandy Loam	Alfisols	outwash areas on dissected till plains and treads and risers on stream terraces	0.3	<0.1%

2.5 FLORA AND FAUNA

The most common types of pre-Euro-American settlement vegetation within the Rochester Plateau were tallgrass prairie and bur oak savanna. Few remnants of this vegetation remain with the subsection as most of the land has been converted to plowed farmland and, to a lesser extent, pastureland (MnDNR 2024a).

The pre-Euro-American settlement fauna were dominated by bison and occasional elk. White-tailed deer and small animals were abundant along river valleys. Wetlands and lakes within the outer coteau contain various species of waterfowl, aquatic mammals, and fish (MnDNR 2024a; Gibbon et al. 2002).

2.6 CULTURAL AND HISTORICAL OVERVIEW

Culturally, the Project is within the Minnesota Archaeological subregion 3w (Southeast Riverine West). This subregion covers a portion of central Minnesota in all or part of Dakota, Dodge, Fillmore, Goodhue, Houston, Mower, Olmsted, Rice, Wabasha, Winona, Counties (Gibbon et al. 2002).

2.6.1 Precontact Period (10,900 BCE-1,650 CE)

The first inhabitants of Minnesota are known as Paleoindians (10,900 to 7,500 years Before the Common Era [BCE]). These people were highly nomadic hunter-gatherers, moving in small bands in search of food and other subsistence resources; however, in the Late Glacial and Early Holocene forests of Minnesota, Paleoindians likely relied more on gathering and the hunting of a variety of smaller animals. Paleoindian sites are small, relatively ephemeral, and commonly identified with the recovery of distinctive spear points that occur across much of North America (Gibbon et al. 2002).

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

The Paleoindian peoples were followed by Archaic Tradition hunter-gatherers. At the end of the lce Age, around 10,000 years BCE, the climate became warmer and drier, which led to major changes in plant and animal communities. Spruce forests followed the retreating glacial ice northward and were replaced by a new landscape comprised of extensive lakes and rivers. Many large-game species became extinct. Archaic Tradition hunters-gatherers (7,500 to 500 BCE) adapted to this new environment, shifting their focus to smaller game such as deer and elk, the abundant fish and shellfish in the numerous lakes and rivers, and wild plants such as nuts and berries (Gibbon et al. 2002).

The Archaic peoples appear to have been less nomadic than the Paleoindians and lived in smaller household groups. Archaic sites are identified by large notched and stemmed projectile points. Immense sedimentation during the early part of the Archaic, corresponding with the early and middle Holocene periods, resulted in many Archaic Tradition sites being deeply buried under river valley deposits; therefore, these sites are not usually evident in surficial contexts (Gibbon et al. 2002).

The Woodland Tradition followed the Archaic Tradition. In Minnesota, the Woodland culture is separated into two periods: the earlier Initial Woodland period (ca. 500 BCE to 500 years into the Common Era [CE]), and the later Terminal Woodland period (500 to 1650 CE) (Gibbon et al. 2002).

The frequent surficial expression of Woodland site locations, coupled with burial mounds that frequently mark their place, has resulted in more frequent documentation and excavation of Woodland sites. Due to this higher frequency of identification, many Woodland sites have also been grouped into specific regional archaeological cultures (Gibbon et al. 2002; Gibbon 2012).

The Initial Woodland period is primarily marked by the emergence of precontact ceramic traditions and burial mounds. Regional archaeological cultures of the Initial Woodland period include Howard Lake, Malmo, Elk Lake, and Laurel (Gibbon et al. 2002; Gibbon 2012).

The Terminal Woodland period has been defined throughout eastern and central Minnesota, the Red River Valley, and portions of the Dakotas (Gibbon 2012). During this period, populations began to increase, which in turn led to an increase in size and number of precontact sites. Burial mounds became more prevalent and the cultural material artifacts began shifting to smaller, unnotched triangular projectile points and thinner ceramic vessels that were more globular in shape. Agriculture and wild rice harvests also increased (Gibbon et al. 2002; Gibbon 2012).

In the northern portion of the state, ceramic types and burial practices indicate specific regional archaeological cultures, including Kathio, Blackduck, and Psinomani. In the southern portion of the state, primarily comprised of deciduous forests and prairie, some cultures adopted the cultivation of maize and the construction of effigy burial mounds (Gibbon et al. 2002; Gibbon 2012). By the end of the Initial Woodland, maize horticulture had spread to the northern portion of the state (Boyd and Surette 2010).

Around approximately 1000 CE, Mississippian populations from Cahokia, near St. Louis, Missouri, began to extend their influence northward into the Upper Mississippi River Valley and evidence suggests that there were attempts at colonization. Archaeologists tend to regard some southern Minnesota Terminal Woodland cultures as the northern expression of a "Mississippian" lifeway, distinguished by distinctive ceramic styles, larger and more diverse artifact assemblages, and evidence of maize production. In southern Minnesota, three Mississippian complexes have been identified: Silvernale, Oneota, and Plains Village (Gibbon et al. 2002). It was the Mississippian

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

peoples in the south, and the Terminal Woodland peoples in the north, who had contact with the first Europeans to explore Minnesota in the mid-seventeenth century (Gibbon et al. 2002; Gibbon 2012).

2.6.2 Contact Period (1650–1837 CE)

The Contact Period includes American Indian and Euro-American contexts. The OSA subdivides the American Indian context into "Indeterminate" or "Eastern Dakota," and the Euro-American context into "Indeterminate," "French," "British," and "Initial US" (Gibbon 2012). This section focusses on developing a cultural context and temporal framework for sites relevant to the Project.

Because the Project occurs on traditional Dakota lands, a brief description of the Dakota is warranted. DeMallie (2001) states that Dakota and Lakota (also known as Sioux) tribes share common language, history, social organization, and culture. They were first mentioned in 1640 (Thwaites 1898) and at that time occupied the area between Mille Lacs and the Missouri River and south into central lowa. Three divisions were distinguished by the early nineteenth century, the Santee, Yankton and Yanktonai (Dakota), and Teton (Lakota), which mirrored geographical, linguistic, and cultural distinctions. Following government administrators, anthropologists grouped all three divisions under the designation "Dakota" (e.g., Dorsey 1897; Deloria 1944; Holder 1970). Researchers tend to minimize the use of the term "Sioux" for two reasons: 1) it had a foreign origin in an Ojibwa ethnonym, and 2) it was said to mean "snake" and therefore has pejorative connotations (DeMallie 2001).

Oral histories and various linguistic reconstructions are similar regarding the origins of the Dakota. Linguistic studies place the Proto-Dakota west of Lake Michigan in southern Wisconsin, southeastern Minnesota, northwestern Iowa, and northern Illinois (Munson 1975). Dakota traditions recorded by Nicollet in 1839 indicate an origin near the northern lakes east of the Mississippi prior to moving westward—initially by the Teton, then the Yankton and Yanktonai, and lastly the Santee (DeMallie 1976). A tradition of the Mdewakanton group of Santee states that their ancestors left the lakes around the headwaters of the upper Mississippi and moved to the region of the Minnesota River because bison were more plentiful (Commissioner of Indian Affairs 1849). Oral traditions also state that the Assiniboine split off from a band of Yanktonai (Riggs 1893).

Conventional archaeological methods are unable to answer questions regarding Dakota origins at this time. Generally, sites identified with the precontact Dakota on the northeastern fringe of the plains are lumped into the Woodland Tradition in Minnesota as are early contact sites (Eggan 1952; Winchell 1911).

In the heavily forested regions within Dakota territory, deer were an important resource; however, the plains Dakota made their livelihood hunting bison (DeMallie 2001). In the mid-seventeenth century, the eastern Dakota groups hunted bison in the grassland-forest savannah east of the Mississippi River. War with other groups, notably the Illinois, Fox, and other Central Algonquian tribes, all of whom had access to guns and who hunted bison, likely caused the Dakota to hunt west of the Mississippi River. Also, by the mid-seventeenth century, the Ojibwe began to move west from Sault Sainte Marie to regions they inhabited at the time of Euro-American contact. Initially the Dakota and Ojibwe warred, but eventually came to a largely peaceful relationship and the Dakota allowed the Ojibwe to hunt in their territory and act as middlemen in trade with the French (DeMallie 2001).

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

By the early eighteenth century, traders had built several posts and forts within Dakota territory, including one at Duluth and Fort l'Huillier on the Blue Earth River, a tributary of the Minnesota River (DeMallie 2001). The fort on the Blue Earth River was seen as an unwelcome incursion into the territory of the Eastern Dakota and they retaliated by robbing two French traders and fired on the post. The western Dakota groups denied any responsibility, which demonstrates the autonomy between villages. Fort l'Huillier was abandoned in 1702, and the Dakota lacked direct contact with the French for the next 20 years (DeMallie 2001).

During this time, the Dakota depended on Fox and Ojibwe as intermediaries for trade. First in 1714 and again in 1721, the Fox made peace with the Dakota, not only for trade purposes, but also as an alliance against the Ojibwe who were expanding southwest from Lake Superior (Edmunds and Peyser 1993). The French negotiated a peace between the Ojibwe and Dakota with the result of undermining the alliance between the Dakota and Fox, although with the unintended result of ultimately undermining the peace between the Ojibwe and Dakota due to the opening of direct trade (Hickerson 1962).

In the 1730s, Pierra Gaultier de Varennes sieur de la Verendrye financed his search for the western sea by trading with the Native Americans and built posts west and north of Lake Superior. La Verendrye allied himself with the Ojibwe and Cree and, in 1734, his eldest son accompanied a Cree war party against the Dakota (DeMallie 2001). This action precipitated hostilities by the Dakota against the French. By 1736, several Frenchmen, including le Verendrye's youngest son, a Jesuit missionary, and 20 voyageurs were killed, scalped, and decapitated, with their heads placed on beaver skins (Thwaites 1906).

Also, by 1736, most of the Dakota lived west of the Mississippi River. That year the number of Dakota living east of the Mississippi was 300 compared with 2,000 Dakota on the prairies (Thwaites 1906). Although warfare with the Ojibwe had forced the Dakota to abandon their villages around Leech Lake and Mille Lacs, this did not result in an end in hostilities. While Ojibwe traditions recount many victories against the Dakota, most of the Dakota had already located to the Mississippi and Minnesota River valleys due to the availability of bison and the advantages of trade with the French (DeMallie 2001). A 1697 map, with additions in 1699 and 1702, depicts 22 Dakota villages in the upper Mississippi River region (DeMallie 2001).

The Dakota of the east lived in small, scattered villages, each of which was composed of five or six families (Radisson 1961). In addition to these small villages, there were larger ones that they returned to annually, which housed up to 7,000 people (Radisson 1961). Radisson (1961) describes some of the lodges as being covered with mats and some with skins and says lodges were rounded and constructed with long poles. Other accounts indicate that the Dakota of the west lived in tipis that they carried with them whenever they relocated (Neill 1890). There is no mention of Dakota utilization of dogs or horses during this period.

When the Dakota returned to their villages in the spring, they used cache pits to contain surplus wild rice. Radisson (1961) writes that they sowed corn, but that the harvest was small. The wild rice afforded them nourishment throughout the year. Conversely, the Jesuit Relations mention that in 1642, the Dakota harvested corn, but in 1670 to 1672 it was stated that they did not till land (Thwaites 1898, 1899). During the summer, the Dakota gathered for communal bison hunts, which were extremely important since these hunts provided surplus meat to be dried for winter use and hides (De Mallie 2001). Hennepin (1903) reported that sometimes 100 to 120 bison were killed in a single hunt. Because a single hunter or small group could frighten the bison herd away, hunts were strictly controlled by the chiefs for the communal good. Anyone who hunted before the bison were surrounded was liable for punishment by specially appointed police. Hennepin

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

(1903) described these police as carrying clubs, overturning lodges of offenders, and confiscating their food.

Following the communal bison hunt, the Dakota of the east would return to their villages in the lake county for the wild rice harvest season, part of which, as noted above, was stored in underground cache pits (Radisson 1961; Hennepin 1903). Corn and various other roots, fruits, and berries were gathered and eaten while fresh (Radisson 1961). Le Sueur provided additional detail in that the Dakota of the west hunted extensively, utilizing the prairies between the upper Mississippi and the Missouri Rivers where canoes were not needed. They practiced no horticulture, did not gather wild rice, and had no fixed villages. All their travel was by foot (Wedel 1974).

DeMallie (2001) writes that the Dakota placed their dead either on scaffolds or buried them in the ground. Oftentimes the bones from the scaffold burial were collected, re-buried in the ground, and surrounded by a ring of stones. DeMallie (2001) also reports that occasionally the bones of the dead were preserved, honored, and carried on war expeditions.

The first mention of the Dakota of the west was in 1679 to 1680. Hennepin (1903) was told by the Dakota of the east that 50 to 75 miles above present-day Minneapolis lived the Nations Tintonha (Inhabitants of the Meadows).

By the late seventeenth and eighteenth centuries, the image that develops from the literature regarding the Dakota is one of small village groups bonded by common language and customs (DeMallie 2001). Dakota villages were bands that traveled around independently of each other and the dispersion of the Dakota of the east into many small villages likely related to the need for each group to use the resources of the area most efficiently, particularly the wild rice.

Gates (1965) states that the Dakota had acquired numerous horses by 1774 and used them for both transportation and pack horses. The acquisition of the horse was an integral innovation that fit into the nomadic bison-hunting economy and intensified earlier subsistence patterns (Wissler 1914). Additionally, the Dakota developed cultural traits that ultimately became central to Plains culture, including the intertribal pipe adoption ceremony and the Sun Dance (Parks 1993).

Following the acquisition of the horse, the westward expansion of the Dakota continued in the early 1800s. The Teton, allied with the Cheyenne and Arapaho, pressed westward, driving the Kiowa and the Crow from the Black Hills area and claiming it as their own (DeMallie 1980). This was the period in which the classic western Dakota culture developed.

After the Louisiana Purchase in 1803 by the United States, the establishment of formal relations with the tribes became integral to the government's need to explore and exploit the new territory. During their trip up the Missouri River, Lewis and Clark met with the Yankton, Yanktonai, and Teton tribes and presented peace medals and U.S. flags to their chiefs, affirming their status and power (DeMallie 2001). In 1805, Lt. Zebulon M. Pike traveled up the Mississippi and signed the first treaty with the Dakota. Under the terms of the treaty, the Mdewakonton ceded to the United States two areas of land near the Mississippi River for the construction of military posts, one of which was at the confluence of the Minnesota and Mississippi Rivers where Fort Saint Anthony (later Fort Snelling) was built in 1819.

The Dakota were divided during the War of 1812 with the eastern Dakota siding with the British and the western Dakota siding with the United States. After the war concluded, in 1815, representatives of several tribes were invited to Portage des Sioux where they signed treaties of

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

peace and friendship with the United States. These treaties were noteworthy in that they specified that the Native American signers acknowledged themselves and their tribes to be under the sole protection of the U.S. government—the first extension of federal authority over the Dakota (Kappler 1904–1941).

An 1825 military expedition led by General Henry Atkinson and Indian Agent Benjamin O'Fallon up the Missouri River signed four more treaties with the Yankton, Yanktonai, and Teton (Kappler 1904–1941). These treaties specified that the Dakota acknowledged living within the United States, recognized its supremacy, and claimed its protection. The treaties also gave the United States the right to regulate all trade and intercourse with the Dakota.

Other treaties had more focused purposes. The 1830 treaty jointly signed by the Santee, Yankton, Sauk, Fox, Omaha, Iowa, Otoe, and Missouria tribes at Prairie du Chien (Kappler 1904–1941) ostensibly was to end intertribal warfare. In actuality, the Dakota, Sauk, and Fox surrendered two 20-mile-wide strips of land separating their territories from each other. Also significant, this treaty was the first stating that the Dakota were to obtain annuities from the United States payable over a 10-year period in money or goods. Other similar treaties followed in 1836 and 1837, further eroding Santee and Yankton lands with the promise of annuities (Kappler 1904–1941). The non-deliverance of the annuities, resulting in the starvation of the Dakota who were largely confined to small reservations, led directly to the 1862 Dakota War.

3.0 Literature Review Results

In February and March 2024, Merjent conducted a literature review of archaeological survey reports, recorded archaeological sites, and historic architectural sites within a 1.0-mile buffer of the Project footprint (Study Area) using data provided by the Minnesota State Historic Preservation Office (SHPO) and OSA. Merjent also reviewed nineteenth-century General Land Office (GLO) maps (Bureau of Land Management [BLM] 2024), historical atlases, and historical aerial photography from 1940 to present (NETRonline 2024; OSA 2024). On May 28, 2024, Merjent, on behalf of Lemon Hill Solar, submitted the Phase Ia Cultural Resources Literature Review to SHPO for review. In a letter dated July 19, 2024, SHPO confirmed that the Phase Ia Literature Review was appropriate for the Project.

The literature review included an analysis of protected datasets on file at the SHPO, the State Register of Historic Places, the Minnesota State Historic Site Network, information regarding National Register of Historic Places listed properties, Minnesota's Statewide Historic Inventory Portal (MnSHIP), and National Historic Landmarks from databases maintained by the National Parks Service. The OSA maintains a secure online dataset of known and suspected archaeological sites, which is regularly updated and referenced (OSA Portal). Mr. Kevin Mieras, Merjent archaeologist, reviewed the OSA Portal files and archived copies of site forms for all known sites within the Study Area. Since geographic information system shapefiles of archaeological survey locations and archaeological site boundaries are not available from SHPO or OSA, Merjent digitized previous site locations based on digital files provided by SHPO and available on the OSA Portal.

3.1 PREVIOUS ARCHAEOLOGICAL INVESTIGATIONS

Review of SHPO files identified three previous archaeological investigations that have taken place within the Study Area (see Table 3.1-1 below and Figure 2 in Appendix A). These investigations were conducted in support of a countywide survey project, a transmission line rebuild, and a trunk sewer extension project (OL-04-01). A small portion of OL-04-01 intersects the Project footprint

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

just north of the intersection of Viola Road NE and 70th Avenue NE (see Figure 1 in Appendix A). This survey did not inventory any cultural resources within the Project Study Area.

	Table 3.1-1			
	Previously Reported Cultural Resources Surveys Within the Stu	ıdy Area		
SHPO Number	Title	Author	Year	
OL-04-01	Cultural Resources Assessment for the Rochester Water Reclamation Plant Expansion – Trunk Sewer Extension Project, Rochester, Olmsted County, Minnesota	Section 106 Group	2004	
2021-0352	Field Survey Results for a Portion of the Dairyland Power Cooperative Q-3 Transmission Line Rebuild in Olmsted County, Minnesota, SHPO# 2021-0352	Twinde-Javner	2021	
None	2010 Archaeological Reconnaissance Survey of Olmsted County, Minnesota	Arzigian and Kolb	2010	

3.2 PREVIOUSLY RECORDED ARCHAEOLOGICAL SITES

No archaeological sites have been recorded within the Study Area. According to the MnModel (Phase 4) Survey Implementation Model (Minnesota Department of Transportation 2020), the Study Area is within an area of unknown site potential. The overall density of previously documented sites in the Study Area is low, which is potentially due to the lack of previous survey. Based on the presence of upland soils that may exhibit depth, there is potential to encounter intact archaeological deposits within the Project footprint.

3.3 HISTORICAL CEMETERIES

According to the Historical Cemeteries layer provided on the OSA Portal, the potential location of the St. John's Lutheran Cemetery (OSA Cemetery 22686) is located in the NE 1/4, NE 1/4 of Section 12 in Township 107 North, Range 13 West (see Figure 2 in Appendix A). Review of modern aerial imagery shows the actual location of the cemetery in an approximately 0.6-acre plot in the northeast corner of the section mentioned above. The cemetery does not intersect the Project footprint.

3.4 PREVIOUSLY RECORDED ARCHITECTURAL RESOURCES

Results of the SHPO data request and MnSHIP review identified 14 recorded historic architectural resources within the Study Area (see Table 3.4-1 below and Figure 2 in Appendix A). These structures consist of bridges and culverts. All 14 structures are outside of the Project footprint.

TABLE 3.4-1						
Previo	Previously Reported Historic Architectural Resources within the Study Area					
Historic Inventory Number	Property Name	Property Type	NRHP ^a Status			
OL-HVH-00007	CR 119 over Silver Creek	Structure	Not Eligible			
OL-VIO-00017	Great River Ridge State Trail Bridge (MnDOT R0450)	Structure	Unevaluated			
OL-VIO-00018	Great River Ridge State Trail Bridge (MnDOT R0449)	Structure	Unevaluated			
OL-VIO-00019	Great River Ridge State Trail Bridge (MnDOT R0448)	Structure	Unevaluated			
OL-VIO-00022	Great River Ridge State Trail Bridge (MnDOT R0445)	Structure	Unevaluated			
OL-VIO-00023	Great River Ridge State Trail Bridge	Structure	Unevaluated			
OL-VIO-00024	Great River Ridge State Trail Bridge	Structure	Unevaluated			
OL-VIO-00025	Great River Ridge State Trail Bridge (MnDOT R0444)	Structure	Unevaluated			
OL-VIO-00026	Great River Ridge State Trail Bridge (MnDOT R0444)	Structure	Unevaluated			

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

TABLE 3.4-1						
Previously Rep	Previously Reported Historic Architectural Resources within the Study Area					
Historic Inventory Number	Property Name	Property Type	NRHP ^a Status			
OL-VIO-00034	Culvert 97463	Structure	Not Eligible			
OL-VIO-00035	Culvert R0213	Structure	Unevaluated			
OL-VIO-00036	Culvert R0253	Structure	Not Eligible			
OL-VIO-00039	Bridge 88737	Structure	Not Eligible			
OK-VIO-00040	Bridge 55J16	Structure	Unevaluated			
l						
a NRHP = National Register of	Historic Places					

3.5 HISTORICAL MAP REVIEW

Merjent reviewed nineteenth-century GLO maps and notes on file with the BLM (2024), aerial photographs taken between 1940 to present (OSA 2024; NETRonline 2024; Google 2024), modern aerial imagery from Google Earth, and historical plat maps from 1874 to 1916 (Andreas 1874, Warner and Foote 1878, Geo A. Ogle 1896, Webb Publishing Company 1914, Anderson Publishing Company 1928, W.W. Hixson & Company 1916). The 1853 GLO maps depict no historic features within the Study Area (see Figure 3 in Appendix A). No improvements or cultural features are mentioned in the associated survey notes (BLM 2024).

Review of aerial photographs from 1940 to present show the Study Area as primarily dedicated to agriculture (OSA 2024; NETRonline 2024, Google 2024). Other than a slight increase in structures—presumably farmsteads—over time, the Study Area is agricultural and rural and has remained relatively unchanged between 1940 and present.

Review of historical atlases from 1874 through 1916 (Andreas 1874, Warner and Foote 1878, Geo A. Ogle 1896, Webb Publishing Company 1914, Anderson Publishing Company 1928, W.W. Hixson & Company 1916) shows the area as entirely parceled out with several roads and structures, presumably farmsteads, within the Study Area.

3.6 IMPLICATIONS FOR SITE POTENTIAL

The environmental setting and modern land use patterns suggest that archaeological resources may be present in the Project footprint. However, the lack of documented archaeological sites and the paucity of large water bodies and rivers suggests that the Project footprint may have only modest potential to contain precontact archaeological sites. Further, the likelihood of encountering intact cultural resources within the Project footprint is somewhat diminished due to modern disturbance of surface soils from mechanical alteration related to agricultural plowing. Regarding the prevalence of Alfisols in the Project footprint, Alfisols typically have a thin A horizon rich in organic matter and nutrients, a clay-enriched subsoil, and are fertile as they are usually only moderately leached (Soil Survey Staff 1999). Archaeological deposits within Alfisols are often near the ground surface and not deeply buried given their temporal and geospatial formation histories (Holliday 1993); sustained agricultural plowing would both incorporate exposed artifacts within the A horizon and disrupt the geospatial integrity of archaeological deposits. Historic-period artifact scatters are possible in the Project footprint due to the presence of the farmsteads within the Study Area since the end of the nineteenth century. Conversely, remnants of historical occupation have likely been affected by the same ground-disturbing activities discussed previously, likely hindering the integrity of potential sites.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

4.0 OBJECTIVES AND METHODS

The objective of the Phase I archaeological survey was to identify conventional archaeological sites within the Project footprint that are at least 45 years of age. Archaeological resource types considered for this investigation included precontact, contact, and postcontact archaeological sites and earthworks that could provide information about past human occupation. Such sites could be evident in artifacts or features on or below the current ground surface. The focus of this field survey was to identify potentially affected cultural resources within the Project footprint.

Throughout all stages of this investigation Merjent applied industry best practices and adhered to the Secretary of the Interior's Standards and Guidelines for Archaeology and Historic Preservation (48 Federal Register 44716), the SHPO Manual for Archaeological Projects in Minnesota (Anfinson 2005), and the State Archaeologist's Manual for Archaeological Projects in Minnesota (Anfinson 2011). The Project footprint was based on files provided by Lemon Hill Solar in March 2024.

On May 28, 2024, Merjent, on behalf of Lemon Hill Solar, submitted the Project's Phase I Survey Plan and Methods to the SHPO for review. In a letter dated July 19, 2024, SHPO concurred that the Phase I Survey Plan and Methods were appropriate for the undertaking. The Phase I Survey Plan and Methods defined portions of the Project footprint as areas of high, medium, or low probability of containing archaeological resources and proposed to survey 100 percent of the high and medium probability areas, and 5 percent of the low probability areas. See the Project's Phase I Survey Plan and Methods in Appendix B for a detailed description of the methodology underpinning the survey model.

The pedestrian survey visually inspected for surface features, foundations, densities of surface artifacts, and other surface indications of archaeological sites while considering the safety of the field team. Pedestrian survey was conducted to the exclusion of systematic shovel testing in plowed areas where ground surface visibility (GSV) was greater than 25 percent. Pedestrian survey transects were spaced between 5 and 15 meters based on GSV. An average survey rate of 40 acres per person, per day was expected. Shovel testing was conducted in areas that have not been plowed or that had potential to contain buried cultural material regardless of GSV. Additional shovel tests were excavated regardless of GSV to capture soil profiles within a landform and to determine the depth of the plow zone and assess the potential for deeply buried A horizon soils. Areas determined unsafe to shovel test (i.e., in areas featuring buried utilities) were photographed and documented.

Shovel tests were excavated per SHPO and OSA guidelines; that is, each shovel test measured 30 to 40 centimeters (cm) in diameter and extended no less than 35 cm deep and at least 10 cm into sterile subsoil. For all shovel tests, subsoils were encountered before 50 cm below surface (cmbs); therefore, deeper testing was not needed. Shovel tests were excavated in 10-cm levels. Soils from each stratum were screened separately through 0.25-inch wire mesh onto a tarp. Data from all shovel tests were recorded on standardized forms and located by GPS. Soil profiles were recorded using the Munsell color system and standard texture classifications as well as additional notes and comments (e.g., "disturbed matrix," "heavily compacted," "inundated at 20 cm below the surface," etc.). Once completed, each shovel test was immediately backfilled.

If an artifact or artifacts were found on the ground surface, a formal surface collection commenced. Surface collection included all historic, potentially historic, non-diagnostic, and precontact artifacts per SHPO and OSA guidelines. When an artifact or artifacts were encountered on the surface or

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

in a shovel test, additional shovel testing was conducted in the four cardinal directions, spaced at 5-meter intervals, to delineate the site boundary.

The location of all shovel tests, surface artifacts, and features were mapped and recorded with a Trimble R1 Integrated Global Navigation Satellite System receiver and Esri Field Maps at submeter accuracy. Digital photography was used to record surface conditions of all Project footprint, select excavation profiles, cultural features, and identified archaeological sites. Overview photographs were taken of the areas surveyed and landforms. Additional photographs were taken to document specific disturbances, archaeological sites, artifacts, land use patterns, landforms, and anything else that would contribute to describing the survey and Project footprint.

4.1 NRHP SITE EVALUATION CRITERIA

Merjent evaluates sites and their significance, as defined by criteria set forth in Title 36 Code of Federal Regulations (CFR) 60.4 (National Park Service 1991), which state:

The quality of significance in American history, architecture, archaeology, engineering, and culture is present in districts, sites, buildings, structures, and objects that possess integrity of location, design, setting, materials, workmanship, feeling, and association, and:

- A. that are associated with events that have made a significant contribution to the broad patterns of our history;
- B. that are associated with the lives of persons significant in our past;
- C. that embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- D. that have yielded, or may be likely to yield, information important in prehistory or history.

Sites that are not eligible are unlikely to contribute further data significant to our knowledge of prehistory or history and/or may no longer possess integrity.

4.1.1 Precontact Archaeological Sites

Precontact lithic scatters/open camps (sites without any structures or association with known significant events or persons) usually do not merit discussion of Criteria A, B, and C. Rather, for NRHP recommendation purposes, these property types are discussed for their potential to yield information significant to the precontact period or the archaeological record under NRHP Criterion D. Special cases generally relate to Criterion A, where a precontact site type (such as a stone circle site) may not be recommended eligible for the NRHP from an archaeological perspective but may be considered important to cultures of Native American Tribes (Parker and King 1998).

Evaluation of the significance of archaeological sites under Criterion D involves considering general characteristics such as the nature, size, and diversity of the site assemblage; the potential presence or absence of intact subsurface cultural deposits; the depth that the deposits are buried; the nature of any features within the site (construction techniques, building materials, structural integrity); and the age range reflected by the site assemblage. Sites considered to be significant

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

usually contain an assemblage of cultural artifacts and/or features that indicate sufficient diversity to permit identification of activities and allow confirmation of the period of site use. The integrity of archaeological sites is addressed using the guidelines presented in National Register Bulletin 15 (National Park Service 1991), which defines the seven elements of integrity as location, design, setting, materials, workmanship, feeling, and association and occasionally evaluated using the guidelines presented in Little et al. (2000). Sites with the most potential to address research questions about human lifeways contain associated features, structures, and/or relatively intact and dateable artifacts.

5.0 SURVEY RESULTS

The Phase I archaeological survey of 1,622 acres (this acreage is composed of 100 percent of the high and medium probability areas and at least 5 percent of the low probability areas) was conducted between October 21 and November 2, 2024, by Merjent archaeologists Aaron Armstrong-Duarte (October 29 to November 1), Jacob Seaton (October 21 to 26), Paige Englert (October 24 to November 2), Sabin Wright (October 21 to November 2), Courtny Laine (October 21 to 26), Kristina Budde (October 21 to 26), Mathias Thiesen (October 21 to 26), and Eric Bangs (October 29 to November 1). Dr. Armstrong-Duarte served as the principal investigator and meets the Secretary of the Interior's Professional Qualification Standards for Archaeology as published in 36 CFR 61.

The Project is set in a rural area of Olmsted County (see Figure 1 in Appendix A). The 1,906-acre Project footprint is composed largely of plowed agricultural fields; a pasture; road ROWs; steep-sided ravines, drainages, marshes, and hill slopes; and NWI-defined wetlands (see Figure 4 in Appendix A). There were 779 acres of high, 674 acres of medium, and 453 acres of land defined as having low probability of containing archaeological sites (see the Phase I Survey Plan and Methods in Appendix B for a description of the probability model). Within the high, medium, and low probability areas there were 166 acres of ravines, drainages, marshes, and hill slopes, and 108 acres of NWI-defined wetlands. As the Project footprint is sprawled across a wide landscape, the survey results are organized and summarized below by Township, Range, and Section in results matrices.

The 498 shovel tests excavated throughout the Project footprint indicated that the A horizon was relatively shallow and did not extend deeper than 30 cmbs. All shovel tests were excavated to at least 10 cm into subsoil; the average shovel test depth was 44 cmbs; multiple shovel tests were excavated to at least 60 cmbs. There was no evidence of deep or buried A horizons. Therefore, within the plowed agricultural fields, the A horizon has been habitually turned and pedestrian survey is an effective method of sampling the landscape for archaeological deposits.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

5.1 SECTION 7 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST

The section was composed of harvested corn and soybean fields and a field of standing corn (see Photos 5.1-1 and 5.1-2 and Table 5.1-1 below and Figures 4.5 and 4.7 in Appendix A). There were three drainages flanked by NWI-defined wetlands and marshes (see Photo 5.1-3 below and Figures 4.5 and 4.7 in Appendix A), as well as a steeply sloped ravine (see Photo 5.1-4 below and Figures 4.5 and 4.7 in Appendix A), and steeply sloped and wooded terrace (see Photo 5.1-5 below and Figures 4.5 and 4.7 in Appendix A).

TABLE 5.1-1											
	Survey Results Section 7, Township 107 North, Range 12 West										
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds				
Total Project Footprint in Section	48	48	100%	25–50% (see Photo 5.1-6 below)	4	0	0				
High Probability	42	42	100%	-	-	-	-				
Medium Probability	7	7	100%	-	-	-	-				
Low Probability	0	0	0%	-	-	-	-				
Ravines/ Drainages/ Marshes/ Hillslopes	6	-	-	-	-	-	-				
NWI-Defined Wetlands	10	-	-	-	-	-	-				
Shovel Test Profile(s):	1 shovel test: A (10YR 4/4) to 4		/ loam (10YR 3/2	2) to 22 cmbs wit	h an abrupt trans	ition to a C horizo	on of silty loam				
		p horizon of silty R 4/4) to 45 cmb		R 3/2) to 25 cmb	s with an abrupt t	ransition to a B h	norizon of silty				
		R 4/1) to 33 ^{±3} cm			bs with a smooth horizon of sandy						



Photo 5.1-1. Overview of harvested corn field sloped toward NWI-defined wetland, facing southeast.



Photo 5.1-2. Overview of harvested soybean field, facing east.



Photo 5.1-3. Example of sloped drainage, facing northeast.



Photo 5.1-4. Example of steeply sloped ravine (in distance), facing southeast.



Photo 5.1-5. Example of a wooded terrace slope, facing west.



Photo 5.1-6. Example of GSV in harvested soybean field, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota



Photo 5.1-7. Example of shovel test profile, facing ground.

5.2 SECTION 17 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST

The section was composed of harvested soybean fields (see Photos 5.2-1 and 5.2-2 and Table 5.2-1 below and Figures 4.7 and 4.8 in Appendix A). There was a large drainage flanked by NWI-defined wetlands and marshes (see Photo 5.2-3 below and Figures 4.7 and 4.8 in Appendix A). The drainage was set within a steeply sloped ravine (see Photo 5.2-4 below and Figures 4.7 and 4.8 in Appendix A). The section also included road ROW featuring a borrow and buried utilities (see Photo 5.2-5 below and Figures 4.7 and 4.8 in Appendix A).

	TABLE 5.2-1											
	Survey Results Section 17, Township 107 North, Range 12 West											
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds					
Total Project Footprint in Section	77	77	100%	25–75% (see Photo 5.2-2, 5.2- 6, and 5.2-7 below)	4	0	0					
High Probability	48	48	100%	-	-	-	-					
Medium Probability	27	27	100%	-	-	-	-					
Low Probability	3	3	100%	-	-	-	-					
Ravines/ Drainages/ Marshes/ Hillslopes	30	-	-	<u></u>	-	-	-					
NWI- Defined Wetlands	5	-	-	-	-	-	-					

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

TABLE 5.2-1

Survey Results Section 17, Township 107 North, Range 12 West

Shovel Test Profile(s):

2 shovel tests: Ap horizon of silty loam (10YR 3/1 to 10YR 3/2) to $24^{\pm 2}$ cmbs with an abrupt transition to a C horizon of silty clay loam (10YR 4/3) to $43.5^{\pm 1.5}$ cmbs

2 shovel tests: Ap horizon of silty loam (10YR 5/1) to $24.5^{\pm 2.5}$ cmbs with a smooth transition to an A horizon of silty loam (10YR 4/1) to $31.5^{\pm 1.5}$ cmbs to an abrupt transition to a B horizon of sandy loam (10YR 4/3) to $50^{\pm 1}$ cmbs (see Photo 5.2-8 below)



Photo 5.2-1. Overview of harvested soybean field (ravine in distance), facing north.



Photo 5.2-2. Overview of harvested soybean field and 50 percent GSV, facing south.



Photo 5.2-3. Steeply sloped drainage, facing southeast.



Photo 5.2-4. Overview of portion of the ravine, facing northeast.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota



Photo 5.2-5. Road ROW and borrow, facing west.



Photo 5.2-6. Overview example of 25 percent GSV in harvested soybean field, facing west.



Photo 5.2-7. Example of 75 percent GSV, facing ground.



Photo 5.2-8. Example of shovel test profile, facing ground.

5.3 SECTION 18 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST

The section was composed of harvested soybean fields, standing corn fields, and a fallow field set on hill slope (see Photos 5.3-1, 5.3-2, and 5.3-3 and Table 5.3-1 below and Figures 4.5 to 4.8 in Appendix A). There was also a drainage flanked by slope and marshes (see Photo 5.3-4 below and Figures 4.5 to 4.8 in Appendix A), NWI-defined wetlands (see Photo 5.3-5 below and Figures 4.5 to 4.8 in Appendix A), and road ROWs featuring borrows and buried utilities (see Photo 5.3-6 below and Figures 4.5 to 4.8 in Appendix A).

TABLE 5.3-1										
Survey Results Section 18, Township 107 North, Range 12 West										
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds			
Total Project Footprint in Section	136	129	95%	25–75% (see Photos 5.3-7 and 5.3-8 below)	14	0	1			
High Probability	46	46	100%	-	-	-	-			
Medium Probability	66	66	100%	-	-	-	-			
Low Probability	24	17	70%	-	-	-	-			
Ravines/ Drainages/ Marshes/ Hillslopes	22	-	-	-	-	-	-			
NWI-Defined Wetlands	3	-	-	-	-	-	-			
Shovel Test Profile(s):	loam (10YR 5/3		23 cmbs with a	3) to 18 cmbs with smooth transition						
	2 shovel tests: horizon of silty			8/1 to 10YR 3/2) to cmbs	o 22 ^{±2} cmbs with	an abrupt transiti	ion to a B			
	3 shovel tests: A silty clay loam (Ap horizon of sil 10YR 4/3) to 45	ty loam (10YR 2 .5 ^{±3.5} cmbs	2/2) to 26.5 ^{±5.5} cm	bs with an abrupt	transition to a C	horizon of			
	silty loam (10YF		cmbs to an abr	/1) to 16.25 ^{±6.75} c upt transition to a						



Photo 5.3-1. Overview of harvested soybean field, facing west.



Photo 5.3-2. Overview standing corn field, facing north.



Photo 5.3-3. Overview of fallow field on hill side slope, facing north.



Photo 5.3-4. Overview of drainage flanked by slope and marshes, facing north.



Photo 5.3-5. Overview of NWI-defined wetland, facing northwest.



Photo 5.3-6. Road ROW and borrow, facing west.



Photo 5.3-7. Example of 25 percent GSV in corn field, facing ground.



Photo 5.3-8. Example of 50 percent GSV in soybean field, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota





Photo 5.3-9. Example of shovel test profile, facing ground.

Photo 5.3-10. Example of shovel test profile, facing ground.

5.4 SECTION 19 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST

The section was composed of a harvested and plowed corn field (see Photo 5.4-1 and Table 5.4-1 below and Figures 4.6, 4.8, and 4.9 in Appendix A); a drainage set within a steeply sloped ravine (see Photo 5.4-2 below and Figures 4.6, 4.8, and 4.9 in Appendix A); a forested space set on a ravine slope (see Photo 5.4-3 below and Figures 4.6, 4.8, and 4.9 in Appendix A); a work and farm equipment storage space (see Photo 5.4-4 below and Figures 4.6, 4.8, and 4.9 in Appendix A); and road ROWs featuring borrows (see Photo 5.4-5 below and Figures 4.6, 4.8, and 4.9 in Appendix A).

	TABLE 5.4-1										
Survey Results Section 19, Township 107 North, Range 12 West											
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds				
Total Project Footprint in Section	128	121	100%	50–75% (see Photo 5.4-6)	6	0	0				
High Probability	39	39	100%	-	-	-	-				
Medium Probability	66	66	100%	-	-	-	-				
Low Probability	22	15	68%	-	-	-	-				
Ravines/ Drainages/ Marshes/ Hillslopes	2	-	-	-	-	-	-				
NWI-Defined Wetlands	0	-	-	-	-	-	-				

	TABLE 5.4-1										
Survey Results Section 19, Township 107 North, Range 12 West											
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds				
Shovel Test Profile(s):	horizon of silty of 3 shovel tests:	clay loam (10YR Ap horizon of sil R 4/1) to 23.5 ^{±1.5}	ty loam (10YR 5	cmbs (see Photo /4) to 19.5 ^{±3.5} cm	o 25 ^{±4} cmbs with 5.4-7 below) bs with a smooth B horizon of clay	transition to an A	A horizon of				



Photo 5.4-1. Overview of harvested and plowed corn field, facing south.



Photo 5.4-2. Drainage set within steeply sloped ravine, facing west.



Photo 5.4-3. Forested space set on ravine slope, facing northwest.



Photo 5.4-4. Work and farm equipment storage space, facing west.



Photo 5.4-5. Overview of road and ROW, facing south.



Photo 5.4-6. Example of 75 percent GSV, facing ground.



Photo 5.4-7. Example of shovel test profile, facing ground.



Photo 5.4-8. Example of shovel test profile, facing ground.

5.5 SECTION 20 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST

The section was composed of harvested and plowed corn fields and harvested corn fields (see Photos 5.5-1 and 5.5-2 and Table 5.5-1 below and Figures 4.1, 4.8, and 4.9 in Appendix A); forested and steep ravine slope (see Photo 5.5-3 below and Figures 4.1, 4.8, and 4.9 in Appendix A); and road ROWs featuring borrows (see Photo 5.5-4 below and Figures 4.1, 4.8, and 4.9 in Appendix A).

		TA	BLE 5.5-1									
	Survey Results Section 20, Township 107 North, Range 12 West											
-					Positive Shovel Tests/							
	,	Percent Acres Acres urveyed Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Cultural Resources Identified	Surface Finds						

			TAB	LE 5.5-1						
Survey Results Section 20, Township 107 North, Range 12 West										
Total Project Footprint in Section	204	204	100%	25–75% (see Photos 5.5-5 and 5.5-6)	7	0	0			
High Probability	104	104	100%	-	-	-	-			
Medium Probability	89	89	100%	-	-	-	-			
Low Probability	12	12	100%	-	-	-	-			
Ravines/ Drainages/ Marshes/ Hillslopes	2	-	-	-	-	-	-			
NWI-Defined Wetlands	2	-	-	-	-	-	-			
Shovel Test Profile(s):	1 shovel test: A (10YR 4/4) to 4		y loam (10YR 3	/2) to 22 cmbs with a	an abrupt trans	ition to a C horiz	on of silty loam			
				0YR 2/2) to 18 cmbs abs to a B horizon of						
				2/2 to 10YR 3/1) to 2 cmbs (see Photo 5.		h a gradual trans	sition to a B			
	horizon of silty	Ap horizon of si loam (10YR 5/4 see Photo 5.5-8) to 27.5 ^{±1.5} cmb	4/2 to 10YR 4/4) to 2 os to an abrupt transi	23.5 ^{±3.5} cmbs w tion to a B hor	rith a smooth trar izon of clay loam	nsition to an A n (10YR 5/6) to			



Photo 5.5-1. Overview of harvested and plowed corn field, facing north.



Photo 5.5-2. Overview of harvested corn field, facing south.



Photo 5.5-3. Forested and steep ravine slope, facing northwest.



Photo 5.4-4. Overview of road ROW and borrow, facing south



Photo 5.5-5. Example of 25 percent GSV in harvested corn field, facing ground.



Photo 5.5-6. Example of 75 percent GSV in harvested and plowed corn field, facing north.



Photo 5.5-7. Example of shovel test profile, facing ground.



Photo 5.5-8. Example of shovel test profile, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

5.6 SECTION 29 OF TOWNSHIP 107 NORTH AND RANGE 12 WEST

The section was composed of harvested and plowed corn fields, harvested corn fields, and a harvested soybean field (see Photos 5.6-1, 5.6-2, and 5.6-3 and Table 5.6-1 below and Figures 4.1 and 4.9 in Appendix A). There were also two drainages and NWI-defined wetlands set within steeply sided ravines (see Photos 5.6-4 and 5.6-5 below and Figures 4.1 and 4.9 in Appendix A).

			-	TABLE 5.6-1								
	Survey Results Section 29, Township 107 North, Range 12 West											
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds					
Total Project Footprint in Section	191	182	95%	25–75% (see Photos 5.6-1, 5.6-6, and 5.6-7)	6	0	0					
High Probability	113	113	100%	-	-	-	-					
Medium Probability	56	56	100%	-	-	-	-					
Low Probability	22	13	58%	-	-	-	-					
Ravines/ Drainages/ Marshes/ Hillslopes	18	-	-	-	-	-	-					
NWI- Defined Wetlands	8	-	-	-	-	-	-					
Shovel Test Profile(s):		Ap horizon of s /4) to 44 cmbs	silty loam (10Y	(R 3/2) to 27 cmbs with a	n abrupt transitio	on to a B horizon	of silty clay					
				m (10YR 2/2) to 14 cmbs 24 cmbs to a B horizon								
		Ap horizon of s /1) to 40 cmbs	silty loam (10Y	R 3/1) to 21 cmbs with a	gradual transitio	on to a B horizon	of silty clay					
				YR 4/1) to 22 ^{±2} cmbs with to 5.6-8 below)	n a smooth trans	ition to a B horiz	on of silty					



Photo 5.6-1. Overview of harvested and plowed corn field, facing north.



Photo 5.6-2. Overview of harvested corn field, facing west.



Photo 5.6-3. Overview of harvested soybean field, facing north.



Photo 5.6-4. Drainage and NWI-defined wetland set within a ravine, facing south



Photo 5.6-5. Steeply sided ravine slope and drainage, facing southwest.



Photo 5.6-6. Example of 25 percent GSV in harvested corn field, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota





Photo 5.6-7. Example of 50 percent GSV in harvested soybean field, facing ground.

Photo 5.6-8. Example of shovel test profile, facing ground.

5.7 SECTION 11 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST

The section was composed of a harvested corn field and pasture (see Photos 5.7-1 and 5.7-2 and Table 5.7-1 below and Figures 4.1 and 4.2 in Appendix A); two drainages set within NWI-defined wetlands (see Photos 5.7-3 and 5.7-4 below and Figures 4.1 and 4.2 in Appendix A); steep hill slope adjacent to the drainages (see Photo 5.7-5 below and Figures 4.1 and 4.2 in Appendix A); a buried natural gas pipeline (see Photo 5.7-6 below and Figures 4.1 and 4.2 in Appendix A); and an occupied contemporary house.

TABLE 5.7-1											
Survey Results Section 11, Township 107 North, Range 13 West											
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds				
Total Project Footprint in Section	156	94	60%	0–25% (see Photo 5.7-7)	409	0	0				
High Probability	51	51	100%	-	-	-	-				
Medium Probability	40	40	100%	-	-	-	-				
Low Probability	65	3	5%	-	-	-	-				
Ravines/ Drainages/ Marshes/ Hillslopes	30	-	-	-	-	-	-				
NWI-Defined Wetlands	18	-	-	-	-	-	-				

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

TABLE 5.7-1

Survey Results Section 11, Township 107 North, Range 13 West

Shovel Test Profile(s):

3 shovel tests: Ap horizon of silty loam (10YR 3/2) to $27.5^{\pm 2.5}$ cmbs with an abrupt transition to a B horizon of silty clay loam (10YR 4/4) to $42.5^{\pm 1.5}$ cmbs

3 shovel tests: Ap horizon of silty sandy loam (10YR 2/2) to $19.5^{\pm 4.5}$ cmbs with a gradual transition to an AB horizon of sandy loam (10YR 2/2 and 10YR 4/1) to $27.5^{\pm 2.5}$ cmbs to a B horizon of sandy clay loam (10YR 4/3) to $43.5^{\pm 4.5}$ cmbs

3 shovel tests: Ap horizon of silty loam (10YR 2/2) to $26^{\pm 3.5}$ cmbs with a gradual transition to a B horizon of silty clay loam (10YR 4/1) to $42^{\pm 4}$ cmbs

9 shovel tests: A/O horizon of loam and organics (10YR 2/1) to $22.5^{\pm3.5}$ cmbs with a gradual transition to an A horizon of silty loam (10YR 3/1) to $31.5^{\pm4.5}$ cmbs with an abrupt transition to a B horizon of clay loam (10YR 4/1 to 10YR 4/3) to $46.25^{\pm5.75}$ cmbs

11 shovel tests: Ap horizon of silty loam (7.5YR 6/4) to $24.25^{\pm4.75}$ cmbs with an abrupt transition to a B horizon of silty clay loam (7.5YR 5/8) to $45.5^{\pm3.5}$ cmbs (see Photo 5.7-8 below)

35 shovel tests: Ap horizon of silty loam (10YR 5/1 to 10YR 5/3) to 21.25^{±7.75} cmbs with a gradual transition to a B horizon of silty loam (10YR 5/6 to 10YR 5/8) to 48.25^{±10.75} cmbs (see Photo 5.7-9 below)

88 shovel tests: Ap horizon of silty loam (10YR 5/1 to 10YR 5/3) to $17.5^{\pm 6.5}$ cmbs with a gradual transition to an AB horizon of silty loam (10YR 5/1 to 10YR 5/3 and 10YR 4/3 to 10YR 4/6) to $26.25^{\pm 5.25}$ cmbs with a gradual transition to a B horizon of silty clay loam (10YR 4/3 to 10YR 4/6) to $46.5^{\pm 11.5}$ (see Photo 5.7-10 below)

257 shovel tests: Ap horizon of silty loam (7.5YR 5/3 to 7.5YR 5/8) to $17.25^{\pm 6.75}$ cmbs with a smooth transition to a B horizon of silty loam (10YR 4/3 to 10YR 4/6) to $45.5^{\pm 10.5}$ cmbs (see Photo 5.7-11 below)



Photo 5.7-1. Overview of harvested corn field, facing south.



Photo 5.7-2. Overview of pasture, facing east.



Photo 5.7-3. Overview of drainage and NWI-defined wetland, facing east.



Photo 5.7-4. Overview of drainage and NWI-defined wetland, facing south



Photo 5.7-5. Example of steep slope adjacent drainage, facing west.



Photo 5.7-6. Buried pipeline marker, facing northwest.



Photo 5.7-7. Example of 25 percent GSV in harvested corn field, facing ground.



Photo 5.7-8. Example of shovel test profile, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota



Photo 5.7-9. Example of shovel test profile, facing ground.



Photo 5.7-10. Example of shovel test profile, facing ground.



Photo 5.7-11. Example of shovel test profile, facing ground.

5.8 SECTION 12 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST

The section was composed of harvested soybean and corn fields (see Photos 5.8-1 and 5.8-2 and Table 5.8-1 below and Figures 4.1, 4.2, and 4.5 in Appendix A). There were also four drainages flanked by NWI-defined wetlands and marshes, three of which were set within steep-sided ravines (see Photos 5.8-3, 5.8-4, and 5.8-5 below and Figures 4.1, 4.2, and 4.5 in Appendix A); forested and steep hill slopes adjacent to portions of the drainages (see Photo 5.8-6 below and Figures 4.1, 4.2, and 4.5 in Appendix A); and steep-sided terraces within harvested agricultural fields (see Photo 5.8-7 below and Figures 4.1, 4.2, and 4.5 in Appendix A).

TABLE 5.8-1							
	S	urvey Results	Section 12, Tov	vnship 107 Norti	h, Range 13 Wes	st	
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds
Total Project Footprint in Section	336	297	88%	25–50% (see Photos 5.8-8 and 5.8-9 below)	14	0	0
High Probability	143	143	100%	-	-	-	-
Medium Probability	111	11	100%	-	-	-	-
Low Probability	82	44	54%	-	-	-	-
Ravines/ Drainages/ Marshes/ Hillslopes	42	-	-	-	-	-	-
NWI-Defined Wetlands	33	-	-	-	-	-	-
Shovel Test Profile(s):	mottled silty sai 1 shovel tests: A loam (10YR 5/6 5 shovel tests: A horizon of silty I 7 shovel tests: A	ndy clay loam (1 Ap horizon of sil i) to 48 cmbs. Ap horizon of sil oam (10YR 3/1 Ap horizon of sil	0YR 4/4 and 10 ty loam (10YR 2 ty loam (10YR 4 to 10YR 3/2) to ty loam (7.5YR 9	DYR 4/4) to 24 cm YR 5/1) to 45 cm YR 5/1) to 24 cmbs wi 1/1 to 10YR 4/2) to 42.5 ^{±4.5} cmbs (se 5/3 to 7.5YR 5/4) 44.5 ^{±4.5} cmbs (se	bs. ith an abrupt trans o 19.5 ^{±5.5} cmbs w e Photo 5.8-10 b to 22.5 ^{±4.5} cmbs v	sition to a B horiz ith a gradual tran elow). with a gradual tra	on of silty



Photo 5.8-1. Overview of harvested corn field, facing south.



Photo 5.8-2. Overview of harvested corn field, facing east.



Photo 5.8-3. Overview of drainage and NWI-defined wetland set within a ravine, facing east.



Photo 5.8-4. Overview of drainage and NWI-defined wetland set within a ravine, facing northwest



Photo 5.8-5. Overview of drainage and NWI-defined wetland, facing east.



Photo 5.8-6. Forested and steep hill slope adjacent to drainage, facing northwest.



Photo 5.8-7. Steep-sided terrace within a harvested corn field, facing east.



Photo 5.8-8. Example of 25 percent GSV in harvested corn field, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota



Photo 5.8-9. Example of 50 percent GSV in harvested soybean field, facing ground.



Photo 5.8-10. Example of shovel test profile, facing ground.



Photo 5.8-11. Example of shovel test profile, facing ground.

5.9 SECTION 13 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST

The section was composed of harvested and plowed corn fields and harvested soybean fields (see Photos 5.9-1 and 5.9-2 and Table 5.9-1 below and Figures 4.2, 4.3, 4.5, and 4.6 in Appendix A). There were also three drainages flanked by NWI-defined wetlands and marshes, two of which were set in ravines (see Photos 5.9-3, 5.9-4, and 5.9-5 below and Figures 4.2, 4.3, 4.5, and 4.6 in Appendix A); forested, steep ravine slopes adjacent to portions of the drainages (see Photo 5.9-6 below and Figures 4.2, 4.3, 4.5, and 4.6 in Appendix A); and road ROWs and borrows (see Photo 5.9-7 below and Figures 4.2, 4.3, 4.5, and 4.6 in Appendix A).

	TABLE 5.9-1						
Survey Results Section 13, Township 107 North, Range 13 West							
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds
Total Project Footprint in Section	204	201	98%	25–75% (see Photos 5.9-8 and 5.9-9 below)	10	0	0
High Probability	104	104	100%	-	-	-	-
Medium Probability	78	78	100%	-	-	-	-
Low Probability	22	19	86%	-	-	-	-
Ravines/ Drainages/ Marshes/ Hillslopes	13	-	-	-	-	-	-
NWI-Defined Wetlands	13	-	-	-	-	-	-
Shovel Test Profile(s):		Ap horizon of sil ¹ R 4/4) to 45 ^{±0} cm		/1) to 25 ^{±2} cmbs v	with an abrupt tra	nsition to a B ho	rizon of silty
	2 shovel tests: loam (10YR 5/1		ty loam (10YR 2	/1) to 23.5 ^{±2.5} cm	bs with an abrupt	transition to a B	horizon of silty
					o 22.5 ^{±4.5} cmbs w ee Photo 5.9-10 be		sition to a B








Photo 5.9-2. Overview of harvested soybean field, facing east.



Photo 5.9-3. Overview of drainage and NWI-defined wetland set within a ravine, facing north.



Photo 5.9-4. Overview of drainage and NWI-defined wetland set within a ravine, facing southwest



Photo 5.9-5. Overview of drainage and ravine slope, facing northwest.



Photo 5.9-6. Forested and steep hill slope adjacent to drainage, facing west.



Photo 5.9-7. Overview of road ROW and borrow, facing west.



Photo 5.9-8. Example of 50 percent GSV in harvested soybean field, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota





Photo 5.9-9. Example of 75 percent GSV in harvested and plowed corn field, facing ground.

Photo 5.9-10. Example of shovel test profile, facing ground.

5.10 SECTION 14 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST

The section was composed of harvested corn fields (see Photos 5.10-1 and 5.10-2 and Table 5.10-1 below and Figures 4.2 and 4.3 in Appendix A); road ROWs and borrows (see Photo 5.10-3 below and Figures 4.2 and 4.3 in Appendix A); and an occupied farmstead.

	TABLE 5.10-1						
	S	Survey Results	Section 14, Tov	vnship 107 Nort	h, Range 13 Wes	st	
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds
Total Project Footprint in Section	87	57	66%	25% (see Photo 5.10-4 below)	5	0	0
High Probability	15	15	100%	-	-	-	-
Medium Probability	30	30	100%	-	-	-	-
Low Probability	42	12	28%	-	-	-	-
Ravines/ Drainages/ Marshes/ Hillslopes	0	-	-	-	-	-	-
NWI-Defined Wetlands	0	-	-	-	-	-	-
Shovel Test Profile(s):		Ap horizon of sil R 4/4) to 39 cmb		YR 3/1) to 8 cmb	s with an abrupt t	ransition to a B h	orizon of silty
	4 shovel tests: A loam (10YR 4/1	Ap horizon of sil to 10YR 4/3) to	ty loam (10YR 3 0 42 ^{±3} cmbs (see	/1) to 21.5 ^{±2.5} cm Photo 5.10-5 be	bs with an abrupt low)	transition to a B	horizon of silty



Photo 5.10-1. Overview of harvested corn field, facing north.



Photo 5.10-2. Overview of harvested corn field, facing east.



Photo 5.10-3. Overview of road ROW and borrow, facing north.



Photo 5.10-4. Overview of 25 percent GSV, facing ground



Photo 5.10-5. Example of shovel test profile, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

5.11 SECTION 23 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST

The section was composed of a plowed and harvested corn field (see Photo 5.11-1 and Table 5.11-1 below and Figures 4.3 and 4.4 in Appendix A).

			TABLE	5.11-1			
	s	urvey Results	Section 23, Tov	vnship 107 Nort	h, Range 13 Wes	st	
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds
Total Project Footprint in Section	76	54	71%	50–75% (see Photo 5.11-2)	2	0	0
High Probability	16	16	100%	-	-	-	-
Medium Probability	32	32	100%	-	-	-	-
Low Probability	28	6	23%	-	-	-	-
Ravines/ Drainages/ Marshes/ Hillslopes	0	-	-	-	-	-	-
NWI-Defined Wetlands	0	-	-	-	-	-	-
Shovel Test Profile(s):							horizon of silty



Photo 5.11-1. Overview of plowed and harvested corn field, facing north.



Photo 5.11-2. Example of 50 percent GSV, facing ground.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota



Photo 5.11-3. Example of a shovel test profile, facing ground.

5.12 SECTION 24 OF TOWNSHIP 107 NORTH AND RANGE 13 WEST

The section was composed of harvested and plowed corn fields (see Photo 5.12-1 and Table 5.12-1 below and Figures 4.3, 4.4, and 4.6 in Appendix A). There was a small area of fallow field for an access road; this area was shovel-tested (see Photo 5.12-2 and Table 5.12-1 below and Figures 4.3, 4.4, and 4.6 in Appendix A). The section also included road ROWs and borrows (see Photo 5.12-3 below and Figures 4.3, 4.4, and 4.6 in Appendix A).

	TABLE 5.12-1						
	S	urvey Results	Section 24, Tov	vnship 107 Nort	h, Range 13 Wes	st	
	Acres Within the Project Footprint	Acres Surveyed	Percent Acres Surveyed	GSV in Agricultural field(s)	Shovel Tests Excavated	Positive Shovel Tests/ Cultural Resources Identified	Surface Finds
Total Project Footprint in Section	262	159	60%	0–75% (see Photo 5.12-4 below)		17	0
High Probability	60	60	100%	-	-	-	-
Medium Probability	71	71	100%	-	-	-	-
Low Probability	131	28	21%	-	-	-	-
Ravines/ Drainages/ Marshes/ Hillslopes	2	-	-	-	-	-	-
NWI-Defined Wetlands	16	-	-	-	-	-	-

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

TABLE 5.12-1

Survey Results Section 24, Township 107 North, Range 13 West

Shovel Test Profile(s):

1 shovel tests: Ap horizon of silty clay loam (10YR 3/1) to 17 cmbs with an abrupt transition to a B horizon of silty clay loam (10YR 4/3) to 40 cmbs

3 shovel tests: Ap horizon of silty loam (10YR 3/1) to $18.5^{\pm 1.5}$ cmbs with an abrupt transition to a B horizon of silty clay loam (10YR 4/4) to $43^{\pm 2}$ cmbs

3 shovel tests: Ap horizon of silty loam (10YR 2/2) to $17.5^{\pm 2.5}$ cmbs with an abrupt transition to a B horizon of silty loam (10YR 4/2) to $39.5^{\pm 3.5}$ cmbs

5 shovel tests: Ap horizon of silty loam (10YR 2/1) to $25.5^{\pm 3.5}$ cmbs with an abrupt transition to a B horizon of silty loam (10YR 3/4) to $47^{\pm 2}$ cmbs (see Photo 5.12-5 below)

5 shovel tests: Ap horizon of silty loam (10YR 4/1) to $23.5^{\pm 4.5}$ cmbs with an abrupt transition to a B horizon of silty loam (10YR 5/3 to 10YR 5/6) to $42^{\pm 3}$ cmbs (see Photo 5.12-6 below)



Photo 5.12-1. Overview of harvested and plowed corn field, facing east.



Photo 5.12-2. Overview of fallow field for small access road, facing east.



Photo 5.12-3. Overview of road ROW and borrow, facing east.



Photo 5.12-4. Example of 50 percent GSV, facing north

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota








Photo 5.12-6. Example of shovel test profile, facing ground.

6.0 EVALUATION OF SITE 210L0077

Merjent documented one precontact artifact found on the ground surface in Section Township and Range OSA has designated the find as site number 210L0077 (see site form in Appendix C). The artifact is a single chert tertiary flake. The artifact discovery locale was surveyed in 5-meter-spaced transects, and eight shovel tests spaced at 5- and 10-meter intervals were excavated in the cardinal directions centered on the discovery locale. There were no additional artifacts discovered in the pedestrian survey or shovel tests. The new discovery locale was assessed for physical integrity, associative value, and archaeological merit using the NRHP Evaluation Criteria (National Park Service 1991).

6.1 NRHP RECOMMENDATIONS – SIGNIFICANCE AND ASSESSMENT OF INTEGRITY

The integrity of site 210L0077 is somewhat diminished by decades mechanical alteration of the soil related to agricultural activity. The eight shovel tests excavated in the vicinity of the new artifact locale demonstrate that the upper 24.5^{±3.5} cmbs of soil displays evidence of agricultural disturbance; the deepest shovel test was excavated to 45 cmbs. In addition, there is little integrity of design or workmanship present in the tertiary flake; the artifact does not exhibit exceptional artistry nor is it clearly indicative of a temporal phase or sequence. The site consists of only one surface-recovered artifact, the integrity of which has been reduced due to plowing, which undoubtably affected the in-situ spatial integrity of the artifact. Further, the artifact material type, likely Swan River Chert, is commonplace for precontact archaeological sites in Minnesota. In terms of setting, the site is situated in an upland and is not near a lake or river or another precontact archaeological site. Site field number 210L0077 does not meet criteria established in Title 36 CFR 60.4 (National Park Service 1991).

Due to the factors listed above, the archaeological resource site 210L0077, does not retain sufficient integrity or importance to be recommended eligible for the NRHP. Merjent recommends that site 210L0077 is not eligible for inclusion on the NRHP. If the SHPO concurs with this recommendation, then no avoidance of site 210L0077 is necessary.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

7.0 SUMMARY AND CONCLUSIONS

Between October 21 and November 2, 2024, Merjent conducted a Phase I archaeological survey of the Project footprint, which followed the Project's SHPO-approved Phase I Survey Plan and Methods. The Project's Phase Ia literature search was reviewed by SHPO prior to fieldwork and was deemed appropriate for the undertaking. There are no determined eligible or NRHP-listed cultural resources within the Project footprint. One precontact artifact was discovered during the archaeological field surveys, site 210L0077. Merjent recommends that 210L0077 is not eligible for listing on the NRHP. Merjent recommends that no historic properties will be affected by the proposed Project. No further archaeological work is recommended for the Project as planned.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project
Olmsted County, Minnesota

8.0 REFERENCES CITED

Anderson Publishing Company

1928 Atlas of Olmsted County, Minnesota. Available online at: https://collection.mndigital.org/catalog/olms:1876#?c=&m=&s=&cv=2&xywh=-1560%2C0%2C6913%2C5243. Accesses March 2024.

Andreas, A.T.

1874 *Map of Olmsted County, Minn*. Available online at: https://www.davidrumsey.com/maps750049-22152.html. Accessed March 2024

Anfinson, Scott

2011 State Archaeologist's Manual for Archaeological Projects in Minnesota. Available online at https://mn.gov/admin/assets/OSAmanual tcm36-186982.pdf. Accessed April 2024.

2005 SHPO Manual for Archaeological Projects in Minnesota. Minnesota Historical Society. St. Paul, Minnesota.

Boyd, Matthew and Surette, Clarence

2010 Northernmost Precontact Maize in North America. *American Antiquity* 75(1):117–133.

Bureau of Land Management (BLM)

2024 General Land Office Records. Available online at: https://glorecords.blm.gov/. Accessed March 2024.

Commissioner of Indian Affairs

1849 Annual Report of the Commissioner of Indian Affairs, 1849. Available online at https://digitalcommons.law.ou.edu/indianserialset/5604/. Accessed March 2024.

Deloria, Ella C.

1944 Speaking of Indians. Friendship Press, New York.

DeMallie, Raymond J.

- 2001 Sioux Until 1850. In *Plains*, edited by Raymond DeMallie, pp. 718–760. Handbook of North American Indians, Vol. 13, Part 2 of 2, William C. Sturtevant, general editor. Smithsonian Institution, Washington, DC.
- 1980 Touching the Pen: Plains Indian Treaty Councils in Ethnohistorical Perspective. In *Ethnicity on the Great Plains*, edited by Frederick C. Luebcke, pp. 38–53. University of Nebraska Press, Lincoln.
- 1976 Nicollet's Notes on the Dakota. In *Joseph N. Nicollet on the Plains and Prairies: The Expeditions of 1838–39 With Journals, Letters, and Notes on the Dakota Indians*, edited and translated by Edmund C. Bray and Martha Coleman Bray, Appendix 3, pp. 250–281. Minnesota Historical Society Press, St. Paul.

Dorsey, James O.

1897 Siouan Sociology. A Posthumous Paper. 15th Annual Report of the Bureau of American Ethnology (for) 1893-'94, pp. 205–244 (pp. 351–366, Vol. Index). Smithsonian Institution, U.S. Government Printing Office, Washington, DC.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

Edmunds, R. David, and Joseph L. Peyser

1993 *The Fox Wars: The Mesquakie Challenge to New France*. University of Oklahoma Press, Norman.

Eggan, Fred

1952 The Ethnological Cultures and Their Archaeological Backgrounds. In *Archaeology of Eastern United States*, edited by James B. Griffin, pp. 35–45. University of Chicago Press, Chicago.

Fanning, D.S., and M.C.B. Fanning

1989 Soil: Morphology, Genesis, and Classification. John Wiley and Sons, New York.

Gates, Charles M. (editor)

1965 Five Fur Traders of the Northwest. Being a Narrative of Peter Pond and the Diaries of John Macdonell, Archibald N. McLeod, Hugh Fairies, and Thomas Connor. Minnesota Historic Society, St. Paul.

Geo. A. Ogle & Co.

1896 Olmsted County. Available online at: https://www.historicmapworks.com/Atlas/US/7904/Olmsted+County+1896/. Accessed March 2024

Gibbon, G.

2012 Archaeology of Minnesota: The Prehistory of the Upper Mississippi River Region. University of Minnesota Press, Minneapolis.

Gibbon, G.E., C.M. Johnson, and E. Hobbs

2002 Minnesota's Environment and Native American Culture History. Available online: https://www.dot.state.mn.us/mnmodel/P3FinalReport/chapter3.html#ch342. Accessed March 20024.

Google Earth

2024 Google Earth Pro [Computer Software]. Google LLC. Available online at https://www.google.com/earth/about/versions/. Accessed March 2024.

Hennepin, Louis

1903. A New Discovery of a Vast Country in American (1698). Reprinted from the second London Issues of 1698, with Facsimiles of the Original Title Pages, Maps and Illustrations. Reuben G. Thwaites, ed. 2 vols. A.C. McClurg, Chicago.

Hickerson, H.E.

1962 *The Southwestern Chippewa: An Ethnohistorical Study*. Memoirs of the American Anthropological Association 92. Menasha.

Holder, Preston

1970 The Hoe and the Horse on the Plains: A Study of Cultural Development Among North American Indians. University of Nebraska Press, Lincoln.

Holliday, Vance T.

2004 Soils in Archaeological Research. Oxford University Press, Oxford.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

Jenny, H.

1941 Factors of Soil Formation: A System of Quantitative Pedology. Dover Publications, New York.

Kappler, Charles J. (editor)

1904–1941 *Indian Affairs: Laws and Treaties.* (Vols. I-V). U.S. Government Printing Office, Washington, DC.

Little, Barbara, Erika M. Seibert, Jan Townsend, John H. Sprinkle, Jr., and John Knoerl 2000 *Guidelines for Evaluating and Registering Archeological Properties*. National Register Bulletin 15. U.S. Department of the Interior, Washington, DC.

Minnesota Department of Natural Resources (MnDNR)

2024a Rochester Plateau Subsection. Available online: https://www.dnr.state.mn.us/ecs/222Lf/index.html. Accessed March 2024

2024b Watersheds. Available online at https://www.dnr.state.mn.us/watersheds/index.html. Accessed March 2024.

Minnesota Department of Transportation

2020 MnModel, Minnesota Statewide Archaeological Predictive Model. Available online at: http://www.dot.state.mn.us/mnmodel/index.html. Accessed March 2024.

Minnesota State Historic Preservation Office (SHPO)

2024 Minnesota's Statewide Historic Inventory Portal (MNSHIP). Available online at https://mnship.gisdata.mn.gov/. Accessed March 2024.

Morey, G.B., and M. Walton

1976 M-024 Geologic map of Minnesota, bedrock geology and the geologic terranes of Minnesota (brief discussion). Available online at https://conservancy.umn.edu/handle/11299/59929. Accessed March 2024.

Munson, Patrick J.

1975 Map of Proto-Siouan Homeland, showing Proto-Dakota/Dhegiha/Chiwere Homeland. Copy in possession of Raymond J. DeMallie.

Natural Resources Conservation Service (NRCS)

2024a Web Soil Survey. Available online at https://websoilsurvey.nrcs.usda.gov/app/. Accessed March 2024.

2024b The Twelve Orders of Soil Taxonomy. Available online at https://www.nrcs.usda.gov/resources/education-and-teaching-materials/the-twelve-orders-of-soil-taxonomy. Accesses March 2024.

National Park Service

1991 How to Apply the National Register Criteria for Evaluation. National Register Bulletin 15. U.S. Department of the Interior, Washington, DC.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

National Wetlands Inventory (NWI)

2024 National Wetlands Inventory, Surface Waters and Wetlands. Available online at: https://fwsprimary.wim.usgs.gov/wetlands/apps/wetlands-mapper/. Accessed October 2024.

Neill, Edward. D.

1890 Memoir of the Sioux: A Manuscript in the French Archives, Now First Printed, with Introduction and Notes. Contributions of the Department of History, Literature and Political Science 1st ser., Vol. 1:223–240. Macalester College, St. Paul.

NETRonline

2024 Historic Aerials. Available online at: https://www.historicaerials.com/viewer. Accessed March 2024.

Office of the State Archaeologist (OSA).

2024 Office of the State Archaeologist Portal. Available online at https://osaportal.gisdata.mn.gov/. Accessed October 2024.

Olsen, B.M. and J.H. Mossler

1982 Geologic Map of Minnesota: Depth to Bedrock, from MGS Map S-14, 1982.

Parker, Patricia L., and Thomas F. King

1998 Guidelines for Evaluating and Documenting Traditional Cultural Properties. *National Register Bulletin* 38. U.S. Department of the Interior, Washington, DC.

Parks, Douglas R. (editor)

1993 A Fur Trader Among the Arikara Indians: Jean-Baptiste Truteau's Journal and Description of the Upper Missouri, 1794-1796. Mildred Mott Wedel, Transcription. University of Nebraska Press, Lincoln.

Radisson, Pierre Esprit

1961 The Explorations of Pierre Esprit Radisson, from the Original Manuscript in the Bodleian Library and the British Museum. Edited by Arthur T. Adams, modernized by Loren Kallsen. Ross and Haines, Minneapolis.

Riggs, Stephen R.

1893 Dakota Grammar. Texts and Ethnography. In *Contributions to North American Ethnology* 9, edited by James Owen Dorsey. U.S. Geographical and Geological Survey of the Rocky Mounty Region. U.S. Government Printing Office, Washington, DC.

Section 106 Group

2004 Cultural Resources Assessment for the Rochester Water Reclamation Plant Expansion – Trunk Sewer Extension Project, Rochester, Olmsted County, Minnesota. SHPO number OL-04-01.

Soil Survey Staff

1999 Soil Taxonomy, A Basic System of Soil Classification for Making and Interpreting Soil Surveys. Second edition. Agricultural Handbook Number 436. U.S. Department of Agriculture, Natural Resources Conservation Service, Soil Survey Division. Washington, DC.

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

Thwaites, Reuben G. (editor)

1896–1906 *The Jesuit Relations and Allied Documents 1610 to 1791*. The Burrows Brothers, Cleveland. http://moses.creighton.edu/kripke/jesuitrelations/. Accessed March 2024.

Warner, Geo. E, and C.M. Foote

1878 Plat Book of Olmsted County, Minnesota. Available online at: https://collection.mndigital.org/catalog/olms:913#?c=&m=&s=&cv=6&xywh=-1785%2C0%2C10118%2C7674. Accessed March 2024.

Webb Publishing Co.

1914 Atlas and Farmers Directory of Olmsted County, Minnesota. Available online at: https://www.historicmapworks.com/Atlas/US/16531/Olmsted+County+1914/. Accessed March 2024.

Wedel, Mildred M.

1974 Le Sueur and the Dakota Sioux. In *Aspects of Upper Great Lakes Anthropology:* Papers in Honor of Lloyd A. Wilford, edited by Elden Johnson, pp. 157–171. Minnesota Prehistoric Archaeology Series 11. Minnesota Historical Society, St. Paul.

Winchell, N.H.

1911 The Aborigines of Minnesota: A Report Based on the Collections of Jacob V. Brower, and the Field Surveys and Notes of Alfred J. Hill and Theodore H. Lewis, 1906–1911. Minnesota Historical Society, St. Paul.

Wissler, Clark

1914 The Influence of the Horse in the Development of the Plains Culture. *American Anthropologist* 16(1):1-25.


W.W. Hixson & Company


1916 Plat Book of the State of Minnesota. Available online at: http://geo.lib.umn.edu/collections/digitizedplatbooks/stateofmn1916.html. Accessed March 2024.


Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota


APPENDIX A

Project Figures









PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED T107N, R13W, Sec. 1 Co Hwy124 T107N, R13W, Sec. 2 65thSt 1 inch = 400 feet T107N, R13W, Sec. 12 Project Footprint High Probability Survey Area

Medium Probability Survey Area Low Probability Survey Area Section Boundary Negative Shovel Test NWI Wetland Ravines/Drainages/Marshes/Hill Slopes T107N, R13W, Sec. 11 Figure 4.1: Survey Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota merjent. 58th StNE For Environmental Review Purposes Only



PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED 1 inch = 400 feet T107N, R13W, Sec. 13 T107N, R13W, Sec. 14 Project Footprint High Probability Survey Area Medium Probability Survey Area Low Probability Survey Area Section Boundary Previous Survey Negative Shovel Test NWI Wetland OL:04:01 CORd2NE Figure 4.3: Survey Results
Lemon Hill Solar, LLC
Lemon Hill Solar T107N, R13W, Sec. 23 Olmsted County, Minnesota merjent For Environmental Review Purposes Only





PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED 1 inch = 400 feet Project Footprint High Probability Survey Area Medium Probability Survey Area Low Probability Survey Area Section Boundary Negative Shovel Test NWI Wetland T107N, R12W, Sec. 18 Ravines/Drainages/Marshes/Hill Slopes Figure 4.6: Survey Results
Lemon Hill Solar, LLC
Lemon Hill Solar
Olmsted County, Minnesota merjent. CoRd 2NE T107N, R12W, Sec. 19 For Environmental Review Purposes Only





PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED T107N, R12W, Sec. 19 1 inch = 400 feet T107N, R12W, Sec. 20 Project Footprint High Probability Survey Area Medium Probability Survey Area Low Probability Survey Area Section Boundary Negative Shovel Test NWI Wetland Ravines/Drainages/Marshes/Hill Slopes Figure 4.9: Survey Results Lemon Hill Solar, LLC Lemon Hill Solar Olmsted County, Minnesota T107N, R12W, Sec. 29 T107N, R12W, Sec. 30 merjent. For Environmental Review Purposes Only

PUBLIC DOCUMENT - NONPUBLIC DATA HAS BEEN EXCISED T107N, R12W, Sec. 20 T107N, R12W, Sec. 21 1 inch = 400 feet Project Footprint High Probability Survey Area Medium Probability Survey Area Low Probability Survey Area Section Boundary MNSHIP Historic Structure Negative Shovel Test NWI Wetland Ravines/Drainages/Marshes/Hill Slopes T107N, R12W, Sec. 28 T107N, R12W, Sec. 29 **Figure 4.10:** Survey Results Lemon Hill Solar, LLC Lemon Hill Solar **Olmsted County, Minnesota** merjent. For Environmental Review Purposes Only

Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

APPENDIX B Project Phase I Survey Plan and Methods



p 612.746.3660 • f 612.746.3679 • www.merjent.com

May 23, 2024

Environmental Review Program Manager State Historic Preservation Office Administration Building Suite 203 50 Sherburne Ave St. Paul, MN 55155

Re: Lemon Hill Solar, LLC

Lemon Hill Solar Project, Olmsted County, MN

Cultural Resource Survey Plan

Dear Environmental Review Program Manager:

Lemon Hill Solar, LLC (Lemon Hill Solar) is planning to build a new utility-scale solar facility known as the Lemon Hill Solar Project (Project). The proposed Project site is located east of the City of Rochester in Olmsted County, Minnesota. Lemon Hill Solar will have a generating capacity of up to 180 megawatts (MW) on a site up to approximately 1,900 acres in size (Figure 1). This letter presents the Cultural Resource Survey Plan for a Phase I archaeological field inventory of the Project footprint. Locational information is provided in Table 1.

		TABLE 1				
Sections Included in the Project Footprint						
County	Township	Range	Sections			
Olmsted	107N	12W	7, 17, 18, 19, 20, 29			
Olmsted	107N	13W	11, 12, 13, 14, 23, 24			

The Project is in the pre-permitting and field reconnaissance phase. The Project will require a Site Permit from the Minnesota Public Utilities Commission pursuant to the Minnesota Power Plant Siting Act (Minnesota Statutes Chapter 216E) and Minnesota Administrative Rules Chapter 7850. Lemon Hill Solar intends to conduct Phase I archaeological field inventory of the Project footprint in the summer of 2024 to fulfill these permitting requirements.

Merjent, Inc. (Merjent), on behalf of Lemon Hill Solar, requests your review and comment of the proposed Cultural Resource Survey Plan in relation to the Phase I archaeological field inventory needed for the Project. The plan diverges from procedures described in *State Archaeologist's Manual for Archaeological Projects in Minnesota* (Anfinson 2011) and the *SHPO Manual for Archaeological Projects in Minnesota* (Anfinson 2005) as a landform sampling strategy and probabilistic survey model is proposed as opposed to a survey of the entire Project footprint.

REGULATORY AUTHORITY

Minnesota Public Utilities Commission permitting requires consideration of impacts to cultural resources by following relevant state historic preservation laws, notably the Field Archaeology Act

(MS 138.31-42), Minnesota Historic Sites Act (MS 138.661-138.669), and the Private Cemeteries Act (MS 307.08). Therefore, Lemon Hill Solar intends to conduct a Phase I archeology field inventory to fulfill this requirement.

LITERATURE REVIEW AND BACKGROUND RESEARCH

In April 2024, Merjent completed a Phase Ia literature review and environmental background research report concerning previously documented cultural resources within the proposed Project footprint and within a 1.0-mile buffer around the footprint. This report has been submitted as a supporting document to the Cultural Resource Survey Plan. The Phase Ia report included a review of archaeological sites, historic architectural structures, cemeteries, and previously conducted cultural surveys. The report also included a review of historical maps and atlases, and a review of the landscape, ecological setting, and soils. Identified within the 1.0-mile buffer around the Project footprint were no archaeological sites, 14 historic architectural structures, one cemetery, and two previous cultural surveys. There are no archaeological sites, historic architectural structures, or cemeteries located within the Project footprint; one previous survey intersects a small portion of the Project footprint.

CULTURAL RESOURCE SURVEY PLAN

Survey Methodology

The general objective of a Phase I archaeological field inventory is to identify historic properties within a survey area that are at least 45 years of age. Archaeological resource types considered for this investigation include both precontact, contact period, and historic period archaeological sites and earthworks that could provide information about past human occupation of the area. Such sites could be evident in artifacts or features on or below the current ground surfaces. The Phase Ia literature review—which include Minnesota State Historic Preservation Office (SHPO) site file information, the State Register of Historic Places, the Minnesota State Historic Site Network, information regarding National Register of Historic Places listed properties, and National Historic Landmarks from databases maintained by the National Parks Service—was used to inform this Cultural Resource Survey Plan and will be used to guide the Phase I archeological field inventory. The focus of the inventory is to understand if any unknown resources can be positively identified in the Project footprint. Merjent will prepare a Phase I archaeological field inventory report that summarizes the results of the Phase Ia literature review and background report along with the results of the field inventory.

Throughout all stages of this investigation, Merjent will apply industry (cultural resource management) best practices and adhere to the Secretary of the Interior's Standards and Guidelines for Archaeology and Historic Preservation (48 CFR 44716). Survey methodology will be in accordance with Phase I archaeological field inventory practices described in the State Archaeologist's Manual for Archaeological Projects in Minnesota (Anfinson 2011) and the SHPO Manual for Archaeological Projects in Minnesota (Anfinson 2005). The one exception is that a landform sampling strategy and probabilistic survey model is proposed as opposed to a survey of the entire Project footprint.

Based on the Phase la literature review, a 100 percent intensive field inventory of areas assessed as having *high probability* to contain significant archaeological sites will be conducted (see Figure 2). This landform sampling strategy and probabilistic survey model is derived from the Minnesota Department of Transportation statewide Survey Implementation Model, MM4 (MnDOT 2024), and



from Thomas' (1986) Refiguring Anthropology: First Principles of Probability and Statistics. The high probability areas include:

- within 500 ft. (150 m) of an existing or former water source of 40 acres (19 hectares) or greater in extent, or within 500 ft. (150 m) of a former or existing perennial stream;
- located on topographically prominent landscape features;
- located within 300 ft. (100 m) of a previously reported archaeological site; or
- located within 300 ft. (100 m) of a former or existing historic structure or feature (such as a building foundation or cellar depression).

A total of 100 percent of the *medium probability* areas will be intensively inventoried (see Figure 2). *Medium probability* areas include:

- between 500 and 1,000 ft. (150-305 m) of an existing or former water source of 40 acres (19 hectares) or greater in extent, or between 500 and 600 ft. (150–183 m) of a former or existing perennial stream;
- located between 300 and 800 ft. (100–244 m) of a previously reported archaeological site; or
- located between 300 and 800 ft. (100–244 m) of a former or existing historic structure or feature (such as a building foundation or cellar depression).

As a control, 5 percent of the areas outside of the high and medium probability areas that have been assessed as having a relatively *low potential* for containing archaeological resources (such as inundated areas, former or existing wetland areas, poorly drained areas, and areas with a 20 percent or greater slope) will undergo intensive field survey (see Figure 2). Other low potential areas and areas in which Holocene (less than 10,000 years old) deposits have been significantly disturbed (such as road right-of-way ditches) will be excluded from intensive field survey (Thomas 1986).

Survey Methods

Conventional archaeological survey methods will be conducted to meet standards outlined in the State Archaeologist's Manual for Archaeological Projects in Minnesota (Anfinson 2011) and the SHPO Manual for Archaeological Projects in Minnesota (Anfinson 2005). An archaeological field inventory in Minnesota is referred to as Phase I. A Phase I includes a literature review and environmental background research, pedestrian field survey, systematic surface collection, and systematic shovel testing.

Pedestrian Survey

Survey will occur within 100 percent of the high and medium areas, and 5 percent of the low probability areas (as defined above). The pedestrian survey will visually inspect for surface features, foundations, densities of surface artifacts, or other surface indications of archaeological sites while considering the safety of the field team. Pedestrian survey may be conducted to the exclusion of systematic shovel testing in plowed areas where ground surface visibility is greater



than 25 percent and with low potential for buried cultural material. Pedestrian survey transect spacing will not exceed 15 meters (50 feet). An average survey rate of 40 acres per person, per day is expected.

Shovel Testing

Shovel testing will be conducted in areas that have not been plowed and/or that have potential to contain buried cultural material regardless of ground surface visibility. Areas determined unsafe (i.e., in areas featuring buried utilities) will be photographed and documented. If seasonal conditions prevent access, those conditions will be recorded and reported to determine scheduling for future investigations as necessary.

Shovel tests (ST), when required, will be excavated per SHPO and Office of the State Archaeologist (OSA) guidelines, i.e., each ST will measure 30 to 40 centimeters (12 to 15 inches) in diameter and will extend no less than 35 centimeters (10 inches) deep and at least 10 centimeters (4 inches) into sterile subsoil. Given the geological depositional environment and soils history of the Project footprint, it is anticipated that ST depths will not exceed 70 centimeters. If subsoils are not encountered before 70 centimeters below surface, and/or if soil deposits are encountered that have the potential for deeply buried cultural material, the Principal Investigator will evaluate each location to determine if deeper testing is needed. It is anticipated that archaeological deposits will be near the surface and reachable by conventional STs and hand augering may not be needed. However, if subsoil is not reached before 70 cm below the surface, STs will be hand augered until subsoil is reached. STs will be excavated in either natural stratigraphy or arbitrary 10 cm levels. Soils from each stratum will be screened separately through one-quarter-inch wire mesh onto a tarp. Data from all STs, including any pre-plotted STs not excavated (if applicable), will be recorded on standardized forms. Soil profiles will be recorded using the Munsell color system and standard texture classifications as well as additional notes and comments (e.g., "disturbed matrix," "heavily compacted," "inundated at 20 cm below the surface"). Once completed, each ST will be immediately backfilled.

Artifact Discovery

If a scatter of artifacts or a single artifact is found on the surface, a formal surface collection will commence. Surface collection will include all historic, potentially historic, non-diagnostic, and precontact artifacts per SHPO and OSA guidelines. If artifacts are encountered on the surface or in a ST, additional STs will be conducted in the four cardinal directions, spaced at 5-meter intervals to delineate the site boundary. If multiple sites are identified within proximity to one another, the space between sites will be surveyed to determine if the individual sites are contiguous. If the space between sites affords ground surface visibility below 25 percent, shovel tests will be conducted at a maximum of 15-meter intervals.

Artifacts will be collected and retained for analysis and documentation before being returned to the landowner. If the landowner would like the artifacts to be curated, they will be deposited at the Minnesota Historical Society under Merjent's curation agreement with the institution (#1082).

Additional Data Collection

The location of all STs, surface artifacts, and features will be mapped and recorded with a Trimble R1 Integrated Global Navigation Satellite System receiver and ESRI Field Maps at sub-meter accuracy. Digital photography will be used to record surface conditions of all tracts, select excavation profiles, cultural features, and identified archaeological sites. Overview photographs



Page 5 of 5

will be taken of the high, medium, and low probability areas. Additional photographs will be taken at the discretion of the Principal Investigator to document specific disturbances, archaeological sites, artifacts, and anything else that would contribute to describing the Project footprint.

Archaeological Licenses

An OSA Phase I Archaeological Survey License will be required as the Project footprint intersects Minnesota Department of Transportation road rights-of-way. The license will be secured prior to the Phase I archaeological field inventory.

The Phase I archaeological field inventory is anticipated for summer 2024. This letter presents the Cultural Resource Survey Plan for a Phase I archaeological field inventory for the Project. Lemon Hill Solar respectfully requests your review and comment on this Cultural Resource Survey Plan. If you require additional information, please do not hesitate to contact me at aaron.armstrong-duarte@merjent.com.

Sincerely, Merjent, Inc.

Aaron Armstrong-Duarte Principal Investigator

CC: Zane Jones, Lemon Hill Solar: zane@rangerpower.com

Dan Flo, Merjent: dan.flo@merjent.com


Attachments: References Cited


Figure 1 Figure 2



References Cited

- Anfinson, Scott F. 2011. *State Archaeologist's Manual for Archaeological Projects in Minnesota*. Office of State Archaeologist. St. Paul.
- Anfinson, Scott F. 2005. SHPO Manual for Archaeological Projects in Minnesota. Minnesota Historical Society. St. Paul.
- Minnesota Department of Transportation. 2024. Minnesota Statewide Archaeological Predictive Model MM4 (MnModel). Available online at http://www.dot.state.mn.us/mnmodel/. Accessed March 2024.
- Thomas, David H. 1986. Refiguring Anthropology: First Principles of Probability and Statistics. Waveland Press, Inc. Prospect Heights.





Phase I Archaeological Survey Report for the Lemon Hill Solar Project Olmsted County, Minnesota

APPENDIX C Site Form for Site 210L0077

Rev.: 7/1/09

MINNESOTA ARCHAEOLOGICAL SITE FORM

OFFICE OF THE STATE ARCHAEOLOGISTFort Snelling History Center, St. Paul, MN 55111 (612) 725-2729

8 , , , ,	

MINNESOTA ARCHAEOLOGICAL SITE FORM page 2 Rev.: 7/1/09

Rev.: 7/1/09	MINNESOTA ARCHAEOLOGICAL SITE FORM	page 3

