

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
472	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344660	4867442	402
473	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344706	4867502	401
474	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344707	4867473	401
475	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344729	4867441	401
476	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344707	4867416	401
477	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344711	4867386	402
478	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344661	4867413	402
479	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344663	4867391	402
480	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344662	4867372	402
481	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344652	4867351	402
482	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344612	4867197	401
483	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344639	4867196	400
484	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344682	4867281	402
485	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344690	4867150	400
486	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344725	4867163	400
487	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344743	4867263	401
488	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344755	4867210	400
489	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344704	4867198	399

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
490	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344736	4867307	402
491	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344753	4867361	401
492	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344659	4867134	402
493	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344717	4866947	402
494	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344699	4867030	399
495	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344737	4866923	402
496	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344741	4867042	399
497	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344797	4866967	402
498	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344782	4867010	400
499	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344766	4867006	400
500	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344795	4866938	402
501	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	344804	4866896	402
502	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344847	4867342	400
503	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344832	4867381	401
504	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344826	4867397	401
505	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344813	4867442	400
506	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344797	4867466	399
507	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344885	4867472	399

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
508	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344831	4867500	400
509	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344894	4867443	400
510	Non-Part.	33	37	41	45	50	34	37	41	45	50	32	37	41	45	50	344959	4867498	399
511	Non-Part.	33	37	41	45	50	34	37	41	45	50	32	37	41	45	50	344931	4867482	400
512	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344944	4867454	399
513	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344951	4867432	399
514	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344957	4867412	399
515	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	344962	4867389	400
516	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344968	4867376	400
517	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344914	4867379	400
518	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344904	4867407	400
519	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344922	4867357	400
520	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344930	4867341	400
521	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344939	4867307	401
522	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344979	4867352	400
523	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	344990	4867325	401
524	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345002	4867280	400
525	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344953	4867273	400

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
526	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344962	4867255	400
527	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344969	4867241	400
528	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344939	4867186	399
529	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344958	4867116	400
530	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344998	4867155	399
531	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344993	4867169	399
532	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	344931	4867224	399
533	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	344977	4867082	401
534	Non-Part.	32	37	41	45	50	32	37	41	45	50	31	36	40	45	50	344990	4867011	401
535	Non-Part.	32	37	41	45	50	32	37	41	45	50	31	36	40	45	50	345016	4867020	401
536	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	345044	4867024	401
537	Non-Part.	32	37	41	45	50	33	37	41	45	50	31	36	40	45	50	345017	4867093	400
538	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345076	4867096	400
539	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345045	4867154	400
540	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345142	4867060	400
541	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345161	4867076	400
542	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345150	4867105	399
543	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345139	4867121	399

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
544	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345077	4867156	399
545	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	40	45	50	345097	4867175	399
546	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345030	4867203	400
547	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	36	41	45	50	345023	4867219	400
548	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345015	4867259	400
549	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345113	4867217	400
550	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345050	4867270	401
551	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345086	4867285	401
552	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345148	4867253	400
553	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345164	4867188	399
554	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345121	4867293	401
555	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345181	4867146	399
556	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345211	4867200	399
557	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345189	4867264	400
558	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345222	4867275	400
559	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345223	4867240	400
560	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345287	4867249	400
561	Non-Part.	33	37	41	45	50	33	37	41	45	50	31	37	41	45	50	345235	4867218	399

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTe @ 117 m					Nordex N 163 LNTe @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
562	Non-Part.	33	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345208	4867323	400
563	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345048	4867340	401
564	Non-Part.	33	37	41	45	50	33	37	41	45	50	32	37	41	45	50	345079	4867340	401
565	Non-Part.	33	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345101	4867348	401
566	Non-Part.	33	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345086	4867388	400
567	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345116	4867399	400
568	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345139	4867406	400
569	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345144	4867372	400
570	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345191	4867347	400
571	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345192	4867376	401
572	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345268	4867298	401
573	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345288	4867302	401
574	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345308	4867308	401
575	Non-Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	345324	4867315	402
576	Non-Part.	34	37	41	45	50	34	38	41	45	50	32	37	41	45	50	345349	4867325	402
577	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	344944	4867742	399
578	Non-Part.	34	38	41	45	50	34	38	41	45	50	32	37	41	45	50	345006	4867695	399
579	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	345046	4867699	398

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
580	Non-Part.	34	38	41	45	50	34	38	41	45	50	33	37	41	45	50	345028	4867734	397
581	Non-Part.	34	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345060	4867741	397
582	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345144	4867694	397
583	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345151	4867744	396
584	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345197	4867777	395
585	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345200	4867747	395
586	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345197	4867711	396
587	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345196	4867679	396
588	Non-Part.	34	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345149	4867669	397
589	Non-Part.	34	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345126	4867671	397
590	Non-Part.	35	38	41	45	50	35	38	41	45	50	34	37	41	45	50	345217	4867936	393
591	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345235	4867642	395
592	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345260	4867638	394
593	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	345286	4867644	395
594	Non-Part.	30	36	40	45	50	30	36	40	45	50	29	36	40	45	50	343409	4867547	386
595	Part.	34	37	41	45	50	34	37	41	45	50	32	37	41	45	50	352617	4875800	361
596	Non-Part.	42	43	44	47	51	42	43	44	47	51	41	42	43	46	50	352567	4874236	367
597	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	354694	4869562	366

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
598	Non-Part.	37	39	42	46	50	37	39	42	46	50	35	38	41	45	50	354152	4872437	366
599	Non-Part.	36	38	41	45	50	35	38	41	45	50	34	37	41	45	50	354454	4872703	360
600	Non-Part.	36	39	41	46	50	36	39	41	46	50	34	38	41	45	50	354182	4873719	360
601	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	354055	4875479	358
602	Non-Part.	24	35	40	45	50	25	35	40	45	50	23	35	40	45	50	356437	4876650	347
603	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	355599	4875833	347
604	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	36	40	45	50	355966	4875462	347
605	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355687	4875216	348
606	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355901	4874606	348
607	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355455	4874722	352
608	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	355352	4871213	363
609	Non-Part.	34	38	41	45	50	34	37	41	45	50	32	37	41	45	50	355630	4870935	360
610	Non-Part.	31	37	41	45	50	32	37	41	45	50	30	36	40	45	50	355553	4869487	366
611	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356806	4869653	360
612	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	357363	4870377	357
613	Non-Part.	36	38	41	45	50	36	38	41	45	50	34	37	41	45	50	357276	4871269	354
614	Non-Part.	36	39	42	46	50	37	39	42	46	50	35	38	41	45	50	357615	4871921	351
615	Non-Part.	31	36	41	45	50	31	36	41	45	50	29	36	40	45	50	358069	4872952	347

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
616	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	357627	4874308	346
617	Non-Part.	24	35	40	45	50	25	35	40	45	50	23	35	40	45	50	357430	4875734	347
618	Non-Part.	25	35	40	45	50	25	35	40	45	50	23	35	40	45	50	357505	4875420	348
619	Non-Part.	25	35	40	45	50	25	35	40	45	50	23	35	40	45	50	356819	4875899	346
620	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	353119	4876184	359
621	Non-Part.	43	44	45	47	51	43	44	45	47	51	41	42	44	47	51	353033	4872732	367
622	Non-Part.	35	38	41	45	50	35	38	41	45	50	33	37	41	45	50	355110	4872432	360
623	Non-Part.	43	44	45	47	51	43	44	45	47	51	41	42	44	46	51	353501	4871117	369
624	Non-Part.	43	44	45	47	51	43	44	45	47	51	42	42	44	47	51	353171	4871171	367
625	Non-Part.	32	37	41	45	50	32	37	41	45	50	30	36	40	45	50	354643	4868550	372
626	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	355692	4868205	367
627	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	355705	4868226	366
628	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	355890	4868247	367
629	Non-Part.	28	36	40	45	50	28	36	40	45	50	27	36	40	45	50	355778	4868387	367
630	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	355951	4868260	367
631	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356003	4868263	367
632	Non-Part.	27	36	40	45	50	27	36	40	45	50	26	35	40	45	50	356051	4868273	367
633	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356076	4868276	367

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
634	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356066	4868302	368
635	Non-Part.	26	36	40	45	50	26	35	40	45	50	24	35	40	45	50	356128	4868280	366
636	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356112	4868326	367
637	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356112	4868349	366
638	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356044	4868344	367
639	Non-Part.	27	36	40	45	50	27	36	40	45	50	26	35	40	45	50	355995	4868317	367
640	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356050	4868375	366
641	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356046	4868391	366
642	Non-Part.	27	36	40	45	50	26	36	40	45	50	25	35	40	45	50	356045	4868412	365
643	Non-Part.	27	36	40	45	50	27	36	40	45	50	26	35	40	45	50	356116	4868389	365
644	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356100	4868440	364
645	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356172	4868448	364
646	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356176	4868477	364
647	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356186	4868367	364
648	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356303	4868492	364
649	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356390	4868511	365
650	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	355970	4868434	368
651	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	355906	4868513	366

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNT @ 117 m					Nordex N 163 LNT @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
652	Non-Part.	28	36	40	45	50	28	36	40	45	50	27	36	40	45	50	355902	4868535	366
653	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355893	4868586	366
654	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	355956	4868520	365
655	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	355989	4868484	365
656	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356007	4868520	364
657	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356040	4868494	364
658	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356092	4868505	364
659	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356160	4868520	364
660	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356139	4868541	364
661	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356212	4868528	365
662	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356262	4868539	364
663	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356203	4868559	364
664	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356206	4868592	365
665	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356230	4868596	365
666	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356282	4868604	364
667	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356251	4868605	364
668	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356097	4868534	364
669	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356030	4868540	365

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
670	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356027	4868567	365
671	Non-Part.	28	36	40	45	50	28	36	40	45	50	27	36	40	45	50	355940	4868594	365
672	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356018	4868599	365
673	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356015	4868632	366
674	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356011	4868647	366
675	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356066	4868631	365
676	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356138	4868631	365
677	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356190	4868643	365
678	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356219	4868645	365
679	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356265	4868655	365
680	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356265	4868681	365
681	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356132	4868668	365
682	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356131	4868692	365
683	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356318	4868612	365
684	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356339	4868628	365
685	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356427	4868604	365
686	Non-Part.	27	36	40	45	50	27	36	40	45	50	26	35	40	45	50	356408	4868633	365
687	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356331	4868663	365

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTe @ 117 m					Nordex N 163 LNTe @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
688	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356383	4868682	365
689	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356421	4868689	365
690	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356457	4868686	366
691	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356366	4868697	365
692	Non-Part.	27	36	40	45	50	28	36	40	45	50	26	35	40	45	50	356446	4868715	365
693	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356494	4868564	364
694	Non-Part.	27	36	40	45	50	27	36	40	45	50	25	35	40	45	50	356498	4868606	365
695	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356392	4868940	364
696	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356392	4868989	364
697	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356422	4869067	364
698	Non-Part.	28	36	40	45	50	28	36	40	45	50	27	36	40	45	50	356382	4869063	364
699	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356377	4869031	364
700	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356327	4869052	364
701	Non-Part.	28	36	40	45	50	28	36	40	45	50	27	36	40	45	50	356331	4869023	364
702	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356309	4869087	364
703	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356374	4869101	364
704	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356437	4869110	364
705	Non-Part.	28	36	40	45	50	28	36	40	45	50	26	36	40	45	50	356438	4869161	364

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTe @ 117 m					Nordex N 163 LNTe @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
706	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356390	4869157	364
707	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356355	4869151	364
708	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356307	4869137	364
709	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356302	4869170	364
710	Non-Part.	28	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356412	4869220	364
711	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356053	4868972	364
712	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356080	4868980	364
713	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356079	4869006	364
714	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356073	4869033	364
715	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356055	4869050	364
716	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356006	4868977	365
717	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355993	4869003	365
718	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355994	4869031	365
719	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355949	4868966	366
720	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355946	4868986	366
721	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355947	4869008	365
722	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355943	4869023	365
723	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355969	4868875	367

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
724	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355889	4868864	366
725	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355881	4868899	366
726	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355878	4868939	366
727	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355870	4868966	366
728	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355844	4868823	367
729	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355839	4868859	367
730	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355839	4868894	367
731	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355829	4868931	367
732	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355828	4868944	367
733	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355807	4868818	367
734	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355933	4869063	365
735	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355928	4869079	365
736	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355926	4869091	365
737	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355917	4869113	365
738	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355917	4869134	365
739	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355986	4869080	364
740	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355980	4869124	364
741	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355971	4869143	364

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
742	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356059	4869086	364
743	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356057	4869101	364
744	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	356099	4869163	363
745	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355885	4869055	365
746	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355860	4869054	366
747	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355849	4869113	366
748	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355870	4869117	366
749	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355807	4869058	367
750	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355802	4869095	367
751	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355794	4869128	367
752	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355782	4869165	367
753	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355770	4869187	367
754	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355755	4869047	368
755	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355711	4869040	368
756	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355760	4868992	368
757	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355694	4868990	368
758	Non-Part.	30	36	40	45	50	30	36	40	45	50	29	36	40	45	50	355689	4869183	367
759	Non-Part.	30	36	40	45	50	31	36	40	45	50	29	36	40	45	50	355698	4869275	367

Revised Noise Assessment, Big Bend Wind Project

Rec. ID	Status	Vestas V162 @ 119m					GE-158 LNTE @ 117 m					Nordex N 163 LNTE @ 118m					Coordinates (UTM NAD83 Z15N)		
		Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				Modeled Turbine-Only Sound Level (L50, dBA)	Combined Background + Modeled SPL (L50, dBA)				X (m)	Y (m)	Z (m)
			35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background		35 dBA Background	40 dBA Background	45 dBA Background	50 dBA Background			
760	Non-Part.	31	36	40	45	50	31	36	40	45	50	29	36	40	45	50	355723	4869356	366
761	Non-Part.	30	36	40	45	50	31	36	40	45	50	29	36	40	45	50	355751	4869319	366
762	Non-Part.	30	36	40	45	50	30	36	40	45	50	29	36	40	45	50	355809	4869334	366
763	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355817	4869271	366
764	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355843	4869284	366
765	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355886	4869292	366
766	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355951	4869296	364
767	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355935	4869318	365
768	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	355931	4869376	364
769	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	356001	4869360	364
770	Non-Part.	30	36	40	45	50	30	36	40	45	50	28	36	40	45	50	356005	4869310	364
771	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	356030	4869257	363
772	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	356003	4869256	363
773	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	356012	4869188	363
774	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	356036	4869192	363
775	Non-Part.	29	36	40	45	50	30	36	40	45	50	28	36	40	45	50	356032	4869238	363
776	Non-Part.	29	36	40	45	50	29	36	40	45	50	27	36	40	45	50	355964	4869180	364
777	Non-Part.	29	36	40	45	50	29	36	40	45	50	28	36	40	45	50	355961	4869199	364