



June 10, 2025

VIA EFILING

Will Seuffert
Executive Secretary
Minnesota Public Utilities Commission
121 7th Place E, Suite 350
Saint Paul, MN 55101-2147

RE: *In the Matter of the Site Permit for Elm Creek Wind II, LLC 150 MW Project in Martin and Jackson Counties, Issue Date: February 25, 2010*
MPUC Docket No. IP-6728/WS-09-553

Dear Mr. Seuffert:

Elm Creek Wind II, LLC (Elm Creek II), a subsidiary of Avangrid Power, LLC (Avangrid), submitted a Large Wind Energy Conversion System Site Permit Amendment Application for the Elm Creek II Wind Project in Jackson and Martin Counties, Minnesota (Application) on April 1, 2025. Elm Creek II is proposing to retrofit the existing Elm Creek II Wind Facility (Facility) to increase the wind energy efficiency and energy output, and extend the operational life and permit term, of the Facility under a Site Permit Amendment per Minnesota Rules Chapter 7854 (Repower). While the nature of the Repower is not changing from what is currently described in the Application, Elm Creek II continues to assess equipment options for the Project due to the current business climate as it relates to equipment sourcing and availability.

Elm Creek II requests that the Application continue to be processed with the understanding that Elm Creek II will select equipment that will result in impacts that are equal to or less than those that would result from the equipment identified in the Application with respect to generation nameplate, turbine tip height and rotor diameter, setbacks, acoustic impacts, and shadow flicker. All analysis associated with a final layout with confirmed equipment details will be provided as part of any required pre-construction filings to document compliance with relevant requirements and standards.

Sincerely,

Luke Schwitzer
Project Developer
Avangrid Power

Cc: Rich Davis/DOC-EERA (via e-mail – richard.davis@state.mn.us)
Sam Lobby/Minnesota Public Utilities Commission (via e-mail – sam.lobby@state.mn.us)

31867793v1

BEFORE THE MINNESOTA PUBLIC UTILITIES COMMISSION
121 Seventh Place East, Suite 350
St. Paul, Minnesota 55101-2147

In the Matter of the Site Permit for Elm Creek
Wind II, LLC 150 MW Project in Martin and
Jackson Counties, Issue Date: February 25,
2010

MPUC Docket No. IP-6728/WS-09-553

AFFIDAVIT OF SERVICE

STATE OF MINNESOTA)
) ss.
COUNTY OF HENNEPIN)

Mary G. Holly, of the City of Lake Elmo, County of Washington, the State of Minnesota,
being first duly sworn, deposes and says that on the 10th day of June, 2025, she served the
attached **Correspondence** to all said persons on the attached Service List, true and correct copies
thereof, by eFiling and/or by depositing the same enclosed in an envelope, postage prepaid in the
United States Mail in the post office at Minneapolis, Minnesota.

/s/ Mary G. Holly
MARY G. HOLLY

Subscribed and sworn to before me this
10th day of June, 2025.

/s/ Rachel M. Tillemans
Notary Public

My Commission Expires: January 31, 2027

#	First Name	Last Name	Email	Organization	Agency	Address	Delivery Method	Alternate Delivery Method	View Trade Secret	Service List Name
1	Generic	Commerce Attorneys	commerce.attorneys@ag.state.mn.us		Office of the Attorney General - Department of Commerce	445 Minnesota Street Suite 1400 St. Paul MN, 55101 United States	Electronic Service		No	9-553OFF_SL_9-553_1
2	Sharon	Ferguson	sharon.ferguson@state.mn.us		Department of Commerce	85 7th Place E Ste 280 Saint Paul MN, 55101-2198 United States	Electronic Service		Yes	9-553OFF_SL_9-553_1
3	Angela	Piltaver	anglea.piltaver@state.mn.us			MN Dept. of Transportation 2151 Bassett Drive Mankato MN, 56001-5302 United States	Paper Service		No	9-553OFF_SL_9-553_1
4	Generic Notice	Residential Utilities Division	residential.utilities@ag.state.mn.us		Office of the Attorney General - Residential Utilities Division	1400 BRM Tower 445 Minnesota St St. Paul MN, 55101-2131 United States	Electronic Service		No	9-553OFF_SL_9-553_1
5	Will	Seuffert	will.seuffert@state.mn.us		Public Utilities Commission	121 7th PI E Ste 350 Saint Paul MN, 55101 United States	Electronic Service		Yes	9-553OFF_SL_9-553_1