

09/16/20

Jenna Warmuth Minnesota Power 30 West Superior Street Duluth, MN 55802

Re: 2019 Safety, Reliability and Service Quality Standards Report Docket No. E015/M-20-404.

Jenna Warmuth:

Enclosed is Public Utilities Commission Information Requests # 1. Please e-file the Company's response within ten business days. Please indicate where, if at all, your responses include trade secret information.

Respectfully submitted,

Tera Dornfeld Public Engagement Regulatory Specialist

This question is:	Trade Secret
	Public X

State of Minnesota Public Utilities Commission Utility Information Request

Docket Number: E015/M-20-404 Date of Request: Sept. 16, 2020

Requested From: Minnesota Power Response Due: Sept. 30, 2020

Analyst Requesting Information: Tera Dornfeld

Type of Inquiry:

Financial	Rate of Return		Rate Design
Engineering	Forecasting		Conservation
Cost of Service	CIP	х	Other: Annual Service Quality Report

If you feel your responses are proprietary, please indicate.

Request	The Commission is interested in inquiring about other ways customers now communicate with Utilities. To determine the feasibility of such reporting, we request the following information or a short statement as to why it cannot be provided:
Number	REQUEST:
Number	a. Please provide monthly and yearly total page visits or logins to the Company's
1	mobile app, website, and Facebook page (for all applicable platforms used for
	customer communication).
	b. Please provide monthly and yearly number of emails received (including those
	sent via website-based platforms).
	c. Please provide a statement regarding the feasibility of reporting Response Time
	for electronic correspondence (# emails responded to within one business day
	and number responded to in two or more business days).
	•
	d. Please provide a statement regarding the feasibility of maintaining a log of
	customer electronic correspondence by type (similar to the log of customer
	complaints reported in 7826.2000) and then reporting the top five most
	common issues for which customers initiate contact.